# ELECTROCHIMICA Acta

THE JOURNAL OF THE INTERNATIONAL SOCIETY
OF ELECTROCHEMISTRY

AUTHOR INDEX
SUBJECT INDEX

VOLUME 46 (2001)

PERGAMON

PERGAMON

Electrochimica Acta 46 (2001) 1–27

ELECTROCHIMICA Acta

www.elsevier.com/locate/electacta

# Author Index for Volume 46 (2001)

## A

Aballe, A., Bethencourt, M., Botana, F.J., Marcos, M. and Sánchez-Amaya, J.M.
Use of wavelets to study electrochemical noise transients, 2353

Abass, A.K. and Hart, J.P.
Direct electrochemistry of cytochrome *c* at plain and membrane modified screen-printed carbon electrodes, 829

Abdelmoula, M., see Legrand, L., 1815

Abe, I., see Maruyama, J., 3381

Abraham, M. and Abraham, M.-C.
Electrolyte and water activities in very concentrated solutions, 137

Abraham, M.-C., see Abraham, M., 137

Abrantes, L.M., Correia, J.P. and Jin, G.
The heterogeneous growth of P(3MeTh)—an ellipsometric study, 3993

Abrantes, L.M., Correia, J.P., Savic, M. and Jin, G.
Structural modifications during conducting polymer formation — an ellipsometric study, 3181

Acciari, H.A., Guastaldi, A.C. and Brett, C.M.A.
Corrosion of dental amalgams: electrochemical study of Ag–Hg, Ag–Sn and Sn–Hg phases, 3887

Addonizio, M.L., see Antonaia, A., 2221

Aegerter, M.A., see Schmitt, M., 2105

Aeiyach, S., see Lagrost, C., 3985

Agüí, L., see Hernández-Olmos, M.A., 289

Ahn, S.H., see Choi, B.K., 3475

Ahn, S.J., see Lee, S.J., 2605

Aigotti, R., see Saracco, G., 373

Aihara, Y., see Hayamizu, K., 1475

Akhtar, S.P., see Monk, P.M.S., 2091

Al-Awadhi, M.A.A., see Cottis, R.A., 3665

Albu, T.V. and Anderson, A.B.
Studies of model dependence in an ab initio approach to uncatalyzed oxygen reduction and the calculation of transfer coefficients, 3001

Alcobé, X., see Velichenko, A.B., 407

Aldaz, A., see Iniesta, J., 3573

Aldaz, A., see Silva, A.J., 3147

Aleo, F., Pennisi, A., Scalia, S. and Simone, F.
Optical and energetic performances of an electrochromic window tested in a "PASSYS" cell, 2243

Allcock, H.R., see York, S., 1553

Al-Mazeedi, H., see Cottis, R.A., 3665

Almeida, L.E., see Castilho, M., 67

Altube, A., see Pierna, A.R., 315

Alumaa, A., see Tamm, J., 4105

Amadelli, R., De Battisti, A., Girenko, D.V., Kovalyov, S.V. and Velichenko, A.B.
Electrochemical oxidation of *trans*-3,4-dihydroxycinnamic acid at $PbO_2$ electrodes: direct electrolysis and ozone mediated reactions compared, 341

Amatore, C., Gamez, S., Jutand, A., Meyer, G. and Mottier, L.
Reactivity of palladium(0) complexes in the oxidative addition of allylic acetates, 3237

Amiri, O., Aït-Mokhtar, A., Dumargue, P. and Touchard, G.
Electrochemical modelling of chloride migration in cement based materials: Part I: Theoretical basis at microscopic scale, 1267

Amiri, O., Aït-Mokhtar, A., Dumargue, P. and Touchard, G.
Electrochemical modelling of chlorides migration in cement based materials. Part II: Experimental study—calculation of chlorides flux, 3589

Anaissi, F.J., see Demets, G.J.F., 547

Andelman, D., see Borukhov, I., 221

Anderson, A.B., see Albu, T.V., 3001

Andrade, C., Keddam, M., Nóvoa, X.R., Pérez, M.C., Rangel, C.M. and Takenouti, H.
Electrochemical behaviour of steel rebars in concrete: influence of environmental factors and cement chemistry, 3905

Andrei, M., see Popall, M., 1499

Andreoli, R., see Fontanesi, C., 1277

Antaño-Lopez, R., Keddam, M. and Takenouti, H.
A new experimental approach to the time-constants of electrochemical impedance: frequency response of the double layer capacitance, 3611

Antolini, E., see Pozio, A., 555

Antonaia, A., Addonizio, M.L., Minarini, C., Polichetti, T. and Vittori-Antisari, M.
Improvement in electrochromic response for an amorphous/crystalline $WO_3$ double layer, 2221

Aoki, I.V., Bernard, M.-C., de Torresi, S.I.C., Deslouis, C., de Melo, H.G., Joiret, S. and Tribollet, B.
Ac-impedance and Raman spectroscopy study of the electrochemical behaviour of pure aluminium in citric acid media, 1871

Appleby, A.J., see Wang, C., 1793

Arai, T., see Asai, Y., 77

Aramata, A., see Igarashi, K., 1773

Araujo, W.S., Margarit, I.C.P., Ferreira, M., Mattos, O.R. and Lima Neto, P.
Undoped polyaniline anticorrosive properties, 1307

PII: S0013-4686(02)00048-8

Arion, V., see Moutet, J.-C., 2733
Ariyoshi, K., see Ohzuku, T., 2327
Armstrong, R., 627
Armstrong, R., 451
Aromaa, J., see Hildén, J., 3859
Artuso, F., Picardi, G., Bonino, F., Decker, F., Bencic, S., Surca Vuk, A., Opara Krasovec, U. and Orel, B.
Fe-containing $CeVO_4$ films as Li intercalation transparent counter-electrodes, 2077
Asai, Y., Miyata, S., Onishi, K., Arai, T., Matsumoto, M. and Shigehara, K.
Metal-free octacyanophthalocyanine as cathode-active material for a secondary lithium battery, 77
Asaka, K., see Onishi, K., 1233
Asaka, K., see Onishi, K., 737
Atanasoski, R., see Panić, V., 415
Aït-Mokhtar, A., see Amiri, O., 3589
Aït-Mokhtar, A., see Amiri, O., 1267
Attard, G.A., see Watson, D.J., 3157
Aurbach, D. and Schechter, A.
Changes in the resistance of electrolyte solutions during contact with lithium electrodes at open circuit potential that reflect the Li surface chemistry, 2395
Aurbach, D., see Tsirlina, G.A., 4141
Aurbach, D., see Zinigrad, E., 1863
Austen Angell, C., see Sun, X., 1467
Avellaneda, C.O., Bueno, P.R., Faria, R.C. and Bulhões, L.O.S.
Electrochromic properties of lithium doped $WO_3$ films prepared by the sol–gel process, 1977
Avellaneda, C.O., see Bueno, P.R., 2113
Avramov-Ivić, M., Štrbac, S. and Mitrović, V.
The electrocatalytic properties of the oxides of noble metals in the electrooxidation of methanol and formic acid, 3175
Ayouchi, R., see Martos, M., 2939
Azens, A., see Purans, J., 2055

# B

Bach, S., see Bianchi, V., 999
Badas, T., see Pliangos, C., 331
Baddour-Hadjean, R., Meyer, L., Pereira-Ramos, J.P., Latroche, M. and Percheron-Guegan, A.
An electrochemical study of new $La_{1-x}Ce_xY_2Ni_9$ ($0 \leq x \leq 1$) hydrogen storage alloys, 2385
Badiali, J.P., see di Caprio, D., 3051
Badiali, J.P., see Vakarin, E.V., 4151
Badot, J.-C., see Bessière, A., 2251
Baek, W.-C., Kang, T., Sohn, H.-J. and Kho, Y.T.
In situ surface enhanced Raman spectroscopic study on the effect of dissolved oxygen on the corrosion film on low carbon steel in 0.01 M NaCl solution, 2321
Bae, Y.C., see Huh, J.Y., 3535
Baffier, N., see Bessière, A., 2251
Baffier, N., see Bianchi, V., 999
Bakos, I. and Szabó, S.
Electrochemical adsorption of tin on palladium, 2507
Baldwin, S., see Kumar, G., 1515
Ballarin, B., Costanzo, F., Mori, F., Mucci, A., Pigani, L., Schenetti, L., Seeber, R., Tonelli, D. and Zanardi, C.
Electropolymerisation and characterisation of poly[4,4′-bis(butylsulphanil)-2,2′-bithiophene], 881
Baltruschat, H., see Massong, H., 701
Baradlai, P., see Varga, K., 3783
Barbato, S. and Gautier, J.L.
Hollandite cathodes for lithium ion batteries. 2. Thermodynamic and kinetics studies of lithium insertion into $BaMMn_7O_{16}$ (M = Mg, Mn, Fe, Ni), 2767
Barcia, O.E., see Matos, J.B., 1377
Barisci, J.N., Stella, R., Spinks, G.M. and Wallace, G.G.
Characterisation of the topography and surface potential of electrodeposited conducting polymer films using atomic force and electric force microscopies, 519
Barisci, J.N., Wallace, G.G. and Baughman, R.H.
Electrochemical quartz crystal microbalance studies of single-wall carbon nanotubes in aqueous and non-aqueous solutions, 509
Barrado, J.R.R., see Martos, M., 2939
Barsukov, I.V., see Barsukov, V.Z., 4083
Barsukov, V.Z., Khomenko, V.G., Chivikov, S.V., Barsukov, I.V. and Motronyuk, T.I.
On the faradaic and non-faradaic mechanisms of electrochemical processes in conducting polymers and some other reversible systems with solid-phase reagents, 4083
Barthes-Labrousse, M.G., see Laik, B., 691
Bartholomäus, L., see Moritz, W., 271
Battiston, G.A., see Daniele, S., 2961
Baturina, O.A., see Damaskin, B.B., 3091
Baughman, R.H., see Barisci, J.N., 509
Baumgärtner, S., see Hauch, A., 2131
Bay, L., see Jacobsen, T., 1019
Bedioui, F., see Gulppi, M., 3397
Béguin, F., see Lewandowski, A., 2777
Behm, R.J., see Magnussen, O.M., 3725
Bel, G.J., see de Leeuw, S.W., 1419
Belgsir, E.M., see Chamoulaud, G., 2757
Belhomme, C., see Bianchi, V., 999
Bellenger, F., Chemarin, C., Deroo, D., Maximovitch, S., Surca Vuk, A. and Orel, B.
Insertion of lithium in vanadium and mixed vanadium–titanium oxide films, 2263
Bell, J.M., see Matthews, J.P., 1957
Benballa, M., see Müller, C., 2811
Bencic, S., see Artuso, F., 2077
Bendler, J.T., Fontanella, J.J., Shlesinger, M.F. and Wintersgill, M.C.
Effect of high pressure on the electrical conductivity of ion conducting polymers, 1615
Benedetti, A.V., see Rosatto, S.S., 1043
Benedetti, L., see Fontanesi, C., 1277
Bergman, R., see Svanberg, C., 1447
Berlouis, L.E.A., see Quijada, C., 651
Bernard, M.-C., see Aoki, I.V., 1871
Berrettoni, M., see Scavetta, E., 2681
Bertagnolli, H., see Buchmann, S., 3207
Bessière, A., Badot, J.-C., Certiat, M.-C., Livage, J., Lucas, V. and Baffier, N.
Sol–gel deposition of electrochromic $WO_3$ thin film on flexible ITO/PET substrate, 2251
Bethencourt, M., see Aballe, A., 2353

Betova, I., Bojinov, M., Englund, A., Fabricius, G., Laitinen, T., Mäkelä, K., Saario, T. and Sundholm, G.
Contact electric impedance and resistance studies of the conduction mechanism in passive films on ferrous alloys, 3627
Betróti, I., see Telegdi, J., 3791
Bianchi, V., Bach, S., Belhomme, C., Farcy, J., Pereira-Ramos, J.P., Caurant, D., Baffier, N. and Willmann, P.
Electrochemical investigation of the Li insertion–extraction reaction as a function of lithium deficiency in $Li_{1-x}Ni_{1+x}O_2$, 999
Bidan, G., see Łapkowski, M., 4001
Billaud, D., see Dubois, M., 4301
Billaud, D., see Thomas, P., 3359
Billaud, D., see Thomas, P., 39
Birss, V.I., see Bock, C., 837
Birss, V.I., see Xia, S.J., 463
Birss, V.I., see Xia, S.J., 475
Biscazzo, S., see Di Noto, V., 1587
Blackwood, D.J.
Influence of the space-charge region on electrochemical impedance measurements on passive oxide films on titanium, 563
Bleve-Zacheo, T., see Cioffi, N., 4205
Bloise, A.C., Tambelli, C.C., Franco, R.W.A., Donoso, J.P., Magon, C.J., Souza, M.F., Rosario, A.V. and Pereira, E.C.
Nuclear magnetic resonance study of PEO-based composite polymer electrolytes, 1571
Blyr, A., see Rougier, A., 1945
Bock, C. and Birss, V.I.
Comparison of Ir oxide film redox kinetics in sulfuric and *p*-toluene sulfonic acid solutions, 837
Bohinc, K., Kralj-Iglič, V. and Iglič, A.
Thickness of electrical double layer. Effect of ion size, 3033
Bojinov, M., Fabricius, G., Laitinen, T., Mäkelä, K., Saario, T. and Sundholm, G.
Influence of molybdenum on the conduction mechanism in passive films on iron–chromium alloys in sulphuric acid solution, 1339
Bojinov, M., see Betova, I., 3627
Bokeloh, F., see Wodiunig, S., 357
Bondon, A., Porhiel, E., Pebay, C., Thouin, L., Leroy, J. and Moinet, C.
Tetraarylporphyrin synthesis by electrochemical oxidation of porphyrinogens, 1899
Bonfatti, F., De Battisti, A., Ferro, S., Lodi, G. and Osti, S.
Anodic mineralization of organic substrates in chloride-containing aqueous media, 305
Boni, G., see Vorotyntsev, M.A., 4017
Bonino, F., see Artuso, F., 2077
Bonora, P.L., see Vacandio, F., 3827
Bonta, M., see Núñez-Vergara, L.J., 4289
Boodts, J.F.C., see Da Silva, L.M., 1369
Borissov, D., see Tsakova, V., 4213
Börjesson, L., see Svanberg, C., 1447
Borkowska, R., Reda, A., Zalewska, A. and Wieczorek, W.
Composite polyether electrolytes with Lewis acid type additives, 1737
Borkowska, R., see Wieczorek, W., 1427
Borkowska, Z., see di Caprio, D., 3051
Borkowska, Z., see Tymosiak-Zielińska, A., 3073
Borukhov, I., Andelman, D. and Orland, H.
Adsorption of large ions from an electrolyte solution: a modified Poisson–Boltzmann equation, 221
Boschloo, G., see Edwards, M.O.M., 2187
Botana, F.J., see Aballe, A., 2353
Bottino, A., see Magistris, A., 1635
Boutevin, J., see Monk, P.M.S., 2091
Bouzek, K., Mangold, K.-M. and Jüttner, K.
Platinum distribution and electrocatalytic properties of modified polypyrrole films, 661
Bowmaker, G.A., see Melendres, C.A., 9
Bragato, C., see Daniele, S., 2961
Branz, H.M., see Deb, S.K., 2125
Brenig, L., see Córdoba-Torres, P., 2975
Brenscheidt, T., Nitschké, F., Söllner, O. and Wendt, H.
Molten carbonate fuel cell research II. Comparing the solubility and the in-cell mobility of the nickel oxide cathode material in lithium/potassium and lithium/sodium carbonate melts, 783
Brett, C.M.A., see Acciari, H.A., 3887
Brigouleix, C., Topart, P., Bruneton, E., Sabary, F., Nouhaut, G. and Campet, G.
Roll-to-roll pulsed dc magnetron sputtering deposition of $WO_3$ for electrochromic windows, 1931
Brito, G.E.S., see Martini, M., 2275
Brotherston, I., see Hutchins, M.G., 1983
Brown, I.J. and Sotiropoulos, S.
Electrodeposition of Ni from a high internal phase emulsion (HIPE) template, 2711
Brown, R.J.C. and Kucernak, A.R.
The electrochemistry of platinum phthalocyanine microcrystals: III. Electrochemical behaviour in aqueous electrolytes, 2573
Bruckenstein, S., see Kim, K., 4133
Bruneton, E., see Brigouleix, C., 1931
Buchmann, S., Mayer, H.A., Speiser, B., Seiler, M., Bertagnolli, H., Steinbrecher, S. and Plies, E.
Electrochemistry of transition metal complex catalysts: Part 8. One-electron oxidation of an iridium complex with a cyclohexane-derived tripod phosphine ligand — cyclic voltammetry and preparative electrolysis, 3207
Bueno, P.R., Avellaneda, C.O., Faria, R.C. and Bulhões, L.O.S.
Electrochromic properties of undoped and lithium doped $Nb_2O_5$ films prepared by the sol–gel method, 2113
Bueno, P.R., see Avellaneda, C.O., 1977
Buestrich, R., see Popall, M., 1499
Bukowska, J., see Zawada, K., 2671
Bulhões, L.O.S., see Avellaneda, C.O., 1977
Bulhões, L.O.S., see Bueno, P.R., 2113
Burchardt, T., Hansen, V. and Våland, T.
Microstructure and catalytic activity towards the hydrogen evolution reaction of electrodeposited $NiP_x$ alloys, 2761
Burstein, G.T. and Sasaki, K.
Detecting electrochemical transients generated by erosion–corrosion, 3675
Bustos, P., see Ureta-Zañartu, M.S., 2545
Butt, H.-J., see Raiteri, R., 157

Butt, N.S., see Hutchins, M.G., 1983
Buttry, D.A., see Huguenin, F., 3555
Byker, H.J.
Electrochromics and polymers, 2015
Bzducha, W., see Chung, S.H., 1651

# C

Caban, K., see Kulesza, P.J., 4065
Cabot, P.L., see Rosatto, S.S., 1043
Cabrera-Sierra, R., García, I., Sosa, E., Oropeza, T. and González, I.
Electrochemical behavior of carbon steel in alkaline sour environments measured by electrochemical impedance spectroscopy, 487
Cachet, H., El Moustafid, T., Herbert-Guillou, D., Festy, D., Touzain, S. and Tribollet, B.
Characterization of deposits by direct observation and by electrochemical methods on a conductive transparent electrode. Application to biofilm and scale deposit under cathodic protection, 3851
Cachet-Vivier, C., see Vivier, V., 907
Caillot, E., see Herlem, M., 2967
Calvo, M., see Zawada, K., 2671
Campestrini, P., van Westing, E.P.M. and de Wit, J.H.W.
Influence of surface preparation on performance of chromate conversion coatings on Alclad 2024 aluminium alloy: Part II: EIS investigation, 2631
Campestrini, P., van Westing, E.P.M. and de Wit, J.H.W.
Influence of surface preparation on performance of chromate conversion coatings on Alclad 2024 aluminium alloy: Part I: Nucleation and growth, 2553
Campet, G., see Brigouleix, C., 1931
Cao, G.S., see Zhao, X.B., 891
Carano, M., Ceroni, P., Da Ros, T., Kordatos, K., Tomberli, V., Paolucci, F., Prato, M. and Roffia, S.
Electrochemical properties of soluble fullerene derivatives, 265
Carano, M., Ceroni, P., Fontanesi, C., Marcaccio, M., Paolucci, F., Paradisi, C. and Roffia, S.
Extensive redox series in dinuclear and dendritic Ru(II) complexes, 3199
Cárdenas-Jirón, G.I., Gulppi, M.A., Caro, C.A., del Río, R., Páez, M. and Zagal, J.H.
Reactivity of electrodes modified with substituted metallophthalocyanines. Correlations with redox potentials, Hammett parameters and donor–acceptor intermolecular hardness, 3227
Cardoso, E.M., see Garcia, L.A.C.J., 3879
Cardoso Filho, J.C., see Orazem, M.E., 3685
Carlà, M., see Fontanesi, C., 1277
Carlier, R., Hapiot, P., Lorcy, D., Robert, A. and Tallec, A.
Electrosynthesis and redox behavior of vinylogous TTF displaying strong conformational changes associated with electron transfers, 3269
Caro, C.A., see Cárdenas-Jirón, G.I., 3227
Carré, B., see Chagnes, A., 1783
Carrière, D., see Laik, B., 2203
Casalta, M., see Vorotyntsev, M.A., 4017
Castilho, M., Almeida, L.E., Tabak, M. and Mazo, L.H.
The electrochemical oxidation of the antioxidant drug dipyridamole at glassy carbon and graphite electrodes in micellar solutions, 67
Castillo, J., Delgado, I., Chacón, M. and Vargas, R.A.
New solid ionic conductor based on poly(ethylene oxide) and sodium trifluoroacetate, 1695
Cateforis, E., see Hepel, M., 3801
Cattarin, S., Guerriero, P. and Musiani, M.
Preparation of anodes for oxygen evolution by electrodeposition of composite Pb and Co oxides, 4229
Caurant, D., see Bianchi, V., 999
Cazzanelli, E., Papalino, L., Pennisi, A. and Simone, F.
Spatial variation of structural order in sputtered $WO_3$ films, 1937
Cea, P., Pardo, J.I., Urieta, J.S., Lopez, M.C. and Royo, F.M.
Study and interpretation of the electrochemical behavior of some TTF derivatives, 589
Cerisola, G., see Iniesta, J., 3573
Ceroni, P., see Carano, M., 3199
Ceroni, P., see Carano, M., 265
Certiat, M.-C., see Bessière, A., 2251
Chacón, M., see Castillo, J., 1695
Chagnes, A., Carré, B., Willmann, P. and Lemordant, D.
Ion transport theory of nonaqueous electrolytes. $LiClO_4$ in γ-butyrolactone: the quasi lattice approach, 1783
Chai, J.W., see Yao, H.B., 2649
Číhal, V. and Štefec, R.
On the development of the electrochemical potentiokinetic method, 3867
Chamoulaud, G., Floner, D., Moinet, C., Lamy, C. and Belgsir, E.M.
Biomass conversion II: simultaneous electrosyntheses of furoic acid and furfuryl alcohol on modified graphite felt electrodes, 2757
Chane-Ching, K.I., see Just, P.E., 3279
Chane-Ching, K.I., see Lagrost, C., 3985
Chanel, S., see Rodriguez-Torres, I., 279
Chaubey, A., Gerard, M., Singhal, R., Singh, V.S. and Malhotra, B.D.
Immobilization of lactate dehydrogenase on electrochemically prepared polypyrrole–polyvinylsulphonate composite films for application to lactate biosensors, 723
Chausse, A., see Laik, B., 691
Chausse, A., see Legrand, L., 2407
Chaussé, A., see Legrand, L., 1815
Chausse, A., see Legrand, L., 111
Chauvet, O., see Garreau, S., 1207
Chemarin, C., see Bellenger, F., 2263
Chen, C., see Ma, J., 2427
Cheng, L., Pacey, G.E. and Cox, J.A.
Preparation and electrocatalytic applications of a multilayer nanocomposite consisting of phosphomolybdate and poly(amidoamine), 4223
Cheng, Z., see Qian, X., 1829
Chen, L.-C. and Ho, K.-C.
Design equations for complementary electrochromic devices: application to the tungsten oxide–Prussian blue system, 2151
Chen, L.-C. and Ho, K.-C.
Interpretations of voltammograms in a typical two-electrode cell: application to complementary electrochromic systems, 2159

Chen, L., see He, H., 2871
Chen, P.-Y. and Sun, I.-W.
Electrodeposition of cobalt and zinc–cobalt alloys from a lewis acidic zinc chloride-1-ethyl-3-methylimidazolium chloride molten salt, 1169
Chen, S., Lee, D. and Schell, M.
Enhancement of the electrochemical oxidation of formic acid. Effects of anion adsorption and variation of rotation rate, 3481
Cheong, H.M., Lee, S.-H., Nelson, B., Mascarenhas, A. and Deb, S.K.
Evidence for light-induced long-range hydrogen motion in a-Si:H using Raman scattering of a-$WO_3$, 1963
Cheong, H.M., see Lee, S.-H., 3415
Cheong, H.M., see Lee, S.-H., 1995
Cheon, S.E., Kwon, C.W., Kim, D.B., Hong, S.J., Kim, H.T. and Kim, S.W.
Effect of binary conductive agents in $LiCoO_2$ cathode on performances of lithium ion polymer battery, 599
Cherginets, V.L. and Rebrova, T.P.
Studies of the relative acidities of some chloride melts, 25
Chevrot, C., Sadki, S. and Kham, K.
Effect of the polydispersity on electrochemical properties in solution of poly(*N*-alkylcarbazole)s, 709
Chia, F., see Zheng, Y., 1397
Chialvo, A.C., see Marozzi, C.A., 861
Chiba, S., see Komaba, S., 31
Chidambaram, D., see Kagwade, S.V., 2337
Chivikov, S.V., see Barsukov, V.Z., 4083
Choba, M.A., see Safonov, V.A., 3103
Cho, E.A., see Lee, S.J., 2605
Choi, B.K., Kim, Y.W., Gong, M.S. and Ahn, S.H.
Characterization of new polyacrylonitrile-co-bis[2-(2-methoxyethoxy)ethyl]itaconate based gel polymer electrolytes, 3475
Choi, J.H., Jang, J.H. and Oh, S.M.
Microstructure and cathodic performance of $La_{0.9}Sr_{0.1}MnO_3$/yttria-stabilized zirconia composite electrodes, 867
Choi, N.-S. and Park, J.-K.
New polymer electrolytes based on PVC/PMMA blend for plastic lithium-ion batteries, 1453
Choi, N.-S., Lee, Y.-G., Park, J.-K. and Ko, J.-M.
Preparation and electrochemcial characteristics of plasticized polymer electrolytes based upon a P(VdF-co-HFP)/PVAc blend, 1581
Chojak, M., see Kulesza, P.J., 4371
Chojak, M., see Kulesza, P.J., 4065
Chung, S.H., see Edmondson, C.A., 1623
Chung, S.H., see Wieczorek, W., 1427
Chung, S.H., Wang, Y., Greenbaum, S.G., Bzducha, W., Zukowska, G. and Wieczorek, W.
Characterization of perdeuterated $H_3PO_4$-doped non-aqueous gel electrolytes using $^{31}P$ nuclear magnetic resonance spectroscopy, 1651
Churikov, A.V., Kharkats, Y.I., Gamayunova, I.M., Nimon, E.S. and Shirokov, A.V.
Diffusion processes at photoemission from lithium into its passivating layer, 2929
Churikov, A.V.
Transfer mechanism in solid-electrolyte layers on lithium: influence of temperature and polarization, 2415
Cioffi, N., Torsi, L., Losito, I., Sabbatini, L., Zambonin, P.G. and Bleve-Zacheo, T.
Nanostructured palladium–polypyrrole composites electrosynthesised from organic solvents, 4205
Ciorba, G.A., Radovan, C., Vlaicu, I. and Pitulice, L.
Correlation between organic component and electrode material: consequences on removal of surfactants from wastewater, 297
Clayton, C.R., see Kagwade, S.V., 2337
Climent, V., see Danilov, A.I., 3137
Climent, V., see Pluchery, O., 4319
Cocke, D.L., see Mamun, A., 3343
Comninellis, C., see Doulakas, L., 349
Comninellis, C., see Hermann, V., 365
Comninellis, C., see Iniesta, J., 3573
Comninellis, C., see Wodiunig, S., 357
Comtat, M., see Gros, P., 643
Córdoba de Torresi, S.I., see Huguenin, F., 3555
Córdoba-Torres, P., Nogueira, R.P., de Miranda, L., Brenig, L., Wallenborn, J. and Fairén, V.
Cellular automaton simulation of a simple corrosion mechanism: mesoscopic heterogeneity versus macroscopic homogeneity, 2975
Córdova, R., see Gómez, H., 821
Córdova, R., see Schrebler, R., 4309
Correia, J.P., see Abrantes, L.M., 3993
Correia, J.P., see Abrantes, L.M., 3181
Costa-García, A., see Hernández-Santos, D., 607
Costanzo, F., see Ballarin, B., 881
Costa Vieira, S.M., see Monk, P.M.S., 2195
Cottis, R.A., Al-Awadhi, M.A.A., Al-Mazeedi, H. and Turgoose, S.
Measures for the detection of localized corrosion with electrochemical noise, 3665
Courbin, G., see Garcia, C., 973
Coutanceau, C., Croissant, M.J., Napporn, T. and Lamy, C.
Electrocatalytic reduction of dioxygen at platinum particles dispersed in a polyaniline film, 579
Couto, A., Rincón, A., Pérez, M.C. and Gutiérrez, C.
Adsorption and electrooxidation of carbon monoxide on polycrystalline platinum at pH 0.3–13, 1285
Cox, J.A., see Cheng, L., 4223
Crabb, E.M. and Ravikumar, M.K.
Synthesis and characterisation of carbon-supported PtGe electrocatalysts for CO oxidation, 1033
Craievich, A.F., see Martini, M., 2275
Croce, F., Persi, L., Scrosati, B., Serraino-Fiory, F., Plichta, E. and Hendrickson, M.A.
Role of the ceramic fillers in enhancing the transport properties of composite polymer electrolytes, 2457
Croce, F., see Varsano, F., 2069
Croissant, M.J., see Coutanceau, C., 579
Csahók, E., see Inzelt, G., 3955
Csöregi, E., see Gaspar, S., 255
Cury, P., see Schrebler, R., 4309

# D


Da Cunha Belo, M., see Ferreira, M.G.S., 3767

Dakova, B., Walcarius, A., Lamberts, L. and Evers, M.
Electrochemical behaviour of seleno-organic compounds: Part 5. [2*H*] Benziso-1,2-selenazol-3-one, [3*H*] benzo-2,1-thiaselenol-3-one and [3*H*] benzo-1,2-dithiol-3-one, 1259

Dalchiele, E.A., see Schrebler, R., 4309

Damaskin, B.B., Baturina, O.A., Stenina, E.V. and Sviridova, L.N.
Coadsorption of ions and organic molecules, 3091

Daniele, S., Bragato, C., Battiston, G.A. and Gerbasi, R.
Voltammetric characterisation of Pt–$TiO_2$ composite nanomaterials prepared by metal organic chemical vapour deposition (MOCVD), 2961

Danilov, A.I., Molodkina, E.B., Polukarov, Y.M., Climent, V. and Feliu, J.M.
Active centers for Cu UPD–OPD in acid sulfate solution on Pt(111) electrodes, 3137

Dan, P., see Zinigrad, E., 1863

Da Ros, T., see Carano, M., 265

Da Silva, L.M., Boodts, J.F.C. and De Faria, L.A.
Oxygen evolution at $RuO_2(x) + Co_3O_4(1-x)$ electrodes from acid solution, 1369

Dávila, M.M., Elizalde, M.P., Mattusch, J. and Wennrich, R.
Study of the composite electrodes carbon–polyvinyl chloride and carbon–polyvinyl chloride/Nafion by ex situ and in situ methods, 3189

Davydov, A.D.
Breakdown of valve metal passivity induced by aggressive anions, 3777

De Battisti, A., see Amadelli, R., 341

De Battisti, A., see Bonfatti, F., 305

Deb, S.K., Lee, S.-H., Edwin Tracy, C., Roland Pitts, J., Gregg, B.A. and Branz, H.M.
Stand-alone photovoltaic-powered electrochromic smart window, 2125

Deb, S.K., see Cheong, H.M., 1963

Deb, S.K., see Lee, S.-H., 3415

Deb, S.K., see Lee, S.-H., 2237

Deb, S.K., see Lee, S.-H., 1995

deCastro, S.C., see Urbano, A., 2269

Decker, F., see Artuso, F., 2077

Decker, F., see Lourenco, A., 2257

Decker, F., see Masetti, E., 2085

Decker, F., see Varsano, F., 2069

Dedryvère, R., Olivier-Fourcade, J., Jumas, J.C., Denis, S., Lavela, P. and Tirado, J.L.
Electrochemical and $^{119}Sn$ Mössbauer study of sulfospinels as anode materials for lithium-ion batteries, 127

De Faria, L.A., see Da Silva, L.M., 1369

DeFaveri, M., see Szpyrkowicz, L., 381

Deflorian, F., see Fedrizzi, L., 3715

de Groot, R.A., see de Wijs, G.A., 1989

Deimede, V., see Hasiotis, C., 2401

Deiss, E., Häringer, D., Novák, P. and Haas, O.
Modeling of the charge–discharge dynamics of lithium manganese oxide electrodes for lithium-ion batteries, 4185

Dekanski, A., see Panić, V., 415

Deki, S., see Saito, Y., 1747

Delage, F., see Monk, P.M.S., 2195

de Leeuw, S.W., see van Zon, A., 1717

de Leeuw, S.W., see van Zon, A., 1539

de Leeuw, S.W., Van Zon, A. and Bel, G.J.
Structural relaxation in poly(ethyleneoxide) and poly(ethyleneoxide)–sodium iodide systems: a molecular dynamics study, 1419

Delgado, I., see Castillo, J., 1695

D'Elia, E., see Matos, J.B., 1377

Deligeer, see Nakamura, N., 1605

del Río, R., see Cárdenas-Jirón, G.I., 3227

de Melo, H.G., see Aoki, I.V., 1871

Demets, G.J.F., Anaissi, F.J. and Toma, H.E.
Electrochemical properties of assembled polypyrrole/$V_2O_5$ xerogel films, 547

de Miranda, L., see Córdoba-Torres, P., 2975

Denis, S., see Dedryvère, R., 127

De Paoli, M.-A., Nogueira, A.F., Machado, D.A. and Longo, C.
All-polymeric electrochromic and photoelectrochemical devices: new advances, 4243

Deroo, D., see Bellenger, F., 2263

Desilvestro, J., see Travas-Sejdic, J., 1461

Deslouis, C., see Aoki, I.V., 1871

Deslouis, C., see Nguyen Thi Le, H., 4259

de Souza, P.P., see Furtado, C.A., 1629

de Torresi, S.I.C., see Aoki, I.V., 1871

Devilliers, D., see Mahé, E., 629

de Vooys, A.C.A., Koper, M.T.M., van Santen, R.A. and van Veen, J.A.R.
Mechanistic study of the nitric oxide reduction on a polycrystalline platinum electrode, 923

de Wijs, G.A. and de Groot, R.A.
Amorphous $WO_3$: a first-principles approach, 1989

de Wit, J.H.W.
New knowledge on localized corrosion obtained from local measuring techniques, 3641

de Wit, J.H.W., see Campestrini, P., 2631

de Wit, J.H.W., see Campestrini, P., 2553

di Caprio, D., Stafiej, J., Badiali, J.P. and Borkowska, Z.
Fluctuations of electric variables in Debye–Hückel electrolyte at a neutral hard wall, 3051

Diez, M.C., see Ureta-Zañartu, M.S., 2545

Di Maggio, R., see Fedrizzi, L., 3715

Ding, H., Pan, Z., Pigani, L., Seeber, R. and Zanardi, C.
p- and n-doping processes in polythiophene with reduced bandgap. An electrochemical impedance spectroscopy study, 2721

Ding, M.S., see Xu, K., 1823

Di Noto, V., Fauri, M., Vittadello, M., Lavina, S. and Biscazzo, S.
Zeolitic inorganic–organic polymer electrolytes: synthesis, characterization and ionic conductivity of a material based on oligo(ethylene glycol) 600, $(CH_3)_2SnCl_2$ and $K_4Fe(CN)_6$, 1587

Doblhofer, K., see Savinova, E.R., 175

Dong, S., see Qian, X., 1829

Donoso, J.P., see Bloise, A.C., 1571

Donoso, J.P., see Tambelli, C.E., 1665

Doulakas, L., Novy, K., Stucki, S. and Comninellis, C.
Recovery of Cu, Pb, Cd and Zn from synthetic mixture by selective electrodeposition in chloride solution, 349
Dražič, G., see Orel, B., 2059
Duan, Y., see Halley, J.W., 239
Dubois, M., Naji, A. and Billaud, D.
Electrochemical insertion of alkaline ions into polyparaphenylene: effect of the crystalline structure of the host material, 4301
Duchanoy, C., Lapicque, F., Oduoza, C.F. and Wragg, A.A.
Mass transfer and free convection associated with electrodeposition at long narrow upward facing tracks, 433
Duffield, J.R., see Monk, P.M.S., 2091
Duić, L. and Grigić, S.
The effect of polyaniline morphology on hydroquinone/quinone redox reaction, 2795
Dumargue, P., see Amiri, O., 3589
Dumargue, P., see Amiri, O., 1267
Dupont, L., see Naghavi, N., 2007
Durliat, H., see Gros, P., 643
Dutriat, D., see Hermann, V., 365

# E

Edmondson, C.A., Fontanella, J.J., Chung, S.H., Greenbaum, S.G. and Wnek, G.E.
Complex impedance studies of S-SEBS block polymer proton-conducting membranes, 1623
Edwards, M.O.M., Boschloo, G., Gruszecki, T., Pettersson, H., Sohlberg, R. and Hagfeldt, A.
'Electric-paint displays' with carbon counter electrodes, 2187
Edwin Tracy, C., see Deb, S.K., 2125
Edwin Tracy, C., see Lee, S.-H., 3415
Edwin Tracy, C., see Lee, S.-H., 2237
Eichinger, G., see Popall, M., 1499
Elizalde, M.P., see Dávila, M.M., 3189
El Moustafid, T., see Cachet, H., 3851
Engelmann, G.E., see Kleinert, M., 3129
Englund, A., see Betova, I., 3627
Eriksson, A. and Nyholm, L.
Coulometric and spectroscopic investigations of the oxidation and reduction of some azosalicylic acids at glassy carbon electrodes, 1113
Etcheberry, A., see Gonçalves, A.-M., 2835
Evers, M., see Dakova, B., 1259

# F

Fabre, B., Lehmann, U. and Schlüter, A.D.
Boronic ester-substituted terpyridine metal complex as a novel fluoride-sensitive redox receptor, 2855
Fabre, B., see Nicolas, M., 3421
Fabre, B., see Nicolas, M., 1179
Fabricius, G., see Betova, I., 3627
Fabricius, G., see Bojinov, M., 1339
Fahys, B., see Herlem, M., 2967
Fairén, V., see Córdoba-Torres, P., 2975
Fantini, M.C.A., see Martini, M., 2275
Fantini, M.C.A., see Urbano, A., 2269
Farcy, J., see Bianchi, V., 999
Faria, R.C., see Avellaneda, C.O., 1977
Faria, R.C., see Bueno, P.R., 2113
Farley, N.R.S., Gurman, S.J. and Hillman, A.R.
Dynamic EXAFS study of discharging nickel hydroxide electrode with non-integer Ni valency, 3119
Farrell, D., see McCormac, T., 3287
Farsang, G., see Kádár, M., 3405
Farsang, G., see Kádár, M., 1297
Fattakhova, D.S., see Jouikov, V.V., 807
Faty, S., see Ferreira, M.G.S., 3767
Fauri, M., see Di Noto, V., 1587
Fedrizzi, L., Rodriguez, F.J., Rossi, S., Deflorian, F. and Di Maggio, R.
The use of electrochemical techniques to study the corrosion behaviour of organic coatings on steel pretreated with sol–gel zirconia films, 3715
Fedrizzi, L., see Vacandio, F., 3827
Felhősi, I., see Keresztes, Z., 3841
Feliu, J. and Heinze, J., 3049
Feliu, J.M., see Danilov, A.I., 3137
Fellner, P., Híveš, J., Korenko, M. and Thonstad, J.
Cathodic overvoltage and the contents of sodium and lithium in molten aluminium during electrolysis of cryolite-based melts, 2379
Feng, J., see Johnson, D.C., 323
Ferreira, F.F., see Urbano, A., 2269
Ferreira, M.G.S., Hakiki, N.E., Goodlet, G., Faty, S., Simões, A.M.P. and Da Cunha Belo, M.
Influence of the temperature of film formation on the electronic structure of oxide films formed on 304 stainless steel, 3767
Ferreira, M., see Araujo, W.S., 1307
Ferro, S., see Bonfatti, F., 305
Festy, D., see Cachet, H., 3851
Fiaud, C., see Garcia, C., 973
Figueiredo, F.M., see Kharton, V.V., 2879
Fikus, A., see Rammelt, U., 2363
Filoche, M. and Sapoval, B.
Shape-dependency of current through non-linear irregular electrodes, 213
Floner, D., see Chamoulaud, G., 2757
Florit, M.I., see Posadas, D., 4075
Fonseca, I., see Silva, A.J., 3147
Fontanella, J.J., see Bendler, J.T., 1615
Fontanella, J.J., see Edmondson, C.A., 1623
Fontanesi, C., Benedetti, L., Andreoli, R. and Carlà, M.
On the adsorption of pure ethylene glycol on mercury, 1277
Fontanesi, C., see Carano, M., 3199
Forsén, O., see Hildén, J., 3859
Forsyth, M., see Forsyth, S., 1753
Forsyth, M., see Sun, J., 1703
Forsyth, M., see Sun, J., 1673
Forsyth, M., see Thompson, S.D., 1657
Forsyth, S., Golding, J., MacFarlane, D.R. and Forsyth, M.
*N*-methyl-*N*-alkylpyrrolidinium tetrafluoroborate salts: ionic solvents and solid electrolytes, 1753
Frąckowiak, E., see Lewandowski, A., 2777
Franco, R.W.A., see Bloise, A.C., 1571

Frech, R., see York, S., 1553
Frech, R., see York, S., 1533
Frenning, G., Nilsson, M., Westlinder, J., Niklasson, G.A. and Mattsson, M.S.
Dielectric and Li transport properties of electron conducting and non-conducting sputtered amorphous $Ta_2O_5$ films, 2041
Fried, N.A., Rhoads, K.G. and Sadoway, D.R.
Transference number measurements of $TiO_2$–BaO melts by stepped-potential chronoamperometry, 3351
Froyer, G., see Garreau, S., 1207
Frydrychevicz, A., see Vassiliev, S.Y., 4043
Fujieda, T., see Prosini, P.P., 2623
Fujisaki, T., see Morita, M., 1565
Fujiwara, N., see Onishi, K., 1233
Fujiwara, N., see Onishi, K., 737
Fujiwara, T., see Liu, Y., 1151
Fukuda, N., see Tasaka, A., 4349
Fukunaka, Y., see Konishi, Y., 681
Furtado, C.A., de Souza, P.P., Goulart Silva, G., Matencio, T. and Pernaut, J.M.
Electrochemical behavior of polyurethane ether electrolytes/carbon black composites and application to double layer capacitor, 1629
Furtado, C.A., see Silva, R.A., 1493

# G

Gabrielli, C., Garcia-Jareño, J.J. and Perrot, H.
Charge compensation process in polypyrrole studied by ac electrogravimetry, 4095
Gabrusenoks, J., Veispals, A., von Czarnowski, A. and Meiwes-Broer, K.-H.
Infrared and Raman spectroscopy of $WO_3$ and $CdWO_4$, 2229
Galkowski, M., see Kulesza, P.J., 4065
Galkowski, M.T., see Martel, D., 4197
Gallego, J., see Hutchins, M.G., 1983
Galus, Z., see Kukulka-Walkiewicz, J., 4057
Gamayunova, I.M., see Churikov, A.V., 2929
Gamez, S., see Amatore, C., 3237
Gandini, A., see Tambelli, C.E., 1665
Gao, H., see Li, N., 717
Garcia, I., see Cabrera-Sierra, R., 487
Garcia, B., see Nguyen Thi Le, H., 4259
Garcia, C., Courbin, G., Ropital, F. and Fiaud, C.
Study of the scale inhibition by HEDP in a channel flow cell using a quartz crystal microbalance, 973
Garcia-Jareño, J.J., see Gabrielli, C., 4095
Garcia, L.A.C.J., Joia, C.J.B.M., Cardoso, E.M. and Mattos, O.R.
Electrochemical methods in corrosion on petroleum industry: laboratory and field results, 3879
Garreau, S., Louarn, G., Froyer, G., Lapkowski, M. and Chauvet, O.
Spectroelectrochemical studies of the $C_{14}$-alkyl derivative of poly(3,4-ethylenedioxythiophene) (PEDT), 1207
Gartner, M., see Ivanova, T., 2215
Gaspard, C., see Meunier-Prest, R., 1847
Gaspar, S., Popescu, I.C., Gazaryan, I.G., Gerardo Bautista, A., Sakharov, I.Y., Mattiasson, B. and Csöregi, E.
Biosensors based on novel plant peroxidases: a comparative study, 255
Gaune-Escard, M., see Kuznetsov, S.A., 1101
Gautier, J.L., see Barbato, S., 2767
Gautier, J.L., see Ponce, J., 3373
Gavelin, P., Ljungbäck, R., Jannasch, P. and Wesslén, B.
Amphiphilic polymer gel electrolytes. 3. Influence of the ionophobic–ionophilic balance on the ion conductive properties, 1439
Gazaryan, I.G., see Gaspar, S., 255
Géhin, A., see Legrand, L., 1815
Génin, J.-M.R., see Legrand, L., 1815
Georg, A., Graf, W. and Wittwer, V.
The gasochromic colouration of sputtered $WO_3$ films with a low water content, 2001
Georg, A., see Hauch, A., 3457
Georg, A., see Hauch, A., 2131
Gerard, M., see Chaubey, A., 723
Gerardo Bautista, A., see Gaspar, S., 255
Gerbasi, R., see Daniele, S., 2961
Gerbeleu, N., see Moutet, J.-C., 2733
Geschke, B., see Pagels, M., 3943
Gesheva, K.A., see Ivanova, T., 2215
Ghosh, S., see Inganäs, O., 2031
Giebels, I.A.M.E., see Isidorsson, J., 2179
Giorgi, L., see Passalacqua, E., 799
Giorgi, L., see Pozio, A., 555
Girenko, D.V., see Amadelli, R., 341
Glatzhofer, D., see York, S., 1533
Gleich, B., see Magnussen, O.M., 3725
Gloaguen, F., see Vigier, F., 4331
Gogova, D., see Ivanova, T., 2215
Golding, J., see Forsyth, S., 1753
Gómez, H., Henríquez, R., Schrebler, R., Riveros, G. and Córdova, R.
Nucleation and growth mechanism of CdTe at polycrystalline gold surfaces analysed through $Am/t$ simulation transients, 821
Gómez, H., see Schrebler, R., 4309
Gonçalves, A.-M., Mathieu, C., Herlem, M. and Etcheberry, A.
A striking anodic behaviour of p-GaAs semiconductor in acidic liquid ammonia (223 K), 2835
Gonçalves, A.-M., see Herlem, M., 2967
Gong, M.S., see Choi, B.K., 3475
González-García, M.B., see Hernández-Santos, D., 607
González, I., see Cabrera-Sierra, R., 487
González, J., see Serna, C., 2699
González Velasco, J.
A kinetic study of the origin of electroluminescence in porous silicon layers, 2991
Goodlet, G., see Ferreira, M.G.S., 3767
Gopalan, A., see Wen, T.-C., 2463
Gopalan, A., see Wen, T.-C., 1071
Gorenstein, A., see Martini, M., 2275
Gorenstein, A., see Urbano, A., 2269
Goulart Silva, G., see Furtado, C.A., 1629
Goulart Silva, G., see Ribeiro, R., 1679
Goulart Silva, G., see Silva, R.A., 1687

Goulart Silva, G., see Silva, R.A., 1493
Graf, W., see Georg, A., 2001
Granqvist, C.G., see Purans, J., 2055
Grattarola, M., see Raiteri, R., 157
Gravier, P., see Vacandio, F., 3827
Greenbaum, S.G., see Chung, S.H., 1651
Greenbaum, S.G., see Edmondson, C.A., 1623
Greenbaum, S., see Wieczorek, W., 1427
Gregg, B.A., see Deb, S.K., 2125
Griessen, R., see Isidorsson, J., 2179
Grigić, S., see Duić, L., 2795
Grillon, F., see Laik, B., 691
Griveau, S., see Gulppi, M., 3397
Gros, P., Durliat, H. and Comtat, M.
Use of polypyrrole film containing $Fe(CN)_6^{3-}$ as pseudo-reference electrode: application for amperometric biosensors, 643
Gruszecki, T., see Edwards, M.O.M., 2187
Guastaldi, A.C., see Acciari, H.A., 3887
Gudić, S., Radošević, J., Krpan-Lisica, D. and Kliškić, M.
Anodic film growth on aluminium and Al–Sn alloys in borate buffer solutions, 2515
Guerriero, P., see Cattarin, S., 4229
Guéry, C., see Marcel, C., 2097
Guéry, C., see Naghavi, N., 2007
Guillerez, S., see Łapkowski, M., 4001
Gulppi, M.A., see Cárdenas-Jirón, G.I., 3227
Gulppi, M., Griveau, S., Bedioui, F. and Zagal, J.H.
Electrocatalysis of 2-mercaptoethanesulfonic acid oxidation on cobalt phthalocyanine modified electrodes. Effect of surface concentration of the catalyst, 3397
Gu, N., see Qian, X., 1829
Gurman, S.J., see Farley, N.R.S., 3119
Gushikem, Y., see Pessôa, C.A., 2499
Gutiérrez, C., see Couto, A., 1285
Gutiérrez, C., see Ureta-Zañartu, M.S., 2545
Gu, Y.-J., see Yang, Y.-Y., 4339

# H

Haarberg, G.M., see Nijjer, S., 3503
Haarberg, G.M., see Nijjer, S., 395
Haas, O., see Deiss, E., 4185
Habazaki, H., see Shimizu, K., 4379
Haegel, F.-H., Schlüpen, J., Schultze, J.W., Winkels, S. and Stromberg, C.
Anodic polymerization of thiophene derivatives from microemulsions and liquid crystals, 3973
Hagfeldt, A., see Edwards, M.O.M., 2187
Hahn, F. and Melendres, C.A.
Anodic oxidation of methane at noble metal electrodes: an 'in situ' surface enhanced infrared spectroelectrochemical study, 3525
Hahn, F., see Melendres, C.A., 3493
Hahn, F., see Melendres, C.A., 9
Hakiki, N.E., see Ferreira, M.G.S., 3767
Halada, G.P., see Kagwade, S.V., 2337
Halley, J.W., Schelling, P. and Duan, Y.
Simulation methods for chemically specific modeling of electrochemical interfaces, 239
Hallik, A., see Tamm, J., 4105
Hall, L.A., see Iwuoha, E.I., 3509
Hansen, V., see Burchardt, T., 2761
Han, X., Tang, J., Wang, J. and Wang, E.
Electrocatalytic oxidation of ascorbic acid by norepinephrine embedded in lipid cast film at glassy carbon electrode, 3367
Hapiot, P., see Carlier, R., 3269
Hara, Y., see Senoh, H., 967
Häringer, D., see Deiss, E., 4185
Harraz, F.A., Sakka, T. and Ogata, Y.H.
Immersion plating of copper using $(CF_3SO_3)_2Cu$ onto porous silicon from organic solutions, 2805
Hart, J.P., see Abass, A.K., 829
Hasiotis, C., Deimede, V. and Kontoyannis, C.
New polymer electrolytes based on blends of sulfonated polysulfones with polybenzimidazole, 2401
Hasiotis, C., see Stefanidaki, E., 2665
Haubold, H.-G., Vad, T., Jungbluth, H. and Hiller, P.
Nano structure of NAFION: a SAXS study, 1559
Hauch, A. and Georg, A.
Diffusion in the electrolyte and charge-transfer reaction at the platinum electrode in dye-sensitized solar cells, 3457
Hauch, A., Georg, A., Baumgärtner, S., Opara Krašovec, U. and Orel, B.
New photoelectrochromic device, 2131
Hayamizu, K., Aihara, Y. and Price, W.S.
NMR and ion conductivity studies on cross-linked poly(ethyleneoxide–propyleneoxide) and branched polyether doped with $LiN(SO_2CF_3)_2$, 1475
Hebestreit, N., see Rammelt, U., 2363
Hegde, M.S., see Marcel, C., 2097
He, H., Huang, X. and Chen, L.
The effects of dopant valence on the structure and electrical conductivity of $LaInO_3$, 2871
Heinze, J., see Feliu, J., 3049
Heinze, J., see Pagels, M., 3943
Heinze, J., see Vorotyntsev, M.A., 3309
Hendrickson, M.A., see Croce, F., 2457
Henríquez, R., see Gómez, H., 821
Hepel, M. and Cateforis, E.
Studies of copper corrosion inhibition using electrochemical quartz crystal nanobalance and quartz crystal immittance techniques, 3801
Hepel, M., see Luo, J., 2913
Herbert-Guillou, D., see Cachet, H., 3851
Herlem, G., see Herlem, M., 2967
Herlem, M., see Gonçalves, A.-M., 2835
Herlem, M., Székely, M., Sutter, E., Mathieu, C., Gonçalves, A.-M., Caillot, E., Herlem, G. and Fahys, B.
Liquid ammoniates: nonaqueous electrolytes for electrochromism, 2967
Hermann, V., Dutriat, D., Müller, S. and Comninellis, C.
Mechanistic studies of oxygen reduction at $La_{0.6}Ca_{0.4}CoO_3$-activated carbon electrodes in a channel flow cell, 365
Hernández-Olmos, M.A., Agüí, L., Yáñez-Sedeño, P. and Pingarrón, J.M.
Analytical voltammetry in low-permitivity organic solvents using disk and cylindrical microelectrodes. Determination of thiram in ethyl acetate, 289

Hernández-Santos, D., González-García, M.B. and Costa-García, A.
Electrochemical determination of gold nanoparticles in colloidal solutions, 607
Higgins, S., see Kumar, G., 1515
Higuchi, E., Toyoda, E., Peng Li, Z., Suda, S., Inoue, H., Nohara, S. and Iwakura, C.
Effects of fluorination of $AB_2$-type alloys and of mixing with $AB_5$-type alloys on the charge–discharge characteristics, 1191
Hildén, J., Virtanen, J., Forsén, O. and Aromaa, J.
Electrolytic pickling of stainless steel studied by electrochemical polarisation and DC resistance measurements combined with surface analysis, 3859
Hiller, P., see Haubold, H.-G., 1559
Hillman, A.R., see Farley, N.R.S., 3119
Hirakimoto, T., Nishiura, M. and Watanabe, M.
Effects of addition of a boric acid ester monomer to electrolyte solutions and gel electrolytes on their ionic transport properties, 1609
Hirose, R., see Kashimura, S., 3265
Hirschberg, G., see Varga, K., 3783
Ho, K.-C., see Chen, L.-C., 2159
Ho, K.-C., see Chen, L.-C., 2151
Holzapfel, M., Schreiner, R. and Ott, A.
Lithium-ion conductors of the system $LiCo_{1-x}Fe_xO_2$: a first electrochemical investigation, 1063
Hong, H.-G. and Kim, Y.
Electrochemical characteristics of an indium–tin oxide electrode modified with 2,5-bis(phosphonomethyl)hydroquinone, 2313
Hong, S.J., see Cheon, S.E., 599
Horita, T., Yamaji, K., Sakai, N., Yokokawa, H., Weber, A. and Ivers-Tiffée, E.
Oxygen reduction mechanism at porous $La_{1-x}Sr_xCoO_{3-d}$ cathodes $La_{0.8}Sr_{0.2}Ga_{0.8}Mg_{0.2}O_{2.8}$ electrolyte interface for solid oxide fuel cells, 1837
Hori, Y., see Koga, O., 3083
Horn, Q.C., see Shao-Horn, Y., 2613
Horrocks, B.R.
*Advances in Electrochemical Science and Engineering*: Edited by Richard C. Alkire and Dieter M. Kolb, Wiley-VCH, Inc. ISBN 3-527-29515-1, Price DM268, 617
Hossain, M.A., see Mamun, A., 3343
Houk, L.L., see Johnson, D.C., 323
Hsing, I.-M., see Wang, X., 4397
Hsu, C.H., see Mansfeld, F., 3651
Huang, B.X., Tornatore, P. and Li, Y.-S.
IR and Raman spectroelectrochemical studies of corrosion films on tin, 671
Huang, L.-M., see Wen, T.-C., 2463
Huang, X., see He, H., 2871
Huang, Y.-H., see Hu, C.-C., 3431
Hu, C.-C. and Huang, Y.-H.
Effects of preparation variables on the deposition rate and physicochemical properties of hydrous ruthenium oxide for electrochemical capacitors, 3431
Huguenin, F., Torresi, R.M., Buttry, D.A., Pereira da Silva, J.E. and Córdoba de Torresi, S.I.
Electrochemical and Raman studies on a hybrid organic–inorganic nanocomposite of vanadium oxide and a sulfonated polyaniline, 3555
Huh, J.Y. and Bae, Y.C.
Vapor–liquid equilibria of perfluorinated SPE/fuel system using group-contribution method, 3535
Hutchins, M.G., Butt, N.S., Topping, A.J., Gallego, J., Milne, P., Jeffrey, D. and Brotherston, I.
Infrared reflectance modulation in tungsten oxide based electrochromic devices, 1983
Hu, X., see Wang, Z., 1951
Híveš, J., see Fellner, P., 2379
Hwang, B.J., Santhanam, R. and Lin, Y.L.
Nucleation and growth mechanism of electroformation of polypyrrole on a heat-treated gold/highly oriented pyrolytic graphite, 2843
Hyatt, C.V., see Klassen, R.D., 3705

# I

Igarashi, K., Aramata, A. and Taguchi, S.
Underpotential deposition of zinc ions and specific adsorption of hydroxyl species at Pt(111) in alkaline solutions, 1773
Iglič, A., see Bohinc, K., 3033
Ihonen, J., Jaouen, F., Lindbergh, G. and Sundholm, G.
A novel polymer electrolyte fuel cell for laboratory investigations and in-situ contact resistance measurements, 2899
Iida, T., Nohira, T. and Ito, Y.
Electrochemical formation of Sm–Ni alloy films in a molten LiCl–KCl–$SmCl_3$ system, 2537
Ikezawa, Y., Sawatari, T. and Terashima, H.
In situ FTIR study of pyridine adsorbed on Au(111), Au(100) and Au(110) electrodes, 1333
Ikezawa, Y., Sekiguchi, R. and Kitazume, T.
Adsorption of benzoic acid on Au(111) and Au(110) electrodes in acidic media by IRAS, 731
Ikezawa, Y., Yoshida, A. and Sekiguchi, R.
Adsorption of fluorobenzoic acids on Au(100) electrode in acidic media by IRAS, 769
Imai, H., see Mozalev, A., 2825
Imanishi, N., see Yang, J., 2659
Imrie, C.T. and Ingram, M.D.
Decoupled ion transport in mesomorphic polymer electrolyte glasses, 1413
Inganäs, O., Johansson, T. and Ghosh, S.
Phase engineering for enhanced electrochromism in conjugated polymers, 2031
Ingram, M.D., see Imrie, C.T., 1413
Iniesta, J., Michaud, P.A., Panizza, M., Cerisola, G., Aldaz, A. and Comninellis, C.
Electrochemical oxidation of phenol at boron-doped diamond electrode, 3573
Inoue, H., see Higuchi, E., 1191
Inoue, H., see Iwakura, C., 4383
Inoue, H., see Iwakura, C., 2781
Inoue, H., see Köhler, J., 59
Inoue, H., see Senoh, H., 967
Inzelt, G., Csahók, E. and Kertész, V.
Preparation and characterisation of polyaniline electrode modified with diamino-methylbenzoate, 3955

Inzelt, G., see Láng, G., 4159
Iroh, J.O. and Su, W.
Corrosion performance of polypyrrole coating applied to low carbon steel by an electrochemical process, 15
Iroh, J.O., see Rajagopalan, R., 2443
Iroh, J.O., see Wencheng, S., 1
Ishida, H., see Ishifune, M., 3259
Ishifune, M., see Kashimura, S., 3265
Ishifune, M., Yamashita, H., Matsuda, M., Ishida, H., Yamashita, N., Kera, Y., Kashimura, S., Masuda, H. and Murase, H.
Electroreduction of aliphatic esters using new paired electrolysis systems, 3259
Ishikawa, M., see Morita, M., 1565
Ishikawa, M., see Yoshimoto, N., 1195
Ishikawa, Y. and Matsumoto, Y.
Electrodeposition of $TiO_2$ photocatalyst into nano-pores of hard alumite, 2819
Isidorsson, J., Giebels, I.A.M.E., Kooij, E.S., Koeman, N.J., Rector, J.H., van Gogh, A.T.M. and Griessen, R.
Structural, optical and electronic properties of $LaMgH_x$ switchable mirrors, 2179
Ismail, I., Noda, A., Nishimoto, A. and Watanabe, M.
XPS study of lithium surface after contact with lithium-salt doped polymer electrolytes, 1595
Itoh, T., see Mohamedi, M., 1161
Ito, Y., see Iida, T., 2537
Ito, Y., see Tsuda, T., 1891
Ivanova, T., Szekeres, A., Gartner, M., Gogova, D. and Gesheva, K.A.
Spectroscopic characterization of CVD-molybdenum oxide films, 2215
Ivanov, V.F., see Nekrasov, A.A., 4051
Ivanov, V.F., see Nekrasov, A.A., 3301
Ivers-Tiffée, E., see Horita, T., 1837
Iwakura, C., Ohkawa, K., Senoh, H. and Inoue, H.
Electrochemical and crystallographic characterization of Co-free hydrogen storage alloys for use in nickel–metal hydride batteries, 4383
Iwakura, C., see Higuchi, E., 1191
Iwakura, C., see Matsuoka, M., 2693
Iwakura, C., see Senoh, H., 967
Iwakura, C., Shin-ya, R., Miyanohara, K., Nohara, S. and Inoue, H.
Effects of Ti–V substitution on electrochemical and structural characteristics of MgNi alloy prepared by mechanical alloying, 2781
Iwasa, Y., see Uemachi, H., 2305
Iwase, H., see Kashimura, S., 3265
Iwuoha, E.I., Williams-Dottin, A.R. and Hall, L.A.
Electrochemical behaviour of polymeric complexes of monosubstituted squarate ligands. 1. Cyclic and square wave voltammetry of methylsquarate and diphenylaminosquarate complexes of cobalt and nickel, 3509

# J

Jackowska, K., see Krysiński, P., 231
Jackowska, K., see Vassiliev, S.Y., 4043
Jackowska, K., see Widera, J., 4125
Jackowska, K., see Zawada, K., 2671
Jacobsen, T., Zachau-Christiansen, B., Bay, L. and Juhl Jørgensen, M.
Hysteresis in the solid oxide fuel cell cathode reaction, 1019
Jacobsson, P., see Johansson, P., 1545
Jacobsson, P., see Svanberg, C., 1447
Jänes, A., see Lust, E., 185
Jang, J.H., see Choi, J.H., 867
Jannasch, P.
Phase behavior and ion conductivity of electrolytes based on aggregating combshaped polyethers, 1641
Jannasch, P., see Gavelin, P., 1439
Janner, A.-M., van der Sluis, P. and Mercier, V.
Cycling durability of switchable mirrors, 2173
Jaouen, F., see Ihonen, J., 2899
Jeffrey, D., see Hutchins, M.G., 1983
Jiang, J. and Kucernak, A.R.
The electrochemistry of platinum phthalocyanine microcrystals. IV. Temperature dependence of the electrochemical behaviour in non-aqueous solution, 3445
Jiang, J. and Kucernak, A.
The electrochemistry of platinum phthalocyanine microcrystals II: A microelectrode observation of nucleation-growth controlled solid–solid phase transformations in non-aqueous solvent, 1223
Jia, N., Martin, R.B., Qi, Z., Lefebvre, M.C. and Pickup, P.G.
Modification of carbon supported catalysts to improve performance in gas diffusion electrodes, 2863
Jin, G., see Abrantes, L.M., 3993
Jin, G., see Abrantes, L.M., 3181
Johansson, P. and Jacobsson, P.
New lithium salts on the computer: fiction or fact?, 1545
Johansson, T., see Inganäs, O., 2031
Johnson, D.C., Feng, J. and Houk, L.L.
Direct electrochemical degradation of organic wastes in aqueous media, 323
Joia, C.J.B.M., see Garcia, L.A.C.J., 3879
Joiret, S., see Aoki, I.V., 1871
Joiret, S., see Messaoudi, B., 2487
Joo Lee, H., see Sun, Y.-K., 541
Jordan, L.R., see Sun, J., 1703
Jordan, L.R., see Thompson, S.D., 1657
Jorgensen, G., see Lee, S.-H., 3415
Jorgensen, G., see Lee, S.-H., 2237
Jouikov, V.V., Fattakhova, D.S. and Kozhevnikov, A.Y.
The potential-determining reaction of electrogenerated cation radicals of diphenylselenide: dimerization versus disproportionation, 807
Jouini, M., see Lagrost, C., 3985
Juhl Jørgensen, M., see Jacobsen, T., 1019
Jumas, J.C., see Dedryvère, R., 127
Jungbluth, H., see Haubold, H.-G., 1559
Jureviciute, I., see Kim, K., 4133
Just, P.E., Chane-Ching, K.I., Lacroix, J.C. and Lacaze, P.C.
Electrochemical oxidation of dipyrrolyl derivatives: application to the formation of reticulated conducting polymers with conjugated spacers, 3279

Jutand, A., see Amatore, C., 3237
Jüttner, K., see Bouzek, K., 661

# K

Kádár, M., Nagy, Z., Karancsi, T. and Farsang, G.
The electrochemical oxidation of 4-bromoaniline, 2,4-dibromoaniline, 2,4,6-tribromoaniline and 4-iodoaniline in acetonitrile solution, 3405
Kádár, M., Nagy, Z., Karancsi, T. and Farsang, G.
The electrochemical oxidation of 4-chloroaniline, 2,4-dichloroaniline and 2,4,6-trichloroaniline in acetonitrile solution, 1297
Kagwade, S.V., Clayton, C.R., Chidambaram, D. and Halada, G.P.
Photochemical breakdown of acetone on copper, 2337
Kakegawa, H., see Kashimura, S., 3265
Kakiuchi, T., see Yamamoto, M., 165
Kalendarev, R., see Kuzmin, A., 2233
Kálmán, E., see Keresztes, Z., 3841
Kálmán, E., see Sziráki, L., 3743
Kálmán, E., see Telegdi, J., 3791
Kálmán, E.
Trends in corrosion research, 3607
Kamachi Mudali, U. and Katada, Y.
Electrochemical atomic force microscopic studies on passive films of nitrogen-bearing austenitic stainless steels, 3735
Kanapeckaitė, S., see Survila, A., 571
Kang, T., see Baek, W.-C., 2321
Karancsi, T., see Kádár, M., 3405
Karancsi, T., see Kádár, M., 1297
Karantonis, A. and Nakabayashi, S.
Electrochemical oscillations in a hollow cylinder: spatio-temporal response, 745
Kármán, F.H., see Telegdi, J., 3791
Kashimura, S., Murai, Y., Tamai, Y., Hirose, R., Ishifune, M., Iwase, H., Yamashita, H., Yamashita, N. and Kakegawa, H.
Preparation of novel modified electrode by anodic oxidation of carbon fiber with radical $NO_3^{\bullet}$ and its application to the selective reduction of acetophenone, 3265
Kashimura, S., see Ishifune, M., 3259
Kashiwazaki, N. and Yamana, M.
Dependence of spectral changes on coordinated species to lanthanide–diphthalocyanine, 2211
Kasuya, S., see Xianming, W., 813
Katada, Y., see Kamachi Mudali, U., 3735
Kataoka, H., see Saito, Y., 1747
Kaul, S.N., see Szpyrkowicz, L., 381
Kawahara, N.Y., see Nakamura, N., 1605
Kawahara, N.Y., see Sato, A., 1729
Keddam, M., see Andrade, C., 3905
Keddam, M., see Antaño-Lopez, R., 3611
Keddam, M., see Messaoudi, B., 2487
Kellam III, E.C., see York, S., 1553
Kera, Y., see Ishifune, M., 3259
Keresztes, Z., Felhősi, I. and Kálmán, E.
Role of redox properties of biofilms in corrosion processes, 3841
Kerner, Z. and Pajkossy, T.
On the origin of capacitance dispersion of rough electrodes, 207
Kertész, V., see Inzelt, G., 3955
Kham, K., see Chevrot, C., 709
Kharkats, Y.I., see Churikov, A.V., 2929
Kharton, V.V., Viskup, A.P., Figueiredo, F.M., Naumovich, E.N., Yaremchenko, A.A. and Marques, F.M.B.
Electron–hole conduction in Pr-doped $Ce(Gd)O_{2-\delta}$ by faradaic efficiency and emf measurements, 2879
Khomenko, V.G., see Barsukov, V.Z., 4083
Kho, Y.T., see Baek, W.-C., 2321
Kilmartin, P.A. and Wright, G.A.
Photoeffects to characterise polypyrrole electrodes and bilayers with polyaniline, 2787
Kim, C.S. and Oh, S.M.
Performance of gel-type polymer electrolytes according to the affinity between polymer matrix and plasticizing solvent molecules, 1323
Kim, D.B., see Cheon, S.E., 599
Kim, H.T., see Cheon, S.E., 599
Kim, J.-S., see Kim, K.-W., 915
Kim, K.-H., see Kim, K.-W., 915
Kim, K., Jureviciute, I. and Bruckenstein, S.
Electrochemical quartz crystal microbalance studies of anion and pH effects on water fluxes accompanying redox switching of Prussian blue, 4133
Kim, K.-W., Lee, E.-H., Kim, J.-S., Shin, K.-H. and Kim, K.-H.
Study on the electro-activity and non-stochiometry of a Ru-based mixed oxide electrode, 915
Kim, S.-W. and Pyun, S.-I.
Thermodynamic and kinetic approaches to lithium intercalation into a $Li_{1-\delta}Mn_2O_4$ electrode using Monte Carlo simulation, 987
Kim, S.W., see Cheon, S.E., 599
Kim, S.-W., see Shin, H.-C., 897
Kim, Y., see Hong, H.-G., 2313
Kim, Y.W., see Choi, B.K., 3475
Kinoshita, M., see Yamamoto, M., 165
Kitazume, T., see Ikezawa, Y., 731
Kjelstrup, S., Olsen, E. and Qian, J.
The Peltier heating of aluminium, oxygen and carbon–carbon dioxide electrodes in an electrolyte of sodium and aluminium fluorides saturated with alumina, 1141
Klápště, B., see Vondrák, J., 2047
Klassen, R.D., Roberge, P.R. and Hyatt, C.V.
A novel approach to characterizing localized corrosion within a crevice, 3705
Klasson, J., see Niklasson, G.A., 1967
Kleinert, M., Waibel, H.-F., Engelmann, G.E., Martin, H. and Kolb, D.M.
Co deposition on Au(111) and Au(100) electrodes: an in situ STM study, 3129
Kliškić, M., see Gudić, S., 2515
Kobayashi, M., see Nishikitani, Y., 2035
Koeman, N.J., see Isidorsson, J., 2179
Koga, O., Watanabe, Y., Tanizaki, M. and Hori, Y.
Specific adsorption of anions on a copper (100) single crystal electrode studied by charge displacement by CO adsorption and infrared spectroscopy, 3083

Köhler, J., Makihara, H., Uegaito, H., Inoue, H. and Toki, M.
$LiV_3O_8$: characterization as anode material for an aqueous rechargeable Li-ion battery system, 59
Ko, J.-M., see Choi, N.-S., 1581
Kolb, D.M., see Kleinert, M., 3129
Kolb, D.M., see Pajkossy, T., 3063
Kolodziej-Sadlok, M., see Łapkowski, M., 4001
Komaba, S., Kumagai, N. and Chiba, S.
Synthesis of layered $MnO_2$ by calcination of $KMnO_4$ for rechargeable lithium battery cathode, 31
Komura, T., see Yamaguchi, T., 2527
Komura, T., Yamaguchi, T., Sato, H., Shimatani, H. and Takahashi, K.
Incorporation of 1,1′-dibenzyl-4,4′-bipyridinium cation into Nafion films and charge transport in loaded film electrodes, 3579
Kondo, Y., see Konishi, Y., 681
Konishi, Y., Tanaka, Y., Kondo, Y. and Fukunaka, Y.
Copper dissolution phenomena along a vertical plane anode in $CuSO_4$ solution, 681
Kontoyannis, C., see Hasiotis, C., 2401
Kontoyannis, C., see Stefanidaki, E., 2665
Kooij, E.S., see Isidorsson, J., 2179
Koper, M.T.M., see de Vooys, A.C.A., 923
Kordatos, K., see Carano, M., 265
Korenko, M., see Fellner, P., 2379
Kornyshev, A.A. and Kulikovsky, A.A.
Characteristic length of fuel and oxygen consumption in feed channels of polymer electrolyte fuel cells, 4389
Korybut-Daszkiewicz, B., see Taraszewska, J., 3219
Kovalyov, S.V., see Amadelli, R., 341
Kozhevnikov, A.Y., see Jouikov, V.V., 807
Kralj-Iglič, V., see Bohinc, K., 3033
Krasilnikova, A., see Masetti, E., 2085
Krishnamurthy, B., White, R.E. and Ploehn, H.J.
Non-equilibrium point defect model for time-dependent passivation of metal surfaces, 3387
Krishtalik, L.I.
Kinetic isotope effect in the hydrogen evolution reaction, 2949
Kriston, Á. and Lakatos-Varsányi, M.
Testing and analyzing metastable pitting corrosion, 3699
Krpan-Lisica, D., see Gudić, S., 2515
Krull, U.J., see Nikolelis, D.P., 1025
Krysiński, P., Jackowska, K., Mazur, M. and Tagowska, M.
Functionalisation of monolayer-modified electrodes by covalent coupling of *o*-phenylenediamine monomer molecules, 231
Krysiński, P., see Mazur, M., 3963
Kubota, L.T., see Pessôa, C.A., 2499
Kubo, T., see Nishikitani, Y., 2035
Kucernak, A.R. and Muir, B.
Analysis of the electrical and mechanical time response of solid polymer–platinum composite membranes, 1313
Kucernak, A.R., see Brown, R.J.C., 2573
Kucernak, A.R., see Jiang, J., 3445
Kucernak, A., see Jiang, J., 1223
Kuhn, A., see Martel, D., 4197
Kukulka-Walkiewicz, J., see Opallo, M., 4235
Kukulka-Walkiewicz, J., Stroka, J., Malik, M.A., Kulesza, P.J. and Galus, Z.
Films of mixed nickel(II) and thallium(I) hexacyanoferrates(III,II): voltammetric preparation and characterization, 4057
Kulesza, P.J. and Vorotyntsev, M.A., 3939
Kulesza, P.J., Miecznikowski, K., Chojak, M., Malik, M.A., Zamponi, S. and Marassi, R.
Electrochromic features of hybrid films composed of polyaniline and metal hexacyanoferrate, 4371
Kulesza, P.J., Miecznikowski, K., Malik, M.A., Galkowski, M., Chojak, M., Caban, K. and Wieckowski, A.
Electrochemical preparation and characterization of hybrid films composed of Prussian blue type metal hexacyanoferrate and conducting polymer, 4065
Kulesza, P.J., see Kukulka-Walkiewicz, J., 4057
Kulesza, P.J., see Martel, D., 4197
Kulikovsky, A.A., see Kornyshev, A.A., 4389
Kumagai, N., see Komaba, S., 31
Kumar, G., Scanlon, G., Marsh, A., Mason, S., Higgins, S. and Baldwin, S.
Structural evolution and conductivity of PEO:$LiBF_4$–MgO composite electrolytes, 1515
Kunugi, A., see Uno, H., 1879
Kuwabata, S., Masui, S., Tomiyori, H. and Yoneyama, H.
Charge–discharge properties of chemically prepared composites of $V_2O_5$ and polypyrrole as positive electrode materials in rechargeable Li batteries, 91
Kuzmin, A., Purans, J., Kalendarev, R., Pailharey, D. and Mathey, Y.
XAS, XRD, AFM and Raman studies of nickel tungstate electrochromic thin films, 2233
Kuzmin, A., see Purans, J., 1973
Kuznetsov, A.M. and Ulstrup, J.
Theoretical aspects of electron transfer reactions of complex molecules, 3325
Kuznetsov, A.M.
Spatial, time and energy resolved electrochemical electron transfer processes, 247
Kuznetsov, S.A. and Gaune-Escard, M.
Redox electrochemistry and formal standard redox potentials of the Eu(III)/Eu(II) redox couple in an equimolar mixture of molten NaCl–KCl, 1101
Kwon, C.W., see Cheon, S.E., 599
Kwon, H.S., see Lee, S.J., 2605

# L

Lacaze, P.C., see Just, P.E., 3279
Lacaze, P.C., see Lagrost, C., 3985
Lacroix, J.C., see Just, P.E., 3279
Lacroix, J.C., see Lagrost, C., 3985
Laffon, C., see Purans, J., 1973
Lagrost, C., Jouini, M., Tanguy, J., Aeiyach, S., Lacroix, J.C., Chane-Ching, K.I. and Lacaze, P.C.
Bithiophene electropolymerization in aqueous media: a specific effect of SDS and β-cyclodextrin, 3985
Laik, B., Carrière, D. and Tarascon, J.-M.
Reversible electrochromic system based on aqueous solution containing silver, 2203

Laik, B., Chausse, A., Messina, R., Barthes-Labrousse, M.G., Nedelec, J.Y., Le Paven-Thivet, C. and Grillon, F.
Analysis of the surface layer on a petroleum coke electrode in tetraglyme solutions of lithium salts, 691
Laitinen, T., see Betova, I., 3627
Laitinen, T., see Bojinov, M., 1339
Lakatos-Varsányi, M., see Kriston, Á., 3699
Laïk, B., see Naghavi, N., 2007
Lamberts, L., see Dakova, B., 1259
Lamberts, L., see Mariaulle, P., 3543
Lamy, C., see Chamoulaud, G., 2757
Lamy, C., see Coutanceau, C., 579
Lamy, C., see Melendres, C.A., 3493
Lamy, C., see Vigier, F., 4331
Landers, R., see Urbano, A., 2269
Landolt, D., Mischler, S. and Stemp, M.
Electrochemical methods in tribocorrosion: a critical appraisal, 3913
Láng, G., Ujvári, M. and Inzelt, G.
Possible origin of the deviation from the expected impedance response of polymer film electrodes, 4159
Lapicque, F., see Duchanoy, C., 433
Lapicque, F., see Rodriguez-Torres, I., 279
Lapkowski, M., see Garreau, S., 1207
Lapkowski, M., Zak, J., Kolodziej-Sadlok, M., Guillerez, S. and Bidan, G.
Effects of the redox state on the morphology of the regioregular sexi-3-alkylthiophene, 4001
Latroche, M., see Baddour-Hadjean, R., 2385
Lavela, P., see Dedryvère, R., 127
Lavina, S., see Di Noto, V., 1587
Laviron, E., see Meunier-Prest, R., 1847
Lee, D., see Chen, S., 3481
Lee, E.-H., see Kim, K.-W., 915
Lee, J. and Tak, Y.
Electrocatalytic activity of Cu electrode in electroreduction of $CO_2$, 3015
Lee, J.Y., see Naghash, A.R., 2293
Lee, J.Y., see Naghash, A.R., 941
Lee, M.-H., see Shin, H.-C., 897
Lee, S.-H., Cheong, H.M., Edwin Tracy, C., Mascarenhas, A., Pitts, R., Jorgensen, G. and Deb, S.K.
Influence of microstructure on the chemical diffusion of lithium ions in amorphous lithiated tungsten oxide films, 3415
Lee, S.-H., Cheong, H.M., Liu, P., Smith, D., Tracy, C.E., Mascarenhas, A., Roland Pitts, J. and Deb, S.K.
Raman spectroscopic studies of gasochromic a-$WO_3$ thin films, 1995
Lee, S.-H., Edwin Tracy, C., Jorgensen, G., Roland Pitts, J. and Deb, S.K.
Cyclic environmental testing of electrochromic window devices, 2237
Lee, S.-H., see Cheong, H.M., 1963
Lee, S.-H., see Deb, S.K., 2125
Lee, S.J., Cho, E.A., Ahn, S.J. and Kwon, H.S.
Photo-electrochemical analysis of the passive film on zircaloy-4, 2605
Lee, S.-J., see Mohamedi, M., 1161
Lee, Y.-G., Park, J.-K. and Moon, S.-I.
Interfacial characteristics between lithium electrode and plasticized polymer electrolytes based on poly(acrylonitrile-co-methyl methacrylate), 533
Lee, Y.-G., see Choi, N.-S., 1581
Lee, Y.S., see Park, S.H., 1215
Lefebvre, M.C., see Jia, N., 2863
Leftheriotis, G., see Papaefthimiou, S., 2145
Léger, J.-M., see Vigier, F., 4331
Legrand, L., Abdelmoula, M., Géhin, A., Chaussé, A. and Génin, J.-M.R.
Electrochemical formation of a new Fe(II)–Fe(III) hydroxy-carbonate green rust: characterisation and morphology, 1815
Legrand, L., Chausse, A. and Messina, R.
Investigations on the stability of titanium(II) species in $AlCl_3$–dimethylsulfone electrolytes, 2407
Legrand, L., Savoye, S., Chausse, A. and Messina, R.
Study of oxidation products formed on iron in solutions containing bicarbonate/carbonate, 111
Lehmann, U., see Fabre, B., 2855
Leinen, D., see Martos, M., 2939
Lemaître-Auger, F. and Prud'homme, J.
Ion–ion, short-range interactions in PEO-LiX rubbery electrolytes containing LiSCN, $LiN(CF_3SO_2)_2$ or $Li[CF_3SO_2N(CH_2)_3OCH_3]$ as deduced from studies performed on PEO-LiX-KX ternary systems, 1359
Lemordant, D., see Chagnes, A., 1783
Lemordant, D., see Pagès, H., 2137
LeNest, J.-F., see Tambelli, C.E., 1665
Leng, Y.-J., see Wang, X., 4397
Le Paven-Thivet, C., see Laik, B., 691
Leroy, J., see Bondon, A., 1899
Levi, M.D., see Tsirlina, G.A., 4141
Lewandowski, A., Zajder, M., Frąckowiak, E. and Béguin, F.
Supercapacitor based on activated carbon and polyethylene oxide–KOH–$H_2O$ polymer electrolyte, 2777
Le Xuan, Q., see Nguyen Thi Le, H., 4259
Li, J., see Li, N., 717
Li, N., Li, J., Yang, L., Gao, H., Li, S. and Lin, B.
Electrocatalytic activities of $LiCo_{1-y}M_yO_2$ (M = Ni or Fe) synthesized at low temperature and acid-delithiated products for oxygen evolution/reduction in alkaline solution, 717
Li, S., see Li, N., 717
Li, S., see Ma, J., 2427
Li, X.Q., see Ren, B., 193
Li, Y., see Yao, H.B., 2649
Li, Y.-S., see Huang, B.X., 671
Lima Neto, P., see Araujo, W.S., 1307
Lin, B., see Li, N., 717
Lin, Y.L., see Hwang, B.J., 2843
Lin, Z., see Nan, J., 1767
Lindbergh, G. and Zhu, B.
Corrosion behaviour of high aluminium steels in molten carbonate in an anode gas environment, 1131
Lindbergh, G., see Ihonen, J., 2899
Lindbergh, G., see Zhu, B., 2593
Little, F.E., see Wang, C., 1793
Liu, G., see Xia, S.J., 463
Liu, G., see Xia, S.J., 475
Liu, P., see Lee, S.-H., 1995

Liu, Y., Fujiwara, T., Yukawa, H. and Morinaga, M.
Chemical bonding in lithium intercalation compound $Li_xMn_2O_4$ ($x = 0,1,2$), 1151
Livage, J., see Bessière, A., 2251
Ljungbäck, R., see Gavelin, P., 1439
Lodi, G., see Bonfatti, F., 305
Longo, C., see De Paoli, M.-A., 4243
Lopes, M.I.S., see Silva, A.J., 3147
Lopez, M.C., see Cea, P., 589
López-Tenés, M., see Serna, C., 2699
Lorcy, D., see Carlier, R., 3269
Lorenzo, A., see Pierna, A.R., 315
Losito, I., see Cioffi, N., 4205
Louarn, G., see Garreau, S., 1207
Lourenco, A., Masetti, E. and Decker, F.
Electrochemical and optical characterization of RF-sputtered thin films of vanadium–nickel mixed oxides, 2257
Lović, J.D., see Tripković, A.V., 3163
Lu, X.
Spectroscopic study of vanadium(V) precipitation in the vanadium redox cell electrolyte, 4281
Lucas, V., see Bessière, A., 2251
Lufrano, F., see Passalacqua, E., 799
Łukomska, A., Smoliński, S. and Sobkowski, J.
Adsorption of thiourea on monocrystalline copper electrodes, 3111
Luo, J. and Hepel, M.
Photoelectrochemical degradation of naphthol blue black diazo dye on $WO_3$ film electrode, 2913
Luo, J.L., see Yang, Q., 851
Lust, E., Jänes, A., Sammelselg, V. and Miidla, P.
Influence of charge density and electrolyte concentration on the electrical double layer characteristics at rough cadmium electrodes, 185

# M

Ma, J., Pan, H., Zhu, Y., Li, S., Chen, C. and Wang, Q.
Electrochemical properties of $La_{0.9}Sm_{0.1}Ni_{(5.0-x)}Co_x$ ($x = 2.0, 2.5, 3.0$) hydride electrode alloys, 2427
MacFarlane, D.R., see Forsyth, S., 1753
MacFarlane, D.R., see Sun, J., 1703
MacFarlane, D.R., see Sun, J., 1673
Machado, D.A., see De Paoli, M.-A., 4243
Machado, S.A.S., see Tavares, M.C., 4359
Magaino, S., see Mozalev, A., 2825
Magistris, A., Mustarelli, P., Quartarone, E., Piaggio, P. and Bottino, A.
Poly(vinylidenefluoride)-based porous polymer electrolytes, 1635
Magnussen, O.M., Zitzler, L., Gleich, B., Vogt, M.R. and Behm, R.J.
In-situ atomic-scale studies of the mechanisms and dynamics of metal dissolution by high-speed STM, 3725
Magon, C.J., see Bloise, A.C., 1571
Mahé, E. and Devilliers, D.
Surface modification of titanium substrates for the preparation of noble metal coated anodes, 629
Mahon, P.J. and Oldham, K.B.
Incorporating electrode kinetics into the convolutive modeling of reactions at planar, cylindrical and spherical electrodes, 953
Maja, M., Orecchia, C., Strano, M., Tosco, P. and Vanni, M.
Effect of structure of the electrical performance of gas diffusion electrodes for metal air batteries, 423
Maja, M., see Saracco, G., 373
Mäkelä, K., see Betova, I., 3627
Mäkelä, K., see Bojinov, M., 1339
Makihara, H., see Köhler, J., 59
Maksymiuk, K., see Michalska, A., 4113
Malhotra, B.D., see Chaubey, A., 723
Malik, M.A., see Kukulka-Walkiewicz, J., 4057
Malik, M.A., see Kulesza, P.J., 4371
Malik, M.A., see Kulesza, P.J., 4065
Malik, M.A., see Martel, D., 4197
Mamun, A., Schennach, R., Parga, J.R., Mollah, M.Y.A., Hossain, M.A. and Cocke, D.L.
Passive film breakdown during anodic oxidation of zirconium in pH 8 buffer containing chloride and sulfate, 3343
Mangold, K.-M., see Bouzek, K., 661
Mansfeld, F., Sun, Z. and Hsu, C.H.
Electrochemical noise analysis (ENA) for active and passive systems in chloride media, 3651
Marassi, R., see Kulesza, P.J., 4371
Marcaccio, M., see Carano, M., 3199
Marcel, C., Hegde, M.S., Rougier, A., Maugy, C., Guéry, C. and Tarascon, J.-M.
Electrochromic properties of antimony tin oxide (ATO) thin films synthesized by pulsed laser deposition, 2097
Marcel, C., see Naghavi, N., 2007
Marcos, M., see Aballe, A., 2353
Marcus, P., see Strehblow, H.-H., 3755
Margarit, I.C.P., see Araujo, W.S., 1307
Mariaulle, P., Sinapi, F., Lamberts, L. and Walcarius, A.
Application of electrodes modified with ion-exchange polymers for the amperometric detection of non-redox cations and anions in combination to ion chromatography, 3543
Marozzi, C.A. and Chialvo, A.C.
Development of electrode morphologies of interest in electrocatalysis: Part 2: Hydrogen evolution reaction on macroporous nickel electrodes, 861
Marques, F.M.B., see Kharton, V.V., 2879
Marsh, A., see Kumar, G., 1515
Martel, D., Kuhn, A., Kulesza, P.J., Galkowski, M.T. and Malik, M.A.
The effect of modification of carbon electrodes with hybrid inorganic/organic monolayers on morphology and electrocatalytic activity of platinum deposits, 4197
Martin, F., see Martos, M., 2939
Martin, H., see Kleinert, M., 3129
Martini, M., Brito, G.E.S., Fantini, M.C.A., Craievich, A.F. and Gorenstein, A.
Electrochromic properties of NiO-based thin films prepared by sol–gel and dip coating, 2275
Martin, R.B., see Jia, N., 2863
Martos, M., Morales, J. and Sánchez, L.
Cation-deficient $Mo_xSn_yO_2$ oxides as anodes for lithium ion batteries, 83

Martos, M., Morales, J., Sánchez, L., Ayouchi, R., Leinen, D., Martin, F. and Barrado, J.R.R.
Electrochemical properties of lead oxide films obtained by spray pyrolysis as negative electrodes for lithium secondary batteries, 2939
Maruyama, J. and Abe, I.
Influence of anodic oxidation of glassy carbon surface on voltammetric behavior of Nafion®-coated glassy carbon electrodes, 3381
Marzo, F.F., see Pierna, A.R., 315
Mascarenhas, A., see Cheong, H.M., 1963
Mascarenhas, A., see Lee, S.-H., 3415
Mascarenhas, A., see Lee, S.-H., 1995
Mascia, M., see Polcaro, A.M., 389
Masetti, E., see Lourenco, A., 2257
Masetti, E., see Varsano, F., 2069
Masetti, E., Varsano, F., Decker, F. and Krasilnikova, A.
Sputter deposited cerium–vanadium oxide: optical characterization and electrochromic behavior, 2085
Mason, S., see Kumar, G., 1515
Massiani, Y., see Vacandio, F., 3827
Massong, H., Wang, H., Samjeské, G. and Baltruschat, H.
The co-catalytic effect of Sn, Ru and Mo decorating steps of Pt(111) vicinal electrode surfaces on the oxidation of CO, 701
Masuda, H., see Ishifune, M., 3259
Masui, S., see Kuwabata, S., 91
Matallana, E., see Vargas, R.A., 1699
Matencio, T., see Furtado, C.A., 1629
Mathey, Y., see Kuzmin, A., 2233
Mathieu, C., see Gonçalves, A.-M., 2835
Mathieu, C., see Herlem, M., 2967
Matos, J.B., D'Elia, E., Barcia, O.E., Mattos, O.R., Pébère, N. and Tribollet, B.
Rotating disc and hemispherical electrodes for copper dissolution study in hydrochloric solution in the presence of benzotriazole, 1377
Matsuda, M., see Ishifune, M., 3259
Matsuguchi, M., see Sakai, Y., 1509
Matsumiya, M. and Takagi, R.
A molecular dynamics simulation of the electric properties in molten chloride and fluoride quaternary systems, 3563
Matsumoto, M., see Asai, Y., 77
Matsumoto, Y., see Ishikawa, Y., 2819
Matsunaga, M., see Morimitsu, M., 401
Matsuoka, M., Nakayama, E., Uematsu, F., Yamamoto, Y. and Iwakura, C.
Activation mechanism of $Ti_{0.5}Zr_{0.5}Ni_{1.3}V_{0.7}Mn_{0.1}Cr_{0.1}$ electrode in nickel-hydride batteries, 2693
Matsuo, T., see Sato, A., 1729
Matthews, J.P., Bell, J.M. and Skryabin, I.L.
Simulation of electrochromic switching voltages at elevated temperatures, 1957
Mattiasson, B., see Gaspar, S., 255
Mattos, O.R., see Araujo, W.S., 1307
Mattos, O.R., see Garcia, L.A.C.J., 3879
Mattos, O.R., see Matos, J.B., 1377
Mattsson, M.S., see Frenning, G., 2041
Mattusch, J., see Dávila, M.M., 3189
Maugy, C., see Marcel, C., 2097
Maugy, C., see Naghavi, N., 2007
Maurice, V., see Strehblow, H.-H., 3755
Maximovitch, S., see Bellenger, F., 2263
Mayer, H.A., see Buchmann, S., 3207
Mazo, L.H., see Castilho, M., 67
Mazo, L.H., see Tavares, M.C., 4359
Mazur, M. and Krysiński, P.
Bulk- and surface-initiated chemical in situ polymerisation of 2,5-dimethoxyaniline and 2-methoxyaniline on thiol-coated gold electrodes, 3963
Mazur, M., see Krysiński, P., 231
McCormac, T. and Farrell, D.
Electrochemical investigation into the interaction between various pyrrole moieties and the well-known electron acceptor, tetracyanoethylene, 3287
Meeker, D.L., see Rauh, R.D., 2023
Meiwes-Broer, K.-H., see Gabrusenoks, J., 2229
Melendres, C.A., Hahn, F. and Bowmaker, G.A.
Oxyanion adsorption and competition at a gold electrode, 9
Melendres, C.A., Hahn, F. and Lamy, C.
Potential control of emersed electrodes, 3493
Melendres, C.A., see Hahn, F., 3525
Mendoza-Huizar, L.H., Palomar-Pardavé, M. and Robles, J.
Quantum chemical study of the electrochemical reduction of the $[Co(H_2O)_6]^{2+}$ and $[Co(NH_3)_5(H_2O)]^{2+}$ ions, 2749
Mercier, V.M.M., see van der Sluis, P., 2167
Mercier, V., see Janner, A.-M., 2173
Messaoudi, B., Joiret, S., Keddam, M. and Takenouti, H.
Anodic behaviour of manganese in alkaline medium, 2487
Messina, R., see Laik, B., 691
Messina, R., see Legrand, L., 2407
Messina, R., see Legrand, L., 111
Meunier-Prest, R., Laviron, E., Gaspard, C. and Raveau, S.
The reduction mechanism of the C=O group. Part 3. The electrochemical reduction of benzil in aqueous medium, 1847
Meyer, G., see Amatore, C., 3237
Meyer, L., see Baddour-Hadjean, R., 2385
Michalska, A., Nadrzycka, U. and Maksymiuk, K.
The modelled and observed transition from redox to ionic potentiometric sensitivity of poly(pyrrole), 4113
Michaud, P.A., see Iniesta, J., 3573
Miecznikowski, K., see Kulesza, P.J., 4371
Miecznikowski, K., see Kulesza, P.J., 4065
Miernik, A., see Trojanowicz, M., 1053
Miidla, P., see Lust, E., 185
Milne, P., see Hutchins, M.G., 1983
Milonjić, S., see Panić, V., 415
Minarini, C., see Antonaia, A., 2221
Mischler, S., see Landolt, D., 3913
Mitani, T., see Uemachi, H., 2305
Mitrović, V., see Avramov-Ivić, M., 3175
Miyanohara, K., see Iwakura, C., 2781
Miyata, S., see Asai, Y., 77
Mockus, Z., see Survila, A., 571
Mohai, M., see Telegdi, J., 3791
Mohallem, N.D.S., see Ribeiro, R., 1679
Mohamedi, M., Lee, S.-J., Takahashi, D., Nishizawa, M., Itoh, T. and Uchida, I.

Amorphous tin oxide films: preparation and characterization as an anode active material for lithium ion batteries, 1161
Moinet, C., see Bondon, A., 1899
Moinet, C., see Chamoulaud, G., 2757
Moise, C., see Vorotyntsev, M.A., 4017
Molga, E., see Szpyrkowicz, L., 381
Molina, A., see Serna, C., 2699
Mollah, M.Y.A., see Mamun, A., 3343
Molodkina, E.B., see Danilov, A.I., 3137
Monev, M.
Effect of the pH value of the hydrogenation solution upon the phase transformation of nickel into nickel hydride, 2373
Monk, P.M.S., Akhtar, S.P., Boutevin, J. and Duffield, J.R.
Toward the tailoring of electrochromic bands of metal–oxide mixtures, 2091
Monk, P.M.S., Delage, F. and Costa Vieira, S.M.
Electrochromic paper: utility of electrochromes incorporated in paper, 2195
Moon, S.-I., see Lee, Y.-G., 533
Morales, J., see Martos, M., 2939
Morales, J., see Martos, M., 83
Morallón, E., see Quijada, C., 651
Mora, M.L., see Ureta-Zañartu, M.S., 2545
Moreira, R.L., see Silva, R.A., 1493
Mori, F., see Ballarin, B., 881
Mori, H., see Tanaka, R., 1709
Morimitsu, M., Otogawa, R. and Matsunaga, M.
Effects of cathodizing on the morphology and composition of $IrO_2$–$Ta_2O_5$/Ti anodes, 401
Morinaga, M., see Liu, Y., 1151
Morita, M., Fujisaki, T., Yoshimoto, N. and Ishikawa, M.
Ionic conductance behavior of polymeric composite solid electrolytes containing lithium aluminate, 1565
Morita, M., see Yoshimoto, N., 1195
Moritz, W. and Bartholomäus, L.
Mechanistic investigation on an all solid state fluorine sensor, 271
Mos, B., see van Zon, A., 1717
Mosiałek, M., see Tomczyk, P., 3023
Motronyuk, T.I., see Barsukov, V.Z., 4083
Mottier, L., see Amatore, C., 3237
Moutet, J.-C. and Zouaoui, A.
Poly[(3-pyrrol-1-ylpropyl)malonic acid]: synthesis, ion-exchange properties and complexation of copper cations, 4035
Moutet, J.-C., Saint-Aman, E., Ungureanu, E.-M., Arion, V., Gerbeleu, N. and Revenco, M.
Heterodinucleating macrocyclic compounds designed for electrochemical recognition, 2733
Moutet, J.-C., see Zouaoui, A., 49
Mozalev, A., Magaino, S. and Imai, H.
The formation of nanoporous membranes from anodically oxidized aluminium and their application to Li rechargeable batteries, 2825
Mucci, A., see Ballarin, B., 881
Muir, B., see Kucernak, A.R., 1313
Müller, C., Sarret, M. and Benballa, M.
Some peculiarities in the codeposition of zinc–nickel alloys, 2811
Müller, C., see Velichenko, A.B., 407
Müller, S., see Hermann, V., 365
Murai, Y., see Kashimura, S., 3265
Murase, H., see Ishifune, M., 3259
Murayama, T., see Tanaka, R., 1709
Musiani, M., see Cattarin, S., 4229
Mussini, P.R., see Rondinini, S., 3245
Mustarelli, P., see Magistris, A., 1635
Muto, S., see Watanabe, M., 1487
Muttini, P., see Rondinini, S., 3245

# N

Nadrzycka, U., see Michalska, A., 4113
Nagai, J.
Optical and chemical properties of electrochromic oxide films for smart windows, 2049
Naghash, A.R. and Lee, J.Y.
Lithium nickel oxyfluoride ($Li_{1-z}Ni_{1+z}F_yO_{2-y}$) and lithium magnesium nickel oxide ($Li_{1-z}(Mg_xNi_{1-x})_{1+z}O_2$) cathodes for lithium rechargeable batteries: II. Electrochemical investigations, 2293
Naghash, A.R. and Lee, J.Y.
Lithium nickel oxyfluoride ($Li_{1-z}Ni_{1+z}F_yO_{2-y}$) and lithium magnesium nickel oxide ($Li_{1-z}(Mg_xNi_{1-x})_{1+z}O_2$) cathodes for lithium rechargeable batteries: Part I. Synthesis and characterization of bulk phases, 941
Naghavi, N., Dupont, L., Marcel, C., Maugy, C., Laïk, B., Rougier, A., Guéry, C. and Tarascon, J.M.
Systematic study and performance optimization of transparent conducting indium–zinc oxides thin films, 2007
Nagy, Z., see Kádár, M., 3405
Nagy, Z., see Kádár, M., 1297
Nahm, K.S., see Park, S.H., 1215
Naji, A., see Dubois, M., 4301
Nakabayashi, S., see Karantonis, A., 745
Nakamura, N., Nakamura, Y., Tanimura, R., Kawahara, N.Y., Ohno, H., Deligeer and Suzuki, S.
Electron transfer reaction of poly(ethylene oxide)-modified azurin in poly(ethylene oxide) oligomers, 1605
Nakamura, N., see Sato, A., 1729
Nakamura, Y., see Nakamura, N., 1605
Nakayama, E., see Matsuoka, M., 2693
Nan, J., Yang, Y. and Lin, Z.
Raman spectroscopic study on the surface oxide layer of $AB_5$-type metal hydride electrodes, 1767
Napporn, T., see Coutanceau, C., 579
Naumovich, E.N., see Kharton, V.V., 2879
Navarrete-Encina, P.A., see Núñez-Vergara, L.J., 4289
Navascués, C., see Pierna, A.R., 315
Nedelec, J.Y., see Laik, B., 691
Nedelec, J.-Y., see Vivier, V., 907
Nekrasov, A.A., Ivanov, V.F. and Vannikov, A.V.
A comparative voltabsorptometric study of polyaniline films prepared by different methods, 3301
Nekrasov, A.A., Ivanov, V.F. and Vannikov, A.V.
Effect of pH on the structure of absorption spectra of highly protonated polyaniline analyzed by the Alentsev–Fock method, 4051
Nelson, B., see Cheong, H.M., 1963

Németh, Z., see Varga, K., 3783
Nguyen, P.T., see Rammelt, U., 4251
Nguyen Thi Le, H., Garcia, B., Deslouis, C. and Le Xuan, Q.
Corrosion protection and conducting polymers: polypyrrole film on iron, 4259
Nicolas, M., Fabre, B. and Simonet, J.
Electrochemical sensing of fluoride and sugars with a boronic acid-substituted bipyridine Fe(II) complex in solution and attached onto an electrode surface, 1179
Nicolas, M., Fabre, B. and Simonet, J.
Voltammetric investigation of new boronic ester-substituted triphenylamines-based redox receptors in solution and attached to an electrode surface. Effects of $F^-$ as an anionic guest, 3421
Nihonyanagi, S., Ye, S. and Uosaki, K.
Sum frequency generation study on the molecular structures at the interfaces between quartz modified with amino-terminated self-assembled monolayer and electrolyte solutions of various pH and ionic strengths, 3057
Nijjer, S., Thonstad, J. and Haarberg, G.M.
Cyclic and linear voltammetry on $Ti/IrO_2–Ta_2O_5–MnO_x$ electrodes in sulfuric acid containing $Mn^{2+}$ ions, 3503
Nijjer, S., Thonstad, J. and Haarberg, G.M.
Oxidation of manganese(II) and reduction of manganese dioxide in sulphuric acid, 395
Niklasson, G.A., Klasson, J. and Olsson, E.
Polaron absorption in tungsten oxide nanoparticle aggregates, 1967
Niklasson, G.A., see Frenning, G., 2041
Nikolelis, D.P., Pantoulias, S., Krull, U.J. and Zeng, J.
Electrochemical transduction of the interactions of the sweeteners acesulfame-K, saccharin and cyclamate with bilayer lipid membranes (BLMs), 1025
Nikolić, B., see Panić, V., 415
Nilsson, M., see Frenning, G., 2041
Nimon, E.S., see Churikov, A.V., 2929
Nishikitani, Y., Kobayashi, M., Uchida, S. and Kubo, T.
Electrochemical properties of non-conjugated electrochromic polymers derived from aromatic amine derivatives, 2035
Nishimoto, A., see Ismail, I., 1595
Nishiura, M., see Hirakimoto, T., 1609
Nishizawa, M., see Mohamedi, M., 1161
Nitschké, F., see Brenscheidt, T., 783
Noda, A., see Ismail, I., 1595
Nogueira, A.F., see De Paoli, M.-A., 4243
Nogueira, R.P., see Córdoba-Torres, P., 2975
Nohara, S., see Higuchi, E., 1191
Nohara, S., see Iwakura, C., 2781
Nohira, T., see Iida, T., 2537
Nohira, T., see Tsuda, T., 1891
Nouhaut, G., see Brigouleix, C., 1931
Novák, P.
*Nonaqueous Electrochemistry*, Edited by Doron Aurbach, Marcel Dekker, New York, 1999. ISBN 0-8247-7334-9; US$200, 931
Novák, P., see Deiss, E., 4185
Novák, V., see Vondrák, J., 2047
Nóvoa, X.R., see Andrade, C., 3905
Novy, K., see Doulakas, L., 349
Núñez-Vergara, L.J., Bonta, M., Navarrete-Encina, P.A. and Squella, J.A.
Electrochemical characterization of *ortho* and *meta*-nitrotoluene derivatives in different electrolytic media. Free radical formation, 4289
Nyholm, L., see Eriksson, A., 1113
Nyokong, T., see Vilakazi, S.L., 453

# O

Oduoza, C.F., see Duchanoy, C., 433
Ogata, Y.H., see Harraz, F.A., 2805
Ogata, Y.H., see Tsuboi, T., 1013
Oguro, K., see Onishi, K., 1233
Oguro, K., see Onishi, K., 737
Oh, B., see Sun, Y.-K., 541
Oh, S.M., see Choi, J.H., 867
Oh, S.M., see Kim, C.S., 1323
Ohkawa, K., see Iwakura, C., 4383
Ohno, H.
Molten salt type polymer electrolytes, 1407
Ohno, H., see Nakamura, N., 1605
Ohno, H., see Sato, A., 1729
Ohno, H., see Yoshizawa, M., 1723
Ohzuku, T., Ariyoshi, K., Takeda, S. and Sakai, Y.
Synthesis and characterization of 5 V insertion material of $Li[Fe_xMn_{2-x}]O_4$ for lithium-ion batteries, 2327
Oldham, K.B., see Mahon, P.J., 953
Olivier-Fourcade, J., see Dedryvère, R., 127
Olsen, E., see Kjelstrup, S., 1141
Olsson, E., see Niklasson, G.A., 1967
Onishi, K., see Asai, Y., 77
Onishi, K., Sewa, S., Asaka, K., Fujiwara, N. and Oguro, K.
Morphology of electrodes and bending response of the polymer electrolyte actuator, 737
Onishi, K., Sewa, S., Asaka, K., Fujiwara, N. and Oguro, K.
The effects of counter ions on characterization and performance of a solid polymer electrolyte actuator, 1233
Ooyama, T., see Tanaka, R., 1709
Opallo, M. and Kukulka-Walkiewicz, J.
The electrochemical redox reactions in silica sol–gel glass monoliths and films with embedded organic electrolyte, 4235
Opara Krasovec, U., see Artuso, F., 2077
Opara Krašovec, U., see Hauch, A., 2131
Opara Krašovec, U., see Orel, B., 2059
Opara Krašovec, U., Šurca Vuk, A. and Orel, B.
IR Spectroscopic studies of charged–discharged crystalline $WO_3$ films, 1921
Oravetz, D., see Varga, K., 3783
Orazem, M.E., Cardoso Filho, J.C. and Tribollet, B.
Application of a submerged impinging jet for corrosion studies: development of models for the impedance response, 3685
Orecchia, C., see Maja, M., 423
Orel, B., see Artuso, F., 2077
Orel, B., see Bellenger, F., 2263
Orel, B., see Hauch, A., 2131
Orel, B., see Opara Krašovec, U., 1921
Orel, B., Šurca Vuk, A., Opara Krašovec, U. and Dražič, G.

Electrochromic and structural investigation of $InVO_4$ and some other vanadia-based oxide films, 2059
Orellana, M., see Schrebler, R., 4309
Orland, H., see Borukhov, I., 221
Oropeza, T., see Cabrera-Sierra, R., 487
Osti, S., see Bonfatti, F., 305
Otogawa, R., see Morimitsu, M., 401
Ott, A., see Holzapfel, M., 1063
Ottova, A., see Zhang, Y.L., 1251
Ourari, A., see Zouaoui, A., 49
Oyama, N., see Tatsuma, T., 1201

# P

Pacey, G.E., see Cheng, L., 4223
Páez, M., see Cárdenas-Jirón, G.I., 3227
Pagels, M., Heinze, J., Geschke, B. and Rang, V.
A new approach to the mechanism of polymerisation of oligovinylthiophene, 3943
Pagès, H., Topart, P. and Lemordant, D.
Wide band electrochromic displays based on thin conducting polymer films, 2137
Pailharey, D., see Kuzmin, A., 2233
Pajkossy, T. and Kolb, D.M.
Double layer capacitance of Pt(111) single crystal electrodes, 3063
Pajkossy, T., see Kerner, Z., 207
Palmas, S., see Polcaro, A.M., 389
Palomar-Pardavé, M., see Mendoza-Huizar, L.H., 2749
Pan, H., see Ma, J., 2427
Panić, V., Dekanski, A., Milonjić, S., Atanasoski, R. and Nikolić, B.
The influence of the aging time of $RuO_2$ and $TiO_2$ sols on the electrochemical properties and behavior for the chlorine evolution reaction of activated titanium anodes obtained by the sol-gel procedure, 415
Panizza, M., see Iniesta, J., 3573
Pan, J.S., see Yao, H.B., 2649
Pantoulias, S., see Nikolelis, D.P., 1025
Pan, Z., see Ding, H., 2721
Paolucci, F., see Carano, M., 3199
Paolucci, F., see Carano, M., 265
Papaefthimiou, S., Leftheriotis, G. and Yianoulis, P.
Advanced electrochromic devices based on $WO_3$ thin films, 2145
Papalino, L., see Cazzanelli, E., 1937
Papp, K., see Sziráki, L., 3743
Paradisi, C., see Carano, M., 3199
Pardo, J.I., see Cea, P., 589
Parent, P., see Purans, J., 1973
Parga, J.R., see Mamun, A., 3343
Parker, W.O., see Popall, M., 1499
Park, J.-K., see Choi, N.-S., 1581
Park, J.-K., see Choi, N.-S., 1453
Park, J.-K., see Lee, Y.-G., 533
Park, K.S., see Park, S.H., 1215
Park, S.H., Park, K.S., Sun, Y.K., Nahm, K.S., Lee, Y.S. and Yoshio, M.
Structural and electrochemical characterization of lithium excess and Al-doped nickel oxides synthesized by the sol–gel method, 1215
Parsons, R.
Alexander Naumovich Frumkin, 1095
Pasquali, M., see Prosini, P.P., 3517
Passalacqua, E., Lufrano, F., Squadrito, G., Patti, A. and Giorgi, L.
Nafion content in the catalyst layer of polymer electrolyte fuel cells: effects on structure and performance, 799
Passalacqua, E., see Pozio, A., 555
Patti, A., see Passalacqua, E., 799
Pawlicka, A., see Tambelli, C.E., 1665
Pebay, C., see Bondon, A., 1899
Pébère, N., see Matos, J.B., 1377
Peng Li, Z., see Higuchi, E., 1191
Pennisi, A., see Aleo, F., 2243
Pennisi, A., see Cazzanelli, E., 1937
Percheron-Guegan, A., see Baddour-Hadjean, R., 2385
Pereira da Silva, J.E., see Huguenin, F., 3555
Pereira, E.C., see Bloise, A.C., 1571
Pereira, E.C., see Rosario, A.V., 1905
Pereira-Ramos, J.P., see Baddour-Hadjean, R., 2385
Pereira-Ramos, J.P., see Bianchi, V., 999
Pérez, M.C., see Andrade, C., 3905
Pérez, M.C., see Couto, A., 1285
Pernaut, J.M., see Furtado, C.A., 1629
Perrot, H., see Gabrielli, C., 4095
Persi, L., see Croce, F., 2457
Pessôa, C.A., Gushikem, Y. and Kubota, L.T.
Ferrocenecarboxylic acid adsorbed on $Nb_2O_5$ film grafted on a $SiO_2$ surface: NADH oxidation study, 2499
Petrii, O.A., see Pron'kin, S.N., 2343
Petrii, O.A., see Tsirlina, G.A., 4141
Petrii, O.A., see Vassiliev, S.Y., 4043
Pettersson, H., see Edwards, M.O.M., 2187
Pettinger, B., see Savinova, E.R., 175
Piaggio, P., see Magistris, A., 1635
Picardi, G., see Artuso, F., 2077
Pickering, H.W., see Wang, K., 3835
Pickering, P., see Travas-Sejdic, J., 1461
Pickup, P.G., see Jia, N., 2863
Pickup, P.G., see Ren, X., 4177
Pickup, P.G., see Shan, J., 119
Pierna, A.R., Sistiaga, M., Navascués, C., Altube, A., Lorenzo, A. and Marzo, F.F.
Influence of glass diaphragms and anionic membranes in the electrochemical oxidation of aromatic aqueous solutions, 315
Pigani, L., see Ballarin, B., 881
Pigani, L., see Ding, H., 2721
Pilbáth, Z., see Sziráki, L., 3743
Pimenta, M.A., see Silva, R.A., 1687
Pimenta, M.A., see Silva, R.A., 1493
Pingarrón, J.M., see Hernández-Olmos, M.A., 289
Pitts, R., see Lee, S.-H., 3415
Pitulice, L., see Ciorba, G.A., 297
Pliangos, C., Raptis, C., Badas, T., Tsiplakides, D. and Vayenas, C.G.
Electrochemical promotion of a classically promoted Rh catalyst for the reduction of NO, 331
Plichta, E., see Croce, F., 2457
Plies, E., see Buchmann, S., 3207
Plieth, W., see Rammelt, U., 4251

Plieth, W., see Rammelt, U., 2363
Ploehn, H.J., see Krishnamurthy, B., 3387
Pluchery, O., Climent, V., Rodes, A. and Tadjeddine, A.
Hydrolysis of the 4-cyanopyridine on a Au(111) electrode studied by vibrational spectroscopies, 4319
Poillerat, G., see Ponce, J., 3373
Polcaro, A.M., Palmas, S., Renoldi, F. and Mascia, M.
Three-dimensional electrodes for the electrochemical combustion of organic pollutants, 389
Polichetti, T., see Antonaia, A., 2221
Polukarov, Y.M., see Danilov, A.I., 3137
Ponce, J., Rehspringer, J.-L., Poillerat, G. and Gautier, J.L.
Electrochemical study of nickel–aluminium–manganese spinel $Ni_xAl_{1-x}Mn_2O_4$. Electrocatalytical properties for the oxygen evolution reaction and oxygen reduction reaction in alkaline media, 3373
Popall, M., Buestrich, R., Semrau, G., Eichinger, G., Andrei, M., Parker, W.O., Skaarup, S. and West, K.
New polymer lithium secondary batteries based on ORMOCER® electrolytes–inorganic–organic polymers, 1499
Popescu, I.C., see Gaspar, S., 255
Popović, K.D., see Tripković, A.V., 3163
Porhiel, E., see Bondon, A., 1899
Portillo, J., see Velichenko, A.B., 407
Posadas, D., Rodriguez Presa, M.J. and Florit, M.I.
Apparent formal redox potential distribution in electroactive arylamine-derived polymers, 4075
Pousson, E., see Vorotyntsev, M.A., 4017
Pozio, A., Giorgi, L., Antolini, E. and Passalacqua, E.
Electroxidation of $H_2$ on Pt/C Pt–Ru/C and Pt–Mo/C anodes for polymer electrolyte fuel cell, 555
Prato, M., see Carano, M., 265
Price, W.S., see Hayamizu, K., 1475
Proença, L., see Silva, A.J., 3147
Pron'kin, S.N., Tsirlina, G.A., Petrii, O.A. and Vassiliev, S.Y.
Nanoparticles of Pt hydrosol immobilised on Au support: an approach to the study of structural effects in electrocatalysis, 2343
Prosini, P.P., Xia, Y., Fujieda, T., Vellone, R., Shikano, M. and Sakai, T.
Performance and capacity fade of $V_2O_5$–lithium polymer batteries at a moderate–low temperature, 2623
Prosini, P.P., Zane, D. and Pasquali, M.
Improved electrochemical performance of a $LiFePO_4$-based composite cathode, 3517
Prud'homme, J., see Lemaître-Auger, F., 1359
Purans, J., Azens, A. and Granqvist, C.G.
X-ray absorption study of Ce–Ti oxide films, 2055
Purans, J., Kuzmin, A., Parent, P. and Laffon, C.
X-ray absorption study of the electronic structure of tungsten and molybdenum oxides on the O K-edge, 1973
Purans, J., see Kuzmin, A., 2233
Pyun, S.-I., see Kim, S.-W., 987
Pyun, S.-I., see Shin, H.-C., 2477
Pyun, S.-I., see Shin, H.-C., 897

# Q

Qi, Z., see Jia, N., 2863
Qian, J., see Kjelstrup, S., 1141
Qian, X., Gu, N., Cheng, Z., Yang, X., Wang, E. and Dong, S.
Impedance study of $(PEO)_{10}LiClO_4$–$Al_2O_3$ composite polymer electrolyte with blocking electrodes, 1829
Quartarone, E., see Magistris, A., 1635
Quijada, C., Morallón, E., Vázquez, J.L. and Berlouis, L.E.A.
Electrochemical behaviour of aqueous $SO_2$ at polycrystalline gold electrodes in acidic media. A voltammetric and in-situ vibrational study. Part II. Oxidation of $SO_2$ on bare and sulphur-modified electrodes, 651

# R

Radošević, J., see Gudić, S., 2515
Radovan, C., see Ciorba, G.A., 297
Raiteri, R., Butt, H.-J. and Grattarola, M.
Changes in surface stress at the liquid/solid interface measured with a microcantilever, 157
Rajagopalan, R. and Iroh, J.O.
Development of polyaniline–polypyrrole composite coatings on steel by aqueous electrochemical process, 2443
Rammelt, U., Hebestreit, N., Fikus, A. and Plieth, W.
Investigation of polybithiophene/n-$TiO_2$ bilayers by electrochemical impedance spectroscopy and photoelectrochemistry, 2363
Rammelt, U., Nguyen, P.T. and Plieth, W.
Protection of mild steel by modification with thin films of polymethylthiophene, 4251
Rangel, C.M., see Andrade, C., 3905
Ranguelov, B., see Tsakova, V., 4213
Rang, V., see Pagels, M., 3943
Raptis, C., see Pliangos, C., 331
Rauh, R.D., Wang, F., Reynolds, J.R. and Meeker, D.L.
High coloration efficiency electrochromics and their application to multi-color devices, 2023
Raveau, S., see Meunier-Prest, R., 1847
Ravikumar, M.K., see Crabb, E.M., 1033
Rebrova, T.P., see Cherginets, V.L., 25
Rector, J.H., see Isidorsson, J., 2179
Reda, A., see Borkowska, R., 1737
Regiani, A.M., see Tambelli, C.E., 1665
Régis, A., see Vivier, V., 907
Rehspringer, J.-L., see Ponce, J., 3373
Reiter, J., see Vondrák, J., 2047
Ren, B., Li, X.Q., She, C.X., Wu, D.Y. and Tian, Z.Q.
Surface Raman spectroscopy as a versatile technique to study methanol oxidation on rough Pt electrodes, 193
Renoldi, F., see Polcaro, A.M., 389
Ren, X. and Pickup, P.G.
Simulation and analysis of the impedance behaviour of electroactive layers with non-uniform conductivity and capacitance profiles, 4177
Revenco, M., see Moutet, J.-C., 2733
Reynolds, J.R., see Rauh, R.D., 2023
Rhoads, K.G., see Fried, N.A., 3351
Ribeiro, R., Goulart Silva, G. and Mohallem, N.D.S.
A comparison of ionic conductivity, thermal behaviour and morphology in two polyether–LiI–$LiAl_2O_8$ composite polymer electrolytes, 1679

Richard Jow, T., see Xu, K., 1823
Richardson, T.H., see Zheng, Y., 1397
Richardson, T.J. and Rubin, M.D.
Liquid phase deposition of electrochromic thin films, 2119
Richardson, T.J., Slack, J.L. and Rubin, M.D.
Electrochromism in copper oxide thin films, 2281
Rincón, A., see Couto, A., 1285
Riveros, G., see Gómez, H., 821
Roberge, P.R., see Klassen, R.D., 3705
Robert, A., see Carlier, R., 3269
Robles, J., see Mendoza-Huizar, L.H., 2749
Rodes, A., see Pluchery, O., 4319
Rodes, A., see Silva, A.J., 3147
Rodriguez, F.J., see Fedrizzi, L., 3715
Rodriguez Presa, M.J., see Posadas, D., 4075
Rodriguez-Torres, I., Valentin, G., Chanel, S. and Lapicque, F.
Recovery of zinc and nickel from electrogalvanisation sludges using glycine solutions, 279
Roffia, S., see Carano, M., 3199
Roffia, S., see Carano, M., 265
Roland Pitts, J., see Deb, S.K., 2125
Roland Pitts, J., see Lee, S.-H., 2237
Roland Pitts, J., see Lee, S.-H., 1995
Rondinini, S., Mussini, P.R., Muttini, P. and Sello, G.
Silver as a powerful electrocatalyst for organic halide reduction: the critical role of molecular structure, 3245
Ropital, F., see Garcia, C., 973
Rosario, A.V. and Pereira, E.C.
Lithium insertion in $TiO_2$ doped $Nb_2O_5$ electrochromic thin films, 1905
Rosario, A.V., see Bloise, A.C., 1571
Rosatto, S.S., Cabot, P.L., Sumodjo, P.T.A. and Benedetti, A.V.
Electrochemical studies of copper–aluminum–silver alloys in 0.5 M $H_2SO_4$, 1043
Rossi, S., see Fedrizzi, L., 3715
Rossi, S., see Vacandio, F., 3827
Rougier, A. and Blyr, A.
Electrochromic properties of vanadium tungsten oxide thin films grown by pulsed laser deposition, 1945
Rougier, A., see Marcel, C., 2097
Rougier, A., see Naghavi, N., 2007
Roullier, L., see Vorotyntsev, M.A., 4017
Royo, F.M., see Cea, P., 589
Rubin, M.D., see Richardson, T.J., 2281
Rubin, M.D., see Richardson, T.J., 2119

# S

Saario, T., see Betova, I., 3627
Saario, T., see Bojinov, M., 1339
Sabary, F., see Brigouleix, C., 1931
Sabbatini, L., see Cioffi, N., 4205
Sadki, S., see Chevrot, C., 709
Sadoway, D.R., see Fried, N.A., 3351
Safonov, V.A. and Choba, M.A.
Determination of the relative position of 'electrocapillary curves' for Sn and Pb from the capacitance measurements on renewable Sn–Pb eutectic alloys, 3103
Sagon, G., see Vivier, V., 907
Saint-Aman, E., see Moutet, J.-C., 2733
Saito, Y., Kataoka, H., Sakai, T. and Deki, S.
Conduction properties of lithium gel electrolytes investigated by impedance spectroscopy and pulsed-field gradient NMR with electric field, 1747
Sakaguchi, S.-i., see Tasaka, A., 4349
Sakai, N., see Horita, T., 1837
Sakai, T., see Prosini, P.P., 2623
Sakai, T., see Saito, Y., 1747
Sakai, Y., Matsuguchi, M. and Yonesato, N.
Humidity sensor based on alkali salts of poly(2-acrylamido-2-methylpropane sulfonic acid), 1509
Sakai, Y., see Ohzuku, T., 2327
Sakharov, I.Y., see Gaspar, S., 255
Sakka, T., see Harraz, F.A., 2805
Sakka, T., see Tsuboi, T., 1013
Sakurai, M., see Tanaka, R., 1709
Samjeské, G., see Massong, H., 701
Sammelselg, V., see Lust, E., 185
Sammelselg, V., see Tamm, J., 4105
Sánchez-Amaya, J.M., see Aballe, A., 2353
Sánchez, L., see Martos, M., 2939
Sánchez, L., see Martos, M., 83
Sano, Y., see Uno, H., 1879
Santhanam, R., see Hwang, B.J., 2843
Sapoval, B., see Filoche, M., 213
Saracco, G., Solarino, L., Aigotti, R., Specchia, V. and Maja, M.
Electrochemical oxidation of organic pollutants at low electrolyte concentrations, 373
Šarkis, A., see Simanavičius, L., 499
Sarret, M., see Müller, C., 2811
Sarret, M., see Velichenko, A.B., 407
Sasaki, K., see Burstein, G.T., 3675
Sato, A., Matsuo, T., Kawahara, N.Y., Nakamura, N. and Ohno, H.
Thermal stability and electron transfer reaction of modified myoglobin immobilized on a carbon electrode in poly(ethylene oxide) oligomers, 1729
Sato, H., see Komura, T., 3579
Savic, M., see Abrantes, L.M., 3181
Savinova, E.R., Zemlyanov, D., Pettinger, B., Scheybal, A., Schlögl, R. and Doblhofer, K.
On the mechanism of Ag(111) sub-monolayer oxidation: a combined electrochemical, in situ SERS and ex situ XPS study, 175
Savoye, S., see Legrand, L., 111
Sawatari, T., see Ikezawa, Y., 1333
Scalia, S., see Aleo, F., 2243
Scanlon, G., see Kumar, G., 1515
Scavetta, E., Berrettoni, M., Seeber, R. and Tonelli, D.
[Ni Al–Cl]-based hydrotalcite electrodes as amperometric sensors: preparation and electrochemical study, 2681
Schechter, A., see Aurbach, D., 2395
Schelling, P., see Halley, J.W., 239
Schell, M., see Chen, S., 3481
Schenetti, L., see Ballarin, B., 881
Schennach, R., see Mamun, A., 3343
Scheybal, A., see Savinova, E.R., 175
Schiller, C.A. and Strunz, W.
The evaluation of experimental dielectric data of barrier coatings by means of different models, 3619

Schlögl, R., see Savinova, E.R., 175
Schlüpen, J., see Haegel, F.-H., 3973
Schlüter, A.D., see Fabre, B., 2855
Schmitt, M. and Aegerter, M.A.
Electrochromic properties of pure and doped $Nb_2O_5$ coatings and devices, 2105
Schrebler, R., Cury, P., Orellana, M., Gómez, H., Córdova, R. and Dalchiele, E.A.
Electrochemical and nanoelectrogravimetric studies of the nucleation and growth mechanisms of rhenium on polycrystalline gold electrode, 4309
Schrebler, R., see Gómez, H., 821
Schreiner, R., see Hoizapfel, M., 1063
Schultze, J.W., see Haegel, F.-H., 3973
Schultze, J.W., see Tsakova, V., 4213
Schultze, J.W., see Tsakova, V., 759
Schunk, J., see Varga, K., 3783
Scrosati, B., see Croce, F., 2457
Sedlaříková, M., see Vondrák, J., 2047
Seeber, R., see Ballarin, B., 881
Seeber, R., see Ding, H., 2721
Seeber, R., see Scavetta, E., 2681
Seiler, M., see Buchmann, S., 3207
Sekiguchi, H., see Tanaka, R., 1709
Sekiguchi, R., see Ikezawa, Y., 769
Sekiguchi, R., see Ikezawa, Y., 731
Sello, G., see Rondinini, S., 3245
Semrau, G., see Popall, M., 1499
Senoh, H., Hara, Y., Inoue, H. and Iwakura, C.
Charge efficiency of misch metal-based hydrogen storage alloy electrodes at relatively low temperatures, 967
Senoh, H., see Iwakura, C., 4383
Serna, C., López-Tenés, M., González, J. and Molina, A.
Reversible multistep electrode processes. Consideration of the bulk presence of intermediate species and of the values of the diffusion coefficients in voltammetry, 2699
Serraino-Fiory, F., see Croce, F., 2457
Sewa, S., see Onishi, K., 1233
Sewa, S., see Onishi, K., 737
Shaban, A., see Telegdi, J., 3791
Shaglouf, M.M., see Telegdi, J., 3791
Shan, J. and Pickup, P.G.
Characterization of polymer supported catalysts by cyclic voltammetry and rotating disk voltammetry, 119
Shao-Horn, Y. and Horn, Q.C.
Chemical, structural and electrochemical comparison of natural and synthetic $FeS_2$ pyrite in lithium cells, 2613
She, C.X., see Ren, B., 193
Shen, H.-X., see Zhang, Y.-L., 2923
Shen, H.X., see Zhang, Y.L., 1251
Shigehara, K., see Asai, Y., 77
Shikano, M., see Prosini, P.P., 2623
Shimatani, H., see Komura, T., 3579
Shimizu, K., Habazaki, H., Skeldon, P., Thompson, G.E. and Wood, G.C.
Migration of oxalate ions in anodic alumina, 4379
Shin, H.-C. and Pyun, S.-I.
Investigation of lithium transport through lithium cobalt dioxide thin film sputter-deposited by analysis of cyclic voltammogram, 2477
Shin, H.-C., Pyun, S.-I., Kim, S.-W. and Lee, M.-H.
Mechanisms of lithium transport through transition metal oxides studied by analysis of current transients, 897
Shin, K.-H., see Kim, K.-W., 915
Shin-ya, R., see Iwakura, C., 2781
Shirokov, A.V., see Churikov, A.V., 2929
Shlesinger, M.F., see Bendler, J.T., 1615
Silva, A.J., Proença, L., Lopes, M.I.S., Fonseca, I., Rodes, A. and Aldaz, A.
Electro-oxidation of D-mannitol on platinum single crystal surfaces, 3147
Silva, R.A., Goulart Silva, G. and Pimenta, M.A.
Micro-Raman study of poly(ethylene glycol) electrolytes near phase segregation compositions, 1687
Silva, R.A., Goulart Silva, G., Furtado, C.A., Moreira, R.L. and Pimenta, M.A.
Structure and conductivity in polydioxolane/$LiCF_3SO_3$ electrolytes, 1493
Simanavičius, L., Stakėnas, A. and Šarkis, A.
Codeposition of aluminum with some metals from $AlBr_3$–dimethylethylphenylammonium bromide solutions containing acetylacetonate of selected metal, 499
Simões, A.M.P., see Ferreira, M.G.S., 3767
Simone, F., see Aleo, F., 2243
Simone, F., see Cazzanelli, E., 1937
Simonet, J., see Nicolas, M., 3421
Simonet, J., see Nicolas, M., 1179
Sinapi, F., see Mariaulle, P., 3543
Singhal, R., see Chaubey, A., 723
Singh, V.S., see Chaubey, A., 723
Sistiaga, M., see Pierna, A.R., 315
Sivakumar, C., see Wen, T.-C., 1071
Skaarup, S., see Popall, M., 1499
Skeldon, P., see Shimizu, K., 4379
Skompska, M. and Szkurłat, A.
The influence of the structural defects and microscopic aggregation of poly(3-alkylthiophenes) on electrochemical and optical properties of the polymer films: discussion of an origin of redox peaks in the cyclic voltammograms, 4007
Skompska, M., see Widera, J., 4125
Skryabin, I.L., see Matthews, J.P., 1957
Slack, J.L., see Richardson, T.J., 2281
Smith, D., see Lee, S.-H., 1995
Smoliński, S., see Łukomska, A., 3111
Snow, A., see York, S., 1533
Sobkowski, J., see Łukomska, A., 3111
Sohlberg, R., see Edwards, M.O.M., 2187
Sohn, H.-J., see Baek, W.-C., 2321
Solarino, L., see Saracco, G., 373
Söllner, O., see Brenscheidt, T., 783
Sosa, E., see Cabrera-Sierra, R., 487
Sotiropoulos, S., see Brown, I.J., 2711
Sotiropoulos, S., see Wallgren, K., 1523
Souza, M.F., see Bloise, A.C., 1571
Specchia, V., see Saracco, G., 373
Speiser, B., see Buchmann, S., 3207
Spinks, G.M., see Barisci, J.N., 519
Squadrito, G., see Passalacqua, E., 799
Squella, J.A., see Núñez-Vergara, L.J., 4289
Stafiej, J., see di Caprio, D., 3051

Stakėnas, A., see Simanavičius, L., 499
Stefanidaki, E., Hasiotis, C. and Kontoyannis, C. Electrodeposition of neodymium from $LiF–NdF_3–Nd_2O_3$ melts, 2665
Štefec, R., see Čihal, V., 3867
Steinbrecher, S., see Buchmann, S., 3207
Steiner, R., see Travas-Sejdic, J., 1461
Stella, R., see Barisci, J.N., 519
Stemp, M., see Landolt, D., 3913
Stenina, E.V., see Damaskin, B.B., 3091
Stéphan, O., see Zouaoui, A., 49
Strano, M., see Maja, M., 423
Štrbac, S., see Avramov-Ivić, M., 3175
Strehblow, H.-H., Maurice, V. and Marcus, P. Initial and later stages of anodic oxide formation on Cu, chemical aspects, structure and electronic properties, 3755
Stroka, J., see Kukulka-Walkiewicz, J., 4057
Stromberg, C., see Haegel, F.-H., 3973
Stromberg, C., see Tsakova, V., 4213
Strunz, W., see Schiller, C.A., 3619
Strunz, W., see Vogelsang, J., 3817
Stucki, S., see Doulakas, L., 349
Suda, S., see Higuchi, E., 1191
Sumodjo, P.T.A., see Rosatto, S.S., 1043
Sundholm, G., see Betova, I., 3627
Sundholm, G., see Bojinov, M., 1339
Sundholm, G., see Ihonen, J., 2899
Sun, I.-W., see Chen, P.-Y., 1169
Sun, J., Jordan, L.R., Forsyth, M. and MacFarlane, D.R. Acid–Organic base swollen polymer membranes, 1703
Sun, J.-L., see Zhang, Y.-L., 2923
Sun, J., MacFarlane, D.R. and Forsyth, M. Characterization of a proton conductor based on silicotungstic acid, 1673
Sun, S.-G., see Yang, Y.-Y., 4339
Sun, X. and Austen Angell, C. "Acid-in-chain" versus "base-in-chain" anionic polymer electrolytes for electrochemical devices, 1467
Sun, Y.-K., Oh, B. and Joo Lee, H. Synthesis and electrochemical characterization of oxysulfide spinel $LiAl_{0.15}Mn_{1.85}O_{3.97}S_{0.03}$ cathode materials for rechargeable batteries, 541
Sun, Y.K., see Park, S.H., 1215
Sun, Z., see Mansfeld, F., 3651
Surca Vuk, A., see Artuso, F., 2077
Surca Vuk, A., see Bellenger, F., 2263
Šurca Vuk, A., see Opara Krašovec, U., 1921
Šurca Vuk, A., see Orel, B., 2059
Survila, A., Mockus, Z. and Kanapeckaitė, S. Kinetics of Sn and Co codeposition in citrate solutions, 571
Sutter, E., see Herlem, M., 2967
Su, W., see Iroh, J.O., 15
Suzuki, S., see Nakamura, N., 1605
Suzuki, Y., see Tasaka, A., 4349
Svanberg, C., Bergman, R., Börjesson, L. and Jacobsson, P. Diffusion of solvent/salt and segmental relaxation in polymer gel electrolytes, 1447
Sviridova, L.N., see Damaskin, B.B., 3091
Szabó, S., see Bakos, I., 2507
Székely, M., see Herlem, M., 2967
Szekeres, A., see Ivanova, T., 2215
Sziráki, L., Szőcs, E., Pilbáth, Z., Papp, K. and Kálmán, E. Study of the initial stage of white rust formation on zinc single crystal by EIS, STM/AFM and SEM/EDS techniques, 3743
Szkurłat, A., see Skompska, M., 4007
Szőcs, E., see Sziráki, L., 3743
Szpyrkowicz, L., Kaul, S.N., Molga, E. and DeFaveri, M. Comparison of the performance of a reactor equipped with a Ti/Pt and an SS anode for simultaneous cyanide removal and copper recovery, 381

# T

Tabak, M., see Castilho, M., 67
Tadjeddine, A., see Pluchery, O., 4319
Tagowska, M., see Krysiński, P., 231
Taguchi, M., see Tatsuma, T., 1201
Taguchi, S., see Igarashi, K., 1773
Takagi, R., see Matsumiya, M., 3563
Takahashi, D., see Mohamedi, M., 1161
Takahashi, K., see Komura, T., 3579
Takahashi, K., see Yamaguchi, T., 2527
Takeda, S., see Ohzuku, T., 2327
Takeda, Y., see Yang, J., 2659
Takenouti, H., see Andrade, C., 3905
Takenouti, H., see Antaño-Lopez, R., 3611
Takenouti, H., see Messaoudi, B., 2487
Tak, Y., see Lee, J., 3015
Tallec, A., see Carlier, R., 3269
Tamai, Y., see Kashimura, S., 3265
Tambelli, C.C., see Bloise, A.C., 1571
Tambelli, C.E., Donoso, J.P., Regiani, A.M., Pawlicka, A., Gandini, A. and LeNest, J.-F. Nuclear magnetic resonance and conductivity study of HEC/polyether-based polymer electrolytes, 1665
Tamm, J., Alumaa, A., Hallik, A. and Sammelselg, V. Redox properties of polypyrrole bilayers, 4105
Tanaka, R., Sakurai, M., Sekiguchi, H., Mori, H., Murayama, T. and Ooyama, T. Lithium ion conductivity in polyoxyethylene/polyethylenimine blends, 1709
Tanaka, Y., see Konishi, Y., 681
Tang, J., see Han, X., 3367
Tanguy, J., see Lagrost, C., 3985
Tanimura, R., see Nakamura, N., 1605
Tanizaki, M., see Koga, O., 3083
Tarascon, J.-M., see Laik, B., 2203
Tarascon, J.-M., see Marcel, C., 2097
Tarascon, J.M., see Naghavi, N., 2007
Taraszewska, J., Zięba, K. and Korybut-Daszkiewicz, B. Redox properties of alkylated and crown ether functionalised azamacrocyclic nickel(II) complexes, 3219
Tasaka, A., Suzuki, Y., Sakaguchi, S.-i., Fukuda, N. and Tojo, T. Electrolytic production of $NF_3$ with a $LiNiO_2$ coated nickel sheet anode prepared by atmospheric plasma spraying technique, 4349
Tatsuma, T., Taguchi, M. and Oyama, N. Inhibition effect of covalently cross-linked gel electrolytes on lithium dendrite formation, 1201

Tavares, M.C., Machado, S.A.S. and Mazo, L.H.
Study of hydrogen evolution reaction in acid medium on Pt microelectrodes, 4359
Telegdi, J., Shaglouf, M.M., Shaban, A., Kármán, F.H., Betróti, I., Mohai, M. and Kálmán, E.
Influence of cations on the corrosion inhibition efficiency of aminophosphonic acid, 3791
Terashima, H., see Ikezawa, Y., 1333
Thomas, P. and Billaud, D.
Effect of mechanical grinding of pitch-based carbon fibers and graphite on their electrochemical sodium insertion properties, 39
Thomas, P. and Billaud, D.
Sodium electrochemical insertion mechanisms in various carbon fibres, 3359
Thompson, G.E., see Shimizu, K., 4379
Thompson, S.D., Jordan, L.R. and Forsyth, M.
Platinum electrodeposition for polymer electrolyte membrane fuel cells, 1657
Thonstad, J., see Fellner, P., 2379
Thonstad, J., see Nijjer, S., 3503
Thonstad, J., see Nijjer, S., 395
Thouin, L., see Bondon, A., 1899
Tian, Z.Q., see Ren, B., 193
Tien, H.T., see Zhang, Y.L., 1251
Tilky, P., see Varga, K., 3783
Tirado, J.L., see Dedryvère, R., 127
Tissot, P., see Vaudano, F., 875
Tojo, T., see Tasaka, A., 4349
Toki, M., see Köhler, J., 59
Tokuda, H., see Watanabe, M., 1487
Toma, H.E., see Demets, G.J.F., 547
Tomberli, V., see Carano, M., 265
Tomczyk, P. and Mosiałek, M.
Investigation of the oxygen electrode reaction in basic molten carbonates using electrochemical impedance spectroscopy, 3023
Tomiyori, H., see Kuwabata, S., 91
Tomonaga, Y., see Yoshimoto, N., 1195
Tonelli, D., see Ballarin, B., 881
Tonelli, D., see Scavetta, E., 2681
Topart, P., see Brigouleix, C., 1931
Topart, P., see Pagès, H., 2137
Topping, A.J., see Hutchins, M.G., 1983
Tornatore, P., see Huang, B.X., 671
Torresi, R.M., see Huguenin, F., 3555
Torsi, L., see Cioffi, N., 4205
Tosco, P., see Maja, M., 423
Touchard, G., see Amiri, O., 3589
Touchard, G., see Amiri, O., 1267
Touzain, S., see Cachet, H., 3851
Toyoda, E., see Higuchi, E., 1191
Tracy, C.E., see Lee, S.-H., 1995
Travas-Sejdic, J., Steiner, R., Desilvestro, J. and Pickering, P.
Ion conductivity of novel polyelectrolyte gels for secondary lithium-ion polymer batteries, 1461
Tribollet, B., see Aoki, I.V., 1871
Tribollet, B., see Cachet, H., 3851
Tribollet, B., see Matos, J.B., 1377
Tribollet, B., see Orazem, M.E., 3685
Tripković, A.V., Popović, K.D. and Lović, J.D.
The influence of the oxygen-containing species on the electrooxidation of the $C_1$–$C_4$ alcohols at some platinum single crystal surfaces in alkaline solution, 3163
Trojanowicz, M. and Miernik, A.
Bilayer lipid membrane glucose biosensors with improved stability and sensitivity, 1053
Tsakova, V., Borissov, D., Ranguelov, B., Stromberg, C. and Schultze, J.W.
Electrochemical incorporation of copper in polyaniline layers, 4213
Tsakova, V., Winkels, S. and Schultze, J.W.
Anodic polymerization of 3,4-ethylenedioxythiophene from aqueous microemulsions, 759
Tsiplakides, D., see Pliangos, C., 331
Tsirlina, G.A., Levi, M.D., Petrii, O.A. and Aurbach, D.
Comparison of equilibrium electrochemical behavior of $PdH_x$ and $Li_xMn_2O_4$ intercalation electrodes in terms of sorption isotherms, 4141
Tsirlina, G.A., see Pron'kin, S.N., 2343
Tsirlina, G.A., see Vassiliev, S.Y., 4043
Tsuboi, T., Sakka, T. and Ogata, Y.H.
Polarization behavior during porous silicon formation: effect of surfactant, 1013
Tsuda, T., Nohira, T. and Ito, Y.
Electrodeposition of lanthanum in lanthanum chloride saturated $AlCl_3$–1-ethyl-3-methylimidazolium chloride molten salts, 1891
Turgoose, S., see Cottis, R.A., 3665
Tymosiak-Zielińska, A. and Borkowska, Z.
Interfacial properties of polycrystalline gold electrodes in tetraalkylammonium electrolytes, 3073
Tzedakis, T.
Electrochemical study of binuclear manganese complexes as catalysts in Kraft pulp bleaching, 99

# U

Uchida, I., see Mohamedi, M., 1161
Uchida, S., see Nishikitani, Y., 2035
Uegaito, H., see Köhler, J., 59
Uemachi, H., Iwasa, Y. and Mitani, T.
Poly(1,4-phenylene-1,2,4-dithiazol-3′,5′-yl): the new redox system for lithium secondary batteries, 2305
Uematsu, F., see Matsuoka, M., 2693
Ujvári, M., see Láng, G., 4159
Ulstrup, J., see Kuznetsov, A.M., 3325
Ungar, G., see Zheng, Y., 1397
Ungureanu, E.-M., see Moutet, J.-C., 2733
Uno, H., Sano, Y. and Kunugi, A.
Cathodic elimination of β-acetoxy phenyl sulfones in acetonitrile, 1879
Uosaki, K., see Nihonyanagi, S., 3057
Urbano, A., Ferreira, F.F., deCastro, S.C., Landers, R., Fantini, M.C.A. and Gorenstein, A.
Electrochromism in lithiated nickel oxide films deposited by rf sputtering, 2269
Ureta-Zañartu, M.S., Bustos, P., Diez, M.C., Mora, M.L. and Gutiérrez, C.
Electro-oxidation of chlorophenols at a gold electrode, 2545
Urieta, J.S., see Cea, P., 58

# V

Vacandio, F., Massiani, Y., Gravier, P., Rossi, S., Bonora, P.L. and Fedrizzi, L.
Improvement of the electrochemical behaviour of AlN films produced by reactive sputtering using various underlayers, 3827
Vad, T., see Haubold, H.-G., 1559
Vakarin, E.V. and Badiali, J.P.
Cation intercalation under a host restructuring. Application to crystalline $Li_xWO_3$ and $Na_xWO_3$ compounds, 4151
Våland, T., see Burchardt, T., 2761
Valentin, G., see Rodriguez-Torres, I., 279
van der Sluis, P. and Mercier, V.M.M.
Solid state Gd–Mg electrochromic devices with $ZrO_2H_x$ electrolyte, 2167
van der Sluis, P., see Janner, A.-M., 2173
van Gogh, A.T.M., see Isidorsson, J., 2179
Vannikov, A.V., see Nekrasov, A.A., 4051
Vannikov, A.V., see Nekrasov, A.A., 3301
Vanni, M., see Maja, M., 423
van Santen, R.A., see de Vooys, A.C.A., 923
van Veen, J.A.R., see de Vooys, A.C.A., 923
van Westing, E.P.M., see Campestrini, P., 2631
van Westing, E.P.M., see Campestrini, P., 2553
van Zon, A. and de Leeuw, S.W.
A Rouse model for polymer electrolytes, 1539
van Zon, A., Mos, B., Verkerk, P. and de Leeuw, S.W.
On the dynamics of PEO-NaI polymer electrolytes, 1717
Van Zon, A., see de Leeuw, S.W., 1419
Varga, K., Baradlai, P., Hirschberg, G., Németh, Z., Oravetz, D., Schunk, J. and Tilky, P.
Corrosion behaviour of stainless steel surfaces formed upon chemical decontamination, 3783
Vargas, M.A., see Vargas, R.A., 1699
Vargas, R.A., see Castillo, J., 1695
Vargas, R.A., Zapata, V.H., Matallana, E. and Vargas, M.A.
More thermal studies on the $PVOH/H_3PO_2/H_2O$ solid proton conductor gels, 1699
Varsano, F., Decker, F., Masetti, E. and Croce, F.
Lithium diffusion in cerium–vanadium mixed oxide thin films: a systematic study, 2069
Varsano, F., see Masetti, E., 2085
Vassiliev, S.Y., Jackowska, K., Frydrychevicz, A., Tsirlina, G.A. and Petrii, O.A.
Inhomogeneous films of conducting polymers—STM and electrochemical characterisation, 4043
Vassiliev, S.Y., see Pron'kin, S.N., 2343
Vaudano, F. and Tissot, P.
Preparation of *p*-isopropylbenzaldehyde (*p*-cuminal) by direct electrochemical oxidation of *p*-isopropyltoluene (*p*-cymene) in methanolic medium, 875
Vayenas, C.G., see Pliangos, C., 331
Vázquez, J.L., see Quijada, C., 651
Veispals, A., see Gabrusenoks, J., 2229
Velichenko, A.B., Portillo, J., Alcobé, X., Sarret, M. and Müller, C.
Nature of anode passivation in Zn–Ni electroplating baths, 407
Velichenko, A.B., see Amadelli, R., 341
Velická, J., see Vondrák, J., 2047
Vellone, R., see Prosini, P.P., 2623
Verkerk, P., see van Zon, A., 1717
Videm, K.
Phenomena disturbing electrochemical corrosion rate measurements for steel in alkaline environments, 3895
Vigier, F., Gloaguen, F., Léger, J.-M. and Lamy, C.
Electrochemical and spontaneous deposition of ruthenium at platinum electrodes for methanol oxidation: an electrochemical quartz crystal microbalance study, 4331
Vilakazi, S.L. and Nyokong, T.
Electrocatalytic properties of vitamin $B_{12}$ towards oxidation and reduction of nitric oxide, 453
Virtanen, J., see Hildén, J., 3859
Viskup, A.P., see Kharton, V.V., 2879
Vittadello, M., see Di Noto, V., 1587
Vittori-Antisari, M., see Antonaia, A., 2221
Vivier, V., Régis, A., Sagon, G., Nedelec, J.-Y., Yu, L.T. and Cachet-Vivier, C.
Cyclic voltammetry study of bismuth oxide $Bi_2O_3$ powder by means of a cavity microelectrode coupled with Raman microspectrometry, 907
Vlaicu, I., see Ciorba, G.A., 297
Vogelsang, J. and Strunz, W.
New interpretation of electrochemical data obtained from organic barrier coatings, 3817
Vogt, M.R., see Magnussen, O.M., 3725
von Czarnowski, A., see Gabrusenoks, J., 2229
Vondrák, J., Sedlaříková, M., Velická, J., Klápště, B., Novák, V. and Reiter, J.
Gel polymer electrolytes based on PMMA, 2047
Vorotyntsev, M.A. and Heinze, J.
Charging process in electron conducting polymers: dimerization model, 3309
Vorotyntsev, M.A., Casalta, M., Pousson, E., Roullier, L., Boni, G. and Moise, C.
Redox properties of titanocene-pyrrole derivative and its electropolymerization, 4017
Vorotyntsev, M.A., see Kulesza, P.J., 3939

# W

Waibel, H.-F., see Kleinert, M., 3129
Walcarius, A., see Dakova, B., 1259
Walcarius, A., see Mariaulle, P., 3543
Wallace, G.G., see Barisci, J.N., 509
Wallace, G.G., see Barisci, J.N., 519
Wallenborn, J., see Córdoba-Torres, P., 2975
Wallgren, K. and Sotiropoulos, S.
Electrochemistry of planar solid-state amperometric devices based on Nafion® and polybenzimidazole solid polymer electrolytes, 1523
Wang, C., Appleby, A.J. and Little, F.E.
Electrochemical impedance study of initial lithium ion intercalation into graphite powders, 1793
Wang, E., see Han, X., 3367
Wang, E., see Qian, X., 1829
Wang, F., see Rauh, R.D., 2023
Wang, H., see Massong, H., 701

Wang, J., see Han, X., 3367
Wang, K., Pickering, H.W. and Weil, K.G.
EQCM studies of the electrodeposition and corrosion of tin–zinc coatings, 3835
Wang, P., Wang, X. and Zhu, G.
Sol–gel-derived ceramic carbon composite electrode containing isopolymolybdic anions, 637
Wang, Q., see Ma, J., 2427
Wang, X., Hsing, I.-M., Leng, Y.-J. and Yue, P.-L.
Model interpretation of electrochemical impedance spectroscopy and polarization behavior of $H_2$/CO mixture oxidation in polymer electrolyte fuel cells, 4397
Wang, X., see Wang, P., 637
Wang, Y., see Chung, S.H., 1651
Wang, Z. and Hu, X.
Electrochromic properties of $TiO_2$-doped $WO_3$ films spin-coated from Ti-stabilized peroxotungstic acid, 1951
Watanabe, M., see Hirakimoto, T., 1609
Watanabe, M., see Ismail, I., 1595
Watanabe, M., Tokuda, H. and Muto, S.
Anionic effect on ion transport properties in network polyether electrolytes, 1487
Watanabe, Y., see Koga, O., 3083
Watson, D.J. and Attard, G.A.
The electro-oxidation of glucose using platinum–palladium bulk alloy single crystals, 3157
Weber, A., see Horita, T., 1837
Wee, A.T.S., see Yao, H.B., 2649
Weil, K.G., see Wang, K., 3835
Wen, T.-C., Huang, L.-M. and Gopalan, A.
An in situ spectroelectrochemical investigation of the copolymerization of diaminobenzenesulfonic acid with aniline and its derivatives, 2463
Wen, T.-C., Sivakumar, C. and Gopalan, A.
In situ, UV–Vis spectroelectrochemical studies on the initial stages of copolymerization of aniline with diphenylamine-4-sulphonic acid, 1071
Wencheng, S. and Iroh, J.O.
Electrodeposition mechanism of polypyrrole coatings on steel substrates from aqueous oxalate solutions, 1
Wendt, H., see Brenscheidt, T., 783
Wennrich, R., see Dávila, M.M., 3189
Wesslén, B., see Gavelin, P., 1439
West, K., see Popall, M., 1499
Westlinder, J., see Frenning, G., 2041
White, R.E., see Krishnamurthy, B., 3387
Widera, J., Skompska, M. and Jackowska, K.
The influence of anions on formation, electroactivity, stability and morphology of poly(*o*-methoxyaniline) films—EQCM studies, 4125
Wieckowski, A., see Kulesza, P.J., 4065
Wieczorek, W., see Borkowska, R., 1737
Wieczorek, W., see Chung, S.H., 1651
Wieczorek, W., Żukowska, G., Borkowska, R., Chung, S.H. and Greenbaum, S.
A basic investigation of anhydrous proton conducting gel electrolytes, 1427
Williams-Dottin, A.R., see Iwuoha, E.I., 3509
Willmann, P., see Bianchi, V., 999
Willmann, P., see Chagnes, A., 1783
Winkels, S., see Haegel, F.-H., 3973
Winkels, S., see Tsakova, V., 759
Wintersgill, M.C., see Bendler, J.T., 1615
Wittwer, V., see Georg, A., 2001
Wnek, G.E., see Edmondson, C.A., 1623
Wodiunig, S., Bokeloh, F. and Comninellis, C.
Electrochemical promotion of bipolar electrodes: an estimation of the current bypass, 357
Wood, G.C., see Shimizu, K., 4379
Wragg, A.A., see Duchanoy, C., 433
Wright, G.A., see Kilmartin, P.A., 2787
Wright, P.V., see Zheng, Y., 1397
Wu, D.Y., see Ren, B., 193

# X

Xia, S.J., Liu, G. and Birss, V.I.
Electrochemical characteristics of dip-coated poly (2-cinnamoylethyl methacrylate) (PCEMA) films on Au surfaces, 463
Xia, S.J., Liu, G. and Birss, V.I.
Properties of thin polystyrene–poly(2-cinnamoylethyl methacrylate) (PS–PCEMA) copolymeric coatings on gold electrodes, 475
Xia, Y., see Prosini, P.P., 2623
Xianming, W., Yasukawa, E. and Kasuya, S.
Electrochemical properties of tetrahydropyran-based ternary electrolytes for 4 V Lithium metal rechargeable batteries, 813
Xu, K., Ding, M.S. and Richard Jow, T.
A better quantification of electrochemical stability limits for electrolytes in double layer capacitors, 1823

# Y

Yamaguchi, T., see Komura, T., 3579
Yamaguchi, T., Takahashi, K. and Komura, T.
Electrochemical characteristics of viologen carboxylic acid derivatives assembled onto Au electrode as a synthetic receptor for electron-rich compounds, 2527
Yamaji, K., see Horita, T., 1837
Yamamoto, M., Kinoshita, M. and Kakiuchi, T.
Structure of the Pt(111)/liquid interface: a first-principles/RHNC calculation, 165
Yamamoto, O., see Yang, J., 2659
Yamamoto, Y., see Matsuoka, M., 2693
Yamana, M., see Kashiwazaki, N., 2211
Yamashita, H., see Ishifune, M., 3259
Yamashita, H., see Kashimura, S., 3265
Yamashita, N., see Ishifune, M., 3259
Yamashita, N., see Kashimura, S., 3265
Yáñez-Sedeño, P., see Hernández-Olmos, M.A., 289
Yang, J., Takeda, Y., Imanishi, N. and Yamamoto, O.
Novel composite anodes based on nano-oxides and $Li_{2.6}Co_{0.4}N$ for lithium ion batteries, 2659
Yang, L., see Li, N., 717
Yang, Q. and Luo, J.L.
Effects of hydrogen and tensile stress on the breakdown of passive films on type 304 stainless steel, 851
Yang, X., see Qian, X., 1829
Yang, Y., see Nan, J., 1767

Yang, Y.-Y., Sun, S.-G., Gu, Y.-J., Zhou, Z.-Y. and Zhen, C.-H.
Surface modification and electrocatalytic properties of Pt(100), Pt(110), Pt(320) and Pt(331) electrodes with Sb towards HCOOH oxidation, 4339
Yao, H.B., Li, Y., Wee, A.T.S., Chai, J.W. and Pan, J.S.
The alloying effect of Ni on the corrosion behavior of melt-spun Mg–Ni ribbons, 2649
Yaremchenko, A.A., see Kharton, V.V., 2879
Yasukawa, E., see Xianming, W., 813
Ye, S., see Nihonyanagi, S., 3057
Yianoulis, P., see Papaefthimiou, S., 2145
Yokokawa, H., see Horita, T., 1837
Yonesato, N., see Sakai, Y., 1509
Yoneyama, H., see Kuwabata, S., 91
York, S., Frech, R., Snow, A. and Glatzhofer, D.
A comparative vibrational spectroscopic study of lithium triflate and sodium triflate in linear poly(ethylenimine), 1533
York, S., Kellam III, E.C., Allcock, H.R. and Frech, R.
A vibrational spectroscopic study of lithium triflate in polyphosphazenes with linear oligoethyleneoxy side-chains of different lengths, 1553
Yoshida, A., see Ikezawa, Y., 769
Yoshimoto, N., see Morita, M., 1565
Yoshimoto, N., Tomonaga, Y., Ishikawa, M. and Morita, M.
Ionic conductance of polymeric electrolytes consisting of magnesium salts dissolved in cross-linked polymer matrix with linear polyether, 1195
Yoshio, M., see Park, S.H., 1215
Yoshizawa, M. and Ohno, H.
Synthesis of molten salt-type polymer brush and effect of brush structure on the ionic conductivity, 1723
Yue, P.-L., see Wang, X., 4397
Yukawa, H., see Liu, Y., 1151
Yu, L.T., see Vivier, V., 907

# Z

Zachau-Christiansen, B., see Jacobsen, T., 1019
Zagal, J.H., see Cárdenas-Jirón, G.I., 3227
Zagal, J.H., see Gulppi, M., 3397
Zajder, M., see Lewandowski, A., 2777
Zak, J., see Łapkowski, M., 4001
Zalewska, A., see Borkowska, R., 1737
Zamboni, P.G., see Cioffi, N., 4205
Zamponi, S., see Kulesza, P.J., 4371
Zanardi, C., see Ballarin, B., 881
Zanardi, C., see Ding, H., 2721
Zane, D., see Prosini, P.P., 3517
Zapata, V.H., see Vargas, R.A., 1699
Zawada, K., Bukowska, J., Calvo, M. and Jackowska, K.
Surface-enhanced Raman spectroscopy and electrochemistry at the copper | 4-phenylpyridine interface, 2671
Zemlyanov, D., see Savinova, E.R., 175
Zeng, J., see Nikolelis, D.P., 1025
Zhang, C.-X., see Zhang, Y.-L., 2923
Zhang, C.X., see Zhang, Y.L., 1251
Zhang, Y.-L., Shen, H.-X., Sun, J.-L. and Zhang, C.-X.
Study on interaction of hemin with pyronarine and analytical application in salt bridge supported bilayer lipid membrane system, 2923
Zhang, Y.L., Shen, H.X., Zhang, C.X., Ottova, A. and Tien, H.T.
The study on the interaction of DNA with hemin and the detection of DNA using the salt bridge supported bilayer lipid membrane system, 1251
Zhao, X.B. and Cao, G.S.
A study of $Zn_4Sb_3$ as a negative electrode for secondary lithium cells, 891
Zhen, C.-H., see Yang, Y.-Y., 4339
Zheng, Y., Chia, F., Ungar, G., Richardson, T.H. and Wright, P.V.
High ambient dc and ac conductivities in solvent-free, low-dimensional polymer electrolyte blends with lithium salts, 1397
Zhou, Z.-Y., see Yang, Y.-Y., 4339
Zhu, B. and Lindbergh, G.
Corrosion behaviour of high-chromium ferritic steels in molten carbonate in cathode environment, 2593
Zhu, B., see Lindbergh, G., 1131
Zhu, G., see Wang, P., 637
Zhu, Y., see Ma, J., 2427
Zięba, K., see Taraszewska, J., 3219
Zinigrad, E., Aurbach, D. and Dan, P.
Simulation of galvanostatic growth of polycrystalline Li deposits in rechargeable Li batteries, 1863
Zitzler, L., see Magnussen, O.M., 3725
Zouaoui, A., see Moutet, J.-C., 4035
Zouaoui, A., Stéphan, O., Ourari, A. and Moutet, J.-C.
Electrocatalytic hydrogenation of ketones and enones at nickel microparticles dispersed into poly(pyrrole-alkylammonium) films, 49
Żukowska, G., see Wieczorek, W., 1427
Zukowska, G., see Chung, S.H., 1651

PERGAMON

Electrochimica Acta 46 (2001) 29–43

ELECTROCHIMICA Acta

www.elsevier.com/locate/electacta

# Subject Index for Volume 46 (2001)

## A

Ab initio, 1545
Ab-initio calculation, 1277
Abrasion, 2573
AC calorimetry, 1699
Accelerated environmental testing, 2237
Accelerated stability test, 415
Acesulfame-K, 1025
Acetate, 2337
Acetic acid, 323
Acetone degreasing, 2337
β-Acetoxy sulfone, 1879
Acid solution, 395
AC impedance, 837, 1871, 3415
2-Acrylamido-2-methylpropane sulfonic acid, 1509
Activated carbon, 389, 1823, 2777
Activated titanium anodes, 415
Activation analysis studies, 2237
Activation energy, 1783
Activationless electrochemical desorption, 2949
Activation volume, 1623
Active center, 3137
Adhesion, 3715
Adsorbed oxyanions, 9
Adsorbed water, 1951
Adsorption, 731, 769, 1267, 1277, 1333, 2507, 2671, 3083, 3111
AFM, 3641, 3743, 3791
Ag(111), 175
Aggregation, 1641, 4007
$AlCl_3$–EMICl, 1891
Alcohol electrooxidation, 3163
Aliphatic esters, 3259
Alkali cation, 1509
Alkali metal electrolytes, 4057
Alkaline earth chlorides, 25
Alkaline electrolyte, 175
Alkaline environment, 3895
Alkaline solution, 1773
Alkanethiol monolayers, 231
Alkyl ammonium ion, 1233
Alloy electrodeposition, 571
Allyl complexes, 3237
Alminium, 2515
$Al_2O_3$ particles, 1829
Al–Sn alloy, 2515
Alumina, 2825
Aluminium, 297, 1871, 2553, 2631, 4379
Aluminium containing steels, 1131
Aluminium electrolysis, 1141, 2379
Aluminium nitride, 3827
Aluminum, 499, 2407
Aluminum alloys, 1043, 3641, 3651
Aluminum doping, 1215
Alumite, 2819
Amalgam phases, 3887
Ambient temperature melt, 1891
am-FeOOH, 111
Amino-phosphonic acid and bivalent cations, 3791
Ammonium baths, 2811
Amorphous, 2055, 2781
Amorphous matrix, 1499
Amorphous stucture, 2649
Amorphous $WO_3$, 1989
Amperometric biosensor, 255, 643
Amperometric gas sensors, 1523
Amperometric ion detector, 3543
Amperometric sensors, 2681
Amphiphilic graft copolymer, 1439
Anilines, 1297, 3405
Anion, 3083
Anion adsorption, 3481
Anionic polymer electrolytes, 1467
Anion substitution, 941, 2293
Anode, 4229
Anode materials, 127
Anodic copper dissolution, 681
Anodic films, 4379
Anodic material, 2939
Anodic metal dissolution, 745
Anodic oxidation, 875, 3525
Anodic oxide film, 2515
Anodic oxide films, 3777
Anodic stripping cyclic voltammetry, 1033
Anodic stripping voltammetry, 607
Anodisation, 629
Anodising, 4379
Anodizing, 2825
Antimony-tin oxide, 2097
AP-CITROX decontamination method, 3783
Aqueous electrochemical process, 2443
Aqueous electrolyte, 59
Aqueous electrolytes, 137
Aqueous solution, 759

PII: S0013-4686(02)00049-X

Aromatic amine derivatives, 2035
Artificial muscle, 1313
Ascorbic acid, 3367
Atmospheric plasma spraying technique, 4349
Atomic force microscopy, 157, 519, 2233, 2843, 4001, 4065
Atomic scale inhomogeneities, 207
Atomic-scale studies, 3725
Autocatalysis, 1019
Autocorrelation, 3699
Azamacrocycles, 3219
Azosalicylic acids, 1113
Azurin, 1605

# B

Bandgap, 1967
Band-gap energy, 2605
Band model, 2363
Band structure, 2049
Barium manganite, 2767
Barium oxide, 3351
Barrierless discharge, 2949
Benzil, 1847
Benzoic acid, 731
Benzoquinone, 3573
Benzotriazole, 1377
Benzyl viologen, 3579
Bicarbonate/carbonate solutions, 111
Bicontinuous structure, 3973
Bilayer lipid membranes, 1025
Bilayers, 4105
Binary catalyst, 701
Binary conductive agent, 599
Binuclear complex, 99
Biocorrosion, 3841
Biofilm, 3851
Biosensor, 723, 1251, 2923
Biosensors, 157, 1025
Bipolar, 357
2,5-bis(Phosphonomethyl)hydroquinone, 2313
Bistability, 745
Blend, 1453
Boric acid ester monomer, 1609
Boron-doped diamond electrode, 3573
Boronic acid, 1179
Boronic ester, 2855, 3421
Breakdown, 851
Bridged STM contact, 247
Butyrolactone, 1783

# C

Cadmium electrode, 185
Cadmium tungstate, 2229
Cantilevers, 157
Capacitance, 3063, 3103
Capacitance measurements, 3767
Capacitive behaviour, 207
Capacitor, 1629
Capacity, 59, 1013
Carbonate-based electrolytes, 4301
Carbon-black, 3517
Carbon black, 1571, 1629
Carbon blacks, 423
Carbon electrode, 2187
Carbon fiber, 3265
Carbon monoxide, 193, 1033, 1285
Carbon nanotubes, 509
Carbon paste electrode, 607
Carbon–polyvinyl chloride composite, 3189
Carbon steel, 487, 2443
Carbon supported catalysts, 2863
Catalysis, 4229
Catalyst, 119
Catalyst in bleaching process, 99
Catalytic amorphous alloys, 315
Catalytic layer structure, 799
Catalytic oxide, 915
Cathode, 1151
Cathode material, 77
Cathode reaction, 1837
Cathodic cleavage, 1879
Cathodic overvoltage, 2379
Cathodizing of anode, 401
Cathodoluminescence, 629
Cation intercalation, 4151
Cation-radicals, 807
Cation substitution, 941, 2293
CdTe, 821
Cell-impedance, 897, 2477
Cellular automata simulation, 2975
$CeO_2$–$TiO_2$ thin films, 2055
Ceramic filler, 1565
Ceramic fillers, 2457
Cerium–vanadium mixed oxide, 2069
Channel, 4389
Channel flow cell, 973
Channel flow cell (CFC), 365
Characteristic charge, 3665
Characteristic frequency, 3665
Characterization, 4281
Charge capacity, 2151, 2159
Charge compensation process, 4095
Charge–discharge, 91
Charge efficiency, 967
Charge storage and propagation, 4065
Charge transfer, 2211, 3817
Charge–transfer complexes, 2527
Charge-transfer reaction, 967
Charge-transfer resistance, 3457
Charge transport kinetics, 3579
Charge trapping, 4105
Charging process, 3309
Chemical bonding, 1151
Chemical diffusion, 3415
Chemical in situ deposition, 3963
Chemically modified electrode, 637
Chemically modified electrodes, 881, 2681
Chemical modification, 2313
Chemical sensor, 271
Chemical vapor deposition, 2215
Chemisorption, 1285, 3073
Chemometric approach, 305

Chloride, 1267, 3343, 3589
Chlorides, 349
Chloroalkoxide, 2251
Chlorophenols, 389
Chlorophenols electrooxidation, 2545
Chromate, 2553, 2631
Chromium-containing steels, 2593
Chronoamperometry, 2041, 3351, 3589, 3851
Chronopotentiometry, 953, 1313
*Cis–trans* isomerization, 1847
Citrate complexes, 571
Citric acid, 1871
Clamping pressure, 2899
$CO_2$, 3015
CO adsorption, 3493
Coadsorption, 3091
Coatings, 1, 1307
Cobalt, 571, 1169, 3129
Cobalt(II) ion, 2749
Cobalt(II)/nickel(II) complexes, 3509
Cobalt phthalocyanine, 3397
Cobalt spinel, 1369
$CO_2$ corrosion, 3685
Codeposition, 499, 571, 4229
Coefficient of variation, 3665
Co-free, 4383
Coherent phenomena, 247
Colloidal gel, 3685
Colloidal gold, 607
Color, 2023
Color neutrality, 1945
Combshaped copolymer, 1641
Compact films, 4177
Compatibility, 1487
Competitive adsorption, 9
Complex impedance, 1615
Complex molecules, 3325
Component and chemical diffusivities, 987
Composite, 1571, 1629, 1679
Composite cathode, 3517
Composite electrode, 1313
Composite films, 4065
Composite material, 4371
Composite polymer electrolyte, 1829
Composites, 4213
Composite surface oxide layer, 1767
Composition and morphology, 401
Concentration profile, 681
Condensed phosphates, 1651
Conducting polymer, 2305, 2787, 3309, 4017
Conducting polymers, 519, 547, 881, 1053, 2137, 2721, 2843, 3279, 3287, 3963, 3985, 4043, 4051, 4083, 4205
Conduction mechanism, 1427
Conduction properties, 1747
Conductive microcrystals, 3445
Conductive polymer, 2023
Conductive polymers, 1307
Conductivity, 1397, 1493, 1515, 1539, 1673, 1783, 3943, 3973
Conjugated polymer, 2031
Constant phase element, 3073
Constant phase element (CPE), 4159
Contact electric resistance, 3859
Contact electric resistance (CER) technique, 3627
Contact electric resistance technique, 1339
Contact resistance, 2899
Controlled potential electrolysis, 4289
Convolution integral, 953
Coordination strength, 1545
CO oxidation, 701, 4397
Copolymerization, 2463
Copper, 1377, 2281, 2337, 2671, 2757, 3111, 3137, 3801
Copper alloys, 1043
Copper deposition, 2805, 4213
Copper electrode, 3083
Copper(I) based electrochromic chemicals, 2967
Copper(II) complexation, 4035
Copper oxide, 2281
Copper protein, 1605
Correlation functions, 3051
Corrosion, 487, 563, 1043, 1131, 2353, 2553, 2593, 2631, 3887, 3913, 4259, 4349
Corrosion behavior, 2649
Corrosion breakdown potential, 3801
Corrosion film, 2321
Corrosion inhibition, 2671
Corrosion inhibition and mechanism, 3791
Corrosion inhibition efficiency, 15
Corrosion inhibitors, 3801, 3905
Corrosion monitoring, 3879
Corrosion protection, 3827, 4251
Corrosion rate, 3895
Corrosion resistance, 15
Coulometry, 1113
Counter-electrodes, 2077
Counter ion, 1233
Counter-ion influence, 2795
Covalent cross-linking, 1201
Coverage, 463, 475
Crevice corrosion, 3705
Cross correlation, 3665
Cross spectra, 3665
Crown ether, 2733
Crown ether compounds, 3219
Crystallization, 1641
Crystal order, 1937
Cu electrodeposition, 381
Current bypass, 357
Current density, 3589
Current efficiency, 2515, 4349
Current transient, 897
Cyanide electro-oxidation, 381
Cyanocobalamin, 453
Cyanometallate phase mixtures, 4057
Cyanopyridine, 4319
Cyanuric acid, 323
Cyclamate, 1025
Cycle durability, 4383
Cycle life, 77
Cycle stability, 1793
Cyclic and linear voltammetry, 297
Cyclic ether solvents, 813

Cyclic voltammetry, 395, 463, 475, 509, 953, 1951, 2313, 2477, 2499, 2665, 3129, 3207, 3219, 3301, 3309, 3343, 3381, 3421, 3431, 3943, 4057, 4289
Cyclic voltammograms, 4007
Cycling durability, 2173
Cycling efficiency, 2825
Cycling properties, 127
Cylindrical carbon fiber microelectrodes, 289
Cytochrome *c*, 829

# D

DCVA, 4007
Debye–Hückel electrolyte, 3051
Debye length, 3033
Decoupled ion transport, 1413
Degradation, 323
Degree of dissociation, 1609
Delamination, 463
DEMS, 701
Dendrimers, 3199
Dental amalgams, 3887
Deposition potential, 499
Derivative cyclic voltabsorptometry, 3301
Deterioration mechanism, 401
Device, 2105, 2167
Devices, 4243
Diaminobenzenesulfonic acid, 2463
3,5-Diamino methylbenzoate, 3955
Diazo dye, 2913
Dielectric relaxation, 3817
Differential pulse voltammetry, 2527
Differential scanning calorimetry, 1025, 1699
Diffusion, 1539, 3063, 3817, 4185
Diffusion coefficient, 1101, 1957, 4235
Diffusion coefficients, 589
Diffusion constant, 3457
3,4-Dihydroxycinnnamic acid, 341
Dimerization, 3207
Dimerization, hysteresis, 3309
Dimethylethylphenylammonium bromide, 499
Dimethylsulfone, 2407
Dip coating, 2275
Dip-coating, 463, 475
Diphenylaminosquarate, 3509
Diphenylselenide, 807
Dipolar liquid, 165
Dipyridamole, 67
Dipyrrolyl monomers, 3279
Disorder to order phase transition, 987
Dispersion of $LiCoO_2$, 599
Dissolution, 1871
Dissolution mechanism, 2975
Dissolution rate, 2649
Distribution, 661
Disulfide compound, 2305
Dithiocarbamate pesticides, 289
DMF, 3509
DMFC, 1559, 4389
DMPC, 3367
DMSO, 3509
DNA, 1251
Donor–acceptor intermolecular hardness, 3227
Doped ceria, 2879
Doping, 1905
Double electrical layer, 3103
Double layer, 185, 3063
Double layer capacitor, 1823
DSA, 389
DSA® type oxygen-evolving electrodes, 3503
DSC, 1493, 1679
Dye-sensitized solar cell, 2131, 3457
Dye-sensitized $TiO_2$, 2125
Dynamics, 4185

# E

EC capacitor, 3431
EDOT, 3973
EIS, 2069, 3611, 3743, 3841
Elastic lattice gas model, 4151
Electrical conductivity, 1615, 1623, 1695, 2871
Electrical double layer, 1267, 3033, 3091
Electrical properties, 2007, 2221
Electric force microscopy, 519
Electroactive material, 4017
Electro-activity, 915
Electrocatalysis, 341, 365, 453, 579, 651, 661, 2343, 2795, 3373, 3397, 4197
Electrocatalyst, 423, 555, 1033, 4397
Electrocatalysts, 717, 2711
Electrocatalytic activity, 3015
Electrocatalytic hydrogenation, 49
Electrocatalytic reduction, 637
Electrochemical AFM, 3735
Electrochemical and Raman studies, 3555
Electrochemical behavior of lanthanum ion, 1891
Electrochemical behaviour, 2573, 3445
Electrochemical–catalytic mechanism, 2407
Electrochemical characteristic, 1427
Electrochemical combustion of organics, 3573
Electrochemical deposition, 2487
Electrochemical detection, 1251
Electrochemical devices, 1467
Electrochemical impedance, 3023, 3651, 3715, 3887
Electrochemical impedance spectroscopy, 1793, 2363, 2487, 2721, 3619, 4159
Electrochemical impedance spectroscopy., 487
Electrochemical insertion, 3359, 4301
Electrochemical intercalation, 39
Electrochemical interface, 3493
Electrochemical interfaces, 239
Electrochemical measurements, 2007
Electrochemical noise, 2353, 3651, 3665, 3705
Electrochemical nucleation, 4213
Electrochemical oxidation, 67, 373, 395, 807, 1259, 1297, 3405
Electrochemical polymerization, 15
Electrochemical promotion, 331, 357
Electrochemical properties, 231, 2203, 2427
Electrochemical quartz crystal microbalance, 509, 2113, 3835, 3955, 4133

Electrochemical quartz crystal microbalance (EQCM), 973
Electrochemical quartz crystal nanobalance, 3801
Electrochemical reaction kinetics, 1793
Electrochemical recognition, 2733
Electrochemical reduction, 395
Electrochemical stability, 1823
Electrochemical switching, 2281
Electrochemical transients, 3675
Electrochemistry, 265, 1025, 3199, 3509
Electrochemistry of polythiophenes, 881
Electrochromic, 2015, 2131, 2151, 2159, 2167, 2243
Electrochromic device, 709
Electrochromic devices, 1651
Electrochromic display, 2187
Electrochromic displays, 2137
Electrochromic efficiency, 2221
Electrochromic film, 2077
Electrochromic films, 2119
Electrochromics, 2125, 2145
Electrochromic switching, 1957
Electrochromic system, 2203
Electrochromic thin films, 1973
Electrochromic windows, 2237
Electrochromism, 1905, 1921, 1931, 1945, 1951, 1977, 1983, 1989, 2023, 2031, 2047, 2049, 2059, 2085, 2091, 2097, 2105, 2113, 2173, 2211, 2251, 2257, 2263, 2269, 2281, 4243, 4371
Electrocoagulation, 297
Electrocopolymerization, 1071
Electrode modification, 629, 3189
Electrodeposition, 349, 1169, 1657, 2091, 2665, 2711, 2761, 2811, 2819, 3129, 4043, 4057, 4065, 4125, 4259, 4331
Electrodeposition mechanism., 1
Electrodeposition of aluminum, 1891
Electrodeposition processes, 1863
Electrode reaction, 4235
Electrode resistance, 599
Electrodes, 231
Electrodiffusion, 3589
Electrodissolution, 1377
Electrogravimetry, 4095
Electroluminescence mechanism, 2991
Electrolysis, 1899, 2537
Electrolyte, 1515, 3033
Electrolyte activities, 137
Electrolyte free, 3287
Electrolyte glasses, 1413
Electrolytes, 1823
Electrolyte solution, 1609
Electrolyte solutions, 221, 2395
Electrolytic pickling, 3859
Electronic photoemission, 2929
Electronic structures, 4051
Electron microscopy, 2613
Electron transfer, 1605, 3325
Electron transfer reaction, 1729
Electroorganic synthesis, 875
Electrooxidation, 3175
Electro-oxidation, 3147
Electrooxidation, 193, 1285
Electro-polymerisation, 3943
Electropolymerisation, 519, 4251
Electropolymerization, 547, 643, 3973
Electroreduction mechanism, 3015
Electrostatic interactions, 4197
Electrostatic spray deposition, 1161
Electrosynthesis, 1879, 2757, 3269, 4205
Ellipsometry, 463, 475, 3181, 3993
EL precursors, 2991
Emersed electrode, 3493
Emf method, 2879
Emulsions, 2711
Energy dispersive, 3119
Enzyme mediators, 1053
EPR, 1207
EPR test, 3867
EQCM, 821, 2137, 2203, 2545, 4125, 4331
Equilibrium binding constants, 2527
Equilibrium electrochemical behavior, 4141
Erosion–corrosion, 3675
Ethylene-butylene, 1623
Ethylene carbonate, 3359
Ethylene glycol, 1277
1-Ethyl-3-methylimidazolium, 1169
Europium, 1101
Evaporation, 2221
EXAFS, 3119
Excess lithium, 1215
Excitability, 745
Excluded volume effect, 3033
Ex-situ IR spectro-electrochemical measurements, 1921

# F

Faradaic efficiency, 2879
Far infrared spectroscopy, 9
Fe-contaning orthovanadates, 2077
Feed consumption, 4389
Fenton reactant, 373
$\gamma$-$Fe_2O_3$, 2321
Ferricyanide-polypyrrole film, 643
Ferrocene, 4235
Ferrocenecarboxylic acid, 2499
FESEM, 837
FIA, 3543
Filiform, 3641
Film growth rate, 3387
Films, 2269
First-cycle effect, 2787
First-principles calculation, 165
Flat-band potential, 2605
Flatband potential, 2363
Flexible substrate, 1931
Flow injection, 255
Fluctuations at a hard wall, 3051
Flue gas desulphurisation, 651
Fluid/fluid interfaces, 221
Fluoride, 1179, 2855, 3421
Fluorination, 1191
Fluorine, 271
Fluorine and magnesium, 941, 2293
Fluorobenzoic acid, 769

Fluorocarbon chains, 1439
Flux, 3589
Formal potentials, 4057
Formal redox potential, 4075
Formal standard potentials, 1101
Formic acid, 3175, 3481
Free convection, 433
Friction, 3913
FTIR, 111, 1333, 1815, 4319
FTIRS, 1285
FTIR spectroscopy, 3147
FT-IR spectroscopy, 651
FTO coated glass, 2967
Fuel cell, 1559, 2899, 4397
Fuel cell modelling, 799
Fuel cells, 783, 1651, 2401, 3481
Fullerene derivatives, 265
Fullerenes, 265
Fulleropyrrolidines, 265
Functionalised polypyrrole, 4035
Functionalized polypyrrole, 49
Furfural, 2757

# G

Galvanostatic growth, 1863
Galvanostatic study, 2991
Gas diffusion electrodes, 799, 2863
Gas/diffusion electrodes, 555
Gas diffusion electrodes, 423
Gasochromic, 1995
Gasochromic colouration, 2001
GDOES, 2593
Gel, 2015
Gel electrolyte, 1201, 1439, 2047
Gel electrolytes, 1635
Gel polymer electrolytes, 1323, 3475
Generalised transmission line equivalent circuit, 2721
GITT, 2041, 2069
Glass, 2243
Glass transition temperature, 1723
Glassy carbon, 3381
Glazing, 2145
Glow discharge optical emission spectroscopy (GDOES), 1131
Glucose, 305
Glucose biosensor, 1053
Glycine, 279
Gold, 475
Gold electrode, 9, 651, 737, 1233, 1333, 3073, 4319
Gold electrodes, 2545
Gold microdisk electrodes, 289
Gold oxide, 4159
Gold single crystals, 3129
Graft polyether, 1665
Graphite, 39, 4083
Green rust, 111, 1815
Group-contribution method, 3535
Growth, 2843

# H

Haloadamantanes, 3245
Halogenisation, 3405
Halogenization, 1297
Hammett parameters, 3227
Harmonic oscillator models, 3325
[2*H*] benziso-1,2-selenazol-3-one, 1259
HCOOH oxidation, 4339
Heavy metals, 349
Heavy oxygen, 1995
HEDP, 973
Hemin, 1251, 2923
Heptyl viologen, 2035
Heterojunction, 3767
High capacity, 2305
High pressure, 1615, 1623
High-rate dischargeability, 1191
High-speed STM, 3725
High temperature electrochemical properties, 1215
$H_2O_2$ electrooxidation, 2991
Hollandite oxides, 2767
Holographic interferometry, 681
HOMO–LUMO, 2049
$H_2S$ corrosion, 3879
Humidity sensor, 1509
Hydrate melts, 137
Hydride electrode alloy, 2427
Hydride formation, 2373
Hydrides, 2385
Hydrogel electrode, 2031
Hydrogen, 851
Hydrogenated amorphous silicon, 1963
Hydrogen bonding, 1533
Hydrogen catalysis, 2761
Hydrogen diffusion, 1963, 2001
Hydrogen evolution, 2949
Hydrogen evolution reaction, 861, 4359
Hydrogen oxidation, 555, 661
Hydrogen permeation, 3879
Hydrogen peroxide, 255, 373
Hydrogen storage alloy, 967, 2693, 2781, 4383
Hydroquinone *p*-benzoquinone, 315
Hydrosol, 2343
Hydrotalcite-like clays, 2681
Hydroxyethylcellulose, 1665
Hydroxyl radical, 3573

# I

Image analysis, 3851
Imaging ellipsometry, 3993
Imidazole, 1703
Imidazolium salts, 1703
Immersed electrode, 3493
Immersion plating, 2805
Immobilisation, 2343
Immobilization, 723
Immobilized metallocene, 4017
Impedance, 563, 1307, 1509, 3063, 4397

Impedances of electroactive layers, 4177
Impedance spectra, 1829
Impedance spectroscopy, 533, 867, 1339, 1587, 1737, 2041, 2395, 2631, 3579, 3627, 3685
Impinging jet, 3685
Inclusion compounds, 3985
Incorporation into ionomer, 3579
Indirect oxidation, 3265
Indium–tin oxide, 2313
Indium–zinc oxide, 2007
Inductive effect, 1019
Infrared, 2137
Infrared reflectance modulation, 1983
Infrared reflectance spectroscopy, 3493
Infrared spectra, 671
Infrared spectroscopy, 1013, 2215, 2229
Inhomogeneity, 4159
Inhomogeneous electrolyte solutions, 3051
Inhomogeneous films, 4043
Initial activation, 2693
Inorganic–organic matrices, 1499
Inorganic–organic polymer electrolytes, 1587
In situ conductivity, 1161, 1207
In situ electrochemical spectroscopies, 1207
In-situ EQCM, 3015
In situ radiotracer sorption studies, 3783
In-situ Raman spectroscopy, 2487
In-situ spectroscopic characterization, 1767
In situ STM, 3129
In situ surface enhancement Raman spectroscopy (SERS), 2321
Interaction, 2923
Intercalation, 59, 509, 2269
Intercalation electrodes, 4141
Interchain connections, 3279
Interface reaction, 1837
Interfacial analysis studies, 2237
Interfacial characteristic, 1737
Interfacial molecular structure, 3057
Interfacial resistance, 533
Interfacial stability, 1581
Intergranular corrosion, 3867
Intermediates, 1071
Intermetallic compounds, 2385
Intermolecular bond, 3309
Internal mobility, 3563
Interpenetrating polymer networks, 1509
Interstitial substitution with thallium, 4057
Intervalence-charge transfer bands, 2035
Intrinsic resistance, 1793
Inverted region, 247
Iodide/triiodide redox couple, 3457
Iodization, 2211
Ion adsorption, 221
Ion chromatography, 3543
Ion condensation, 3033
Ion conduction, 1407, 1729
Ion conductivity, 1439, 1641, 1709
Ion exchange polymers, 3543
Ionic aggregation, 1687
Ionic and electronic conductivity, 1339
Ionic association, 1533, 1553
Ionic conductivity, 1195, 1323, 1447, 1461, 1565, 1609, 1723, 1829, 2047, 2401, 3475
Ionic defects, 3387
Ionic diffusion, 599
Ionic liquid, 1407
Ionic liquids, 1753
Ionic mobility, 2047
Ionic transference number, 1487
Ion insertion, 509
Ionophobic–Ionophilic balance, 1439
Ion-pairing, 1545
Ion-selectivity, 2313
Ion sensors, 4113
Ion transport, 4105
IRAS, 1333
Iridium complexes, 3207
Iron, 3841, 4259
Iron–chromium–molybdenum alloys, 1339, 3627
Iron cyanometallate derivatives, 1587
Iron dissolution, 3611
Iron electrooxidation, 1815
Iron oxidation, 111
Iron sulfide films, 487
$IrO_2$–$Ta_2O_5$/Ti electrodes, 401
Ir oxide, 837
Irregular resistive electrode, 213
Irreversibility compensation, 2659
Irreversible adsorption, 4339
IR spectroscopy, 731, 769, 1921, 2059
Isonicotinamide, 4319
Isopolymolybdic acid, 637
Isotope effect, 2949
Isotope separation, 2949

# J

Jahn–Teller distortion, 541

# K

Kelvin, 3641
Kinetic behavior, 1957
Kinetic model, 1339
Kinetics, 759, 837, 2961, 3137, 3237, 4185
Kinetics of electrode reaction, 1101
Kurtosis, 3665
Kynar, 1581

# L

Lactate dehydrogenase, 723
D-lactic acid assay, 643
$LaInO_3$, 2871
LaMg hydride, 2179
Langmuir-Blodgett, 1025
Langmuir–Blodgett films, 589
Langmuir monolayers, 221
Lanthanide, 2167, 2173
Lanthanide–diphthalocyanine, 2211
Lanthanum fluoride, 271

Laser-induced crystallization, 1937
Laves-phase hydrogen storage alloy, 1191
Layer structure, 31
Leaching, 279
Lead and tin–lead renewable electrodes, 3103
Lead dioxide, 341
Lead oxide, 2939
Leakage of organic solvent, 533
Lewis acid additives, 1737
Lewis base groups, 1467
$LiAsF_6$, 691
Li battery, 2825
$LiCF_3SO_3$, 691
$Li[CF_3SO_2N(CH_2)_3OCH_3]$, 1359
LiCl–KCl, 2537
Li codeposition method, 2537
$Li_2CO_3/K_2CO_3$ and $Li_2CO_3/Na_2CO_3$ eutectic, 783
$Li_{2.6}Co_{0.4}N$, 2659
$LiCoO_2$ cathode, 599
$LiCo_{1-y}M_yO_2$, 717
Li deficiency, 999
Li deposition, 1863
Lifetime, 3699
Li insertion–extraction reaction, 999
Li intercalation, 2041
Limiting current density, 799
$LiMn_2O_4$, 1151
$LiN(CF_3SO_2)_2$, 1359
Linear polyether., 1195
Linear poly(ethylenimine), 1533
Linear voltammetry, 3503
$LiNiO_2$, 897
Lipid cast film, 3367
Lipid membranes, 1053
Li/plasticized polymer electrolyte symmetric cell, 533
Liquid ammonia, 2835
Liquid ammoniates, 2967
Liquid crystal, 3973
Liquid phase deposition, 2119
Liquid sulfur dioxide, 3199
$Li_3Sb$, 891
LiSCN, 1359
Lithium, 2047, 4301
Lithium aluminate, 1679
Lithium anode, 1201
Lithium batteries, 1063, 1635, 2327, 2613, 2767, 3517, 4185
Lithium battery, 31, 77, 1565, 1783, 2305, 2623
Lithium cobalt dioxide, 2477
Lithium cobalt oxide, 1063
Lithium conductor, 1499
Lithium dendrite, 1201
Lithium diffusion, 2069, 2263
Lithium electrode, 1595, 2415, 2929
Lithium electrodes, 2395
Lithium gel electrolytes, 1747
Lithium hopping motion, 1475
Lithium imide solutes, 813
Lithium insertion, 1905, 2767, 3415
Lithium intercalation, 31, 2257
Lithium intercalation compound, 1151
Lithium-ion, 127, 1515
Lithium ion battery, 2659
Lithium-ion battery, 891, 941, 2293
Lithium ion conductor, 1709
Lithium-ion polymer battery, 599
Lithium iron oxide, 1063
Lithium–iron–phosphate, 3517
Lithium manganese oxide, 541, 987, 4185
Lithium metal rechargeable batteries, 813
Lithium nickel oxide, 941, 1215, 2269, 2293
Lithium perchlorate, 1447
Lithium perfluorinated polyimide, 1487
Lithium polymer battery, 1461, 1595, 3475
Lithium salts, 1397, 1545
Lithium secondary batteries, 541
Lithium triflate, 1553
Lithium vanadate, 59
Lithography, 3963
$Li_{4/3}Ti_{5/3}O_4$, 897
$Li_xWO_3$ and $Na_xWO_3$, 4151
Loaded ionomer film, 3579
Localization index, 3665
Localized corrosion, 3705
Local structure, 2055
Lock-in amplifier, 3611
Low carbon steel, 15
Low-permitivity organic solvents, 289
Low temperature, 967
Low-temperature performance, 813
Low temperature synthesis, 717
LSM/YSZ composite electrode, 867

# M

Macroporous structure, 861
Magnesium electrodes, 3259
Magnesium ions, 3259
Magnesium salt, 1195
Magnetization treatment, 2427
Malonic acid, 323
Manganese, 99
Manganese dioxide, 395, 3503
Manganese oxide, 31
Manganese oxides, 2487
D-Mannitol, 3147
Mass spectrometry, 701
Mass transfer, 433, 1267
MCFC, 783
Mechanical alloying, 2781
Mechanical grinding, 39
Mechanical strength, 1323
Mechanical stress in polymers, 4075
Mechanism and kinetics of growth, 2515
Mechanisms, 1071, 4083
Mechanistic aspects, 1369
Mediated electrochemical incineration, 305
Mediator, 3543
MEEP, 1553
Melts, 25
Membrane, 3973
Membrane oxygen electrode, 25
Membranes, 315

Memory effect, 3943
2-Mercaptoethanol oxidation, 3227
Mercury, 1277
Mesomorphic polymer, 1413
Mesoscopic heterogeneity, 2975
Metal dissolution, 3725
Metal hydride, 2167, 2173
Metal hydride electrodes, 1767
Metal–insulator transition, 2179
Metal/liquid interface, 165
Metallophthalocyanines, 3227
Metallorganic tin complexes, 1587
Metal plating wastewater, 381
Metastable pitting, 3699
Methane, 3525
Methanol, 193, 3175
Methanol electrooxidation, 4331
3-Methoxythiophene, 3973
Methylsquarate, 3509
MEV, 1679
MgNi, 2781
Mg–Ni, 2649
Micellar solution, 67
Micelles, 3985
Microbalance, 1977
Microcrystals, 2573
Microelectrode, 1223
Microelectrodes, 4359
Microemulsion, 759, 3973
Micro machine, 737, 1233
Microporous membranes, 2137
Micro-Raman, 1493
Micro-Raman spectroscopy, 1687
Microstructural characterizations, 2007
Mild steel, 3651, 4251
Mixed-conduction model, 3627
Mixed oxides, 1369, 2085, 3373
Mixed phase, 4057
Mixed vanadium titanium films, 2263
Mixed vanadium–tungsten oxide, 1945
MOCVD, 2961
Modeling, 239, 4185
Modelling, 4113
Model simulation, 4397
Modification, 3955
Modification with reducing agent, 2693
Modified electrode, 49, 3265, 4017, 4035
Modified electrodes, 3227, 4197
Molecular, 2749
Molecular dynamics, 1717
Molecular dynamics simulation, 3563
Molecular dynamics study, 1419
Molecular interactions, 589
Molecular orbital, 2049
Molecular organisation, 1397
Molecular recognition, 2313
Molecular stacks, 4001
Molecular structure effect, 3245
Molten carbonate fuel cell (MCFC), 1131, 2593
Molten carbonates, 3023
Molten fluorides, 2665
Molten quaternary system, 3563
Molten salt, 1169, 1407, 1723, 2537
Molten salts, 1101, 1753, 3351
Molybdenum, 83
Molybdenum oxide, 2195
Molybdenum trioxide, 2215
Monitoring, 2353
Monocrystalline electrodes, 3111
Monolith, 357
Monte Carlo simulation, 987
$MoO_3$, 1973
Morphology, 837, 2031, 2795, 4065
Mössbauer, 1815
Mössbauer spectra, 2327
Mössbauer spectroscopy, 127
Moving boundary, 3387
$\Delta m/t$ transients, 821
Multilayer composite, 4223
Multistep electrode process, 2699
Multitask cell, 3879
Multi transfer function analysis, 3611
$M_xV_2O_5$ thin films, 2257
Myoglobin, 1729

# N

$NaCF_3SO_3$, 1615
NADH oxidation, 2499
Nafion®, 3381
Nafion, 3189
Nafion117, 1703
Nafion, 315, 1559
Nafion content, 799
Nafion ion-exchange, 1657
Nanocomposite polymer electrolytes, 2457
Nanoelectrodes, 2961
Nanoelectrogravimetric studies, 4309
Nanomaterials, 2961
Nano-oxide anode, 2659
Nanoparticles, 1967, 2343
Nanostructure, 837, 1559
Nanostructured composites, 4205
Nanostructured electrode, 2187
Nanostructures, 2761
NaOH, 331
Naphthol blue black, 2913
Natural convection, 681
$Nb_2O_5$, 1905
$Nb_2O_5$ coating, 2105
Negative electrode properties, 2385
NEMCA NO reduction, 331
Neodymium, 2665
Neutron scattering, 1717
Nickel, 49, 2757
Nickel aluminum bronze, 3705
Nickel coatings, 2373
Nickel complexes, 3219
Nickel electrodes, 861
Nickel hexacyanoferrate, 4057, 4065, 4371
Nickel-hydride batteries, 2693
Nickel hydroxide, 3119

Nickel–metal hydride batteries, 4383
Nickel–metal hydride battery, 2781
Nickel–metal hydride battery, 1191
Nickel–metal hydride battery, 967
Nickel oxide coated nickel sheet anode, 4349
Nickel oxide solubility in molten carbonates, 783
Nickel tungstate thin films, 2233
Nickel–vanadium mixed oxides, 2257
Ni electrochromic films, 2275
Ni electrodes, 2711
Ni–MH battery, 2385
Ni/MH battery, 2427
Niobium oxide, 2499
Niobium pentoxide, 2113
Nitric oxide, 453
Nitrite, 637
Nitrites, 3905
Nitrogen addition, 3735
Nitrogen trifluoride, 4349
Nitro radical anion, 4289
Nitrotoluene derivatives, 4289
NMR, 1571, 1665
Noble metals, 3175, 3525
Nonaqueous solutions, 2805
Non-conjugated electrochromic polymers, 2035
Non-linearity, 1019
Non-linear response, 213
Non-stationary diffusion, 2929
Non-stochiometry, 915
Non-stoichiometry, 1989
Non-uniform resistance, 4177
Norepinephrine, 3367
Nucleation, 499, 2553, 2843
Nucleation and growth, 821
Nucleation-growth, 1223

# O

Octacyano, 77
OER, 3373
OH adsorption, 3755
O K-edge, 1973
Olefin containing fluorine atom, 1879
Oligothiophenes, 4001
Open circuit potential, 2395
Optical absorption, 1967
Optical attenuation, 2151
Optical basicity, 2091
Optical characterization, 2085
Optically passive counterelectrodes, 2257
Optical properties, 2179, 2203, 3181
$O_2$ reduction, 3227
Organic barrier coatings, 3817
Organic coating, 3715
Organic coatings, 3619
Organic electrocatalysis, 3245
Organic electrolytes, 1783
Organic halide reduction, 3245
Organic liquid electrolytes, 1635
Organic oxidation, 389, 915
Organoselenium and organosulphur compounds, 1259
ORMOCER®s, 1499
ORR, 3373
Orthovanadates, 2059
Oscillations, 745, 3481
Osmium redox polymer, 255
Overoxidation, 2787
Oxalate, 4379
Oxidation, 323, 453, 1113
Oxidative addition, 3237
Oxide film, 1871, 2321
Oxide films, 563, 3767
Oxide formation, 3175
Oxides, 4229
Oxides layer, 3905
Oxidisable substrates analysis, 2681
Oxobasicity index, 25
Oxygen, 1523, 3137
Oxygen-containing species, 3163
Oxygen electrode, 1019, 3023
Oxygen evolution, 1369, 4229
Oxygen evolution/reduction, 717
Oxygen reduction, 365, 423, 1837, 3001
Oxygen reduction reaction, 579
Oxysulfide spinel, 541
Ozone, 341

# P

Paired electrolysis, 3259
Palladium, 2507, 3237
Palladium nanoparticles, 4205
PAN-based fibres, 3359
Paper, 2195
Partial molar internal energy and entropy, 987
Passivation, 671, 3905
Passivation layer, 1595
Passive Cu, 3755
Passive film, 2605, 2649, 3387
Passive films, 851, 3735
Passivity breakdown, 3777
PBI, 2401
PCEMA (poly(2-cinnamoylethyl methacrylate) polymer film, 463
Pechini method, 1905
PEDOT, 2023
PEDT, 759
Peltier, 1141
PEMFC, 3381, 4389
PEMFC catalyst layer, 1657
PEO, 1571
PEO-grafted polymethacrylates, 1565
PEO-LiX electrolytes, 1359
PEO-LiX-KX electrolytes, 1359
Permselectivity, 4133
Perovskite catalyst, 365
Perovskite-type oxide, 2871
Peroxide ions, 3023
Petroleum coke, 691
Petroleum industry, 3879
Phase behavior, 1695
Phase inversion, 1635

Phase segregation, 1687
Phase tranformation, 2573
Phase transformation., 3445
Phase transformation, 1223
Phase transition, 3091
Phenol, 3573
4-Phenylpyridine, 2671
Phosphine, 3237
Phosphomolybdate, 4223
Phosphoric acid, 1673
Photocatalyst, 2819
Photochemical, 2337
Photocurrent, 2363, 2787, 3767
Photodegradation, 2819, 2913
Photoelectrocatalysis, 2913
Photoelectrochemistry, 2913, 2929, 4243
Photo-electrochemistry, 2605
Photoelectrochromic, 2131
Photoelectron spectroscopy, 2269
Photon correlation spectroscopy, 1447
Photovoltaics, 2125
Phthalocyanine, 77
*p*-Hydroxy coumaric acid, 373
Physicochemical property, 3431
*p*-Isopropylbenzaldehyde, 875
*p*-Isopropyltoluene, 875
Pitch-based carbon fibers, 39
Pitch-based fibres, 3359
PITT, 2069
Pitting, 3641, 3867
p$K_a$, 3083
Planar sensors, 1523
Plasma treatment, 2211
Plastic crystal phases, 1753
Plastic lithium-ion battery, 1453
Platinum, 119, 165, 193, 271, 661, 1285, 3063, 3147, 4359
Platinum alloy, 555
Platinum deposition, 629
Platinum dispersed in polyaniline, 579
Platinum electrode, 651, 3457
Platinum particles, 4197
Platinum phthalocyanine, 1223, 2573, 3445
Platinum plating, 2899
Platinum single crystal surfaces, 3163
Platinum utilisation, 1657
Point defect transport, 3627
Polarisation technique, 3791
Polarization, 1013
Polarization curves, 4359
Polarization resistance, 1837
Polarography, 4289
Polaron, 1967
Pollutants, 341
Poly(acrylonitrile), 3475
Polyacrylonitrile-co-bis[2-(2-methoxyethoxy)ethyl]itaconate, 3475
Poly(3-alkylthiophenes), 4007
Poly(amidoamine), 4223
Polyaniline, 579, 1307, 2159, 2795, 3181, 3301, 3955, 4051, 4065, 4083, 4213
Polyaniline matrix, 4371
Polyaniline–polypyrrole composite, 2443
Polybenzimidazole, 1523
poly[4,4′-bis(butylsulfanyl)-2,2′-bithiophene], 2721
Poly[4,4′-bis(butylsulphanil)-2,2′-bithiophene], 881
Poly[4,4′-bis(methylsulfanyl)-2,2′-bithiophene], 2721
Polybithiophene, 2363
Polycarbonate membrane, 829
Polycarboxylate–metal composite, 4035
Polycrystalline gold electrode, 4309
Polydioxolane, 1493
Polydispersity, 709
Polyelectrolyte, 1461
Polyene, 1879
Polyether electrolytes, 1737
Poly(3,4-ethylenedioxythiophene) and derivatives, 1207
Poly(ethylene glycol), 1687, 2623
Poly(ethylene glycol) mono-methyl-ether, 1615
Polyethylene oxide, 2777
Poly(ethylene oxide), 1605, 1695, 1709, 1723, 1729
Poly(ethyleneoxide), 1419
Poly(ethylene oxide) (PEO), 1829
Poly(ethyleneoxide)–sodium iodide systems, 1419
Polyethylenimine, 1709
Polymer, 2015
Polymer alloy, 1487
Polymer battery, 1499, 2305
Polymer blend, 2031
Polymer blends, 1397
Polymer–ceramic, 1515
Polymer degradation, 4125
Polymer electrolyte, 737, 1233, 1407, 1453, 1487, 1539, 1595, 1629, 1687, 1709, 1723, 2623, 2777, 4243
Polymer electrolyte fuel cell, 555
Polymer electrolytes, 1397, 1475, 1523, 1545, 1571, 1581, 1623, 1665, 1717
Polymer films, 4259
Polymer gel electrolyte, 1609
Polymer gels, 1427
Polymeric electrolyte, 1195, 1565
Polymerisation, 759
Polymer membrane electrolytes, 2401
Polymer–metal composite, 737
Polymer modified electrodes, 3181
Polymer proton conductor, 1699
Polymer segmental motion, 1475
Polymer-solvent affinity, 1323
Polymer structure, 3181, 3993
Polymethacrylate, 1195
Poly(methyl methacrylate), 1447, 1453
Poly(3-methylthiophene), 3993
Polymethylthiophene, 4251
Poly(3-methylthiophene), 2721
Poly-metoxyaniline, 4043
Poly(*N*-alkylcarbazole), 709
Poly(*N*-methylpyrrole), 15
Poly(*o*-methoxyaniline), 4125
Poly(*o*-phenylenediamine), 4159
Polyoxometalate, 4197
Polyoxometalates, 4223
Polyparaphenylene, 4301
Polyphosphazene, 1553

Poly(propylene glycol), 1615
Polypyrrole, 4017
Poly(pyrrole), 4113
Polypyrrole, 1, 15, 91, 519, 661, 2787, 2843, 4095, 4105, 4205, 4259
Polypyrrole films, 547
Polypyrrole–polyvinylsulphonate composite, 723
Polystyrene-poly(2-cinnamoylethyl methacrylate) ($PS_n$–$PCEMA_m$) copolymer film, 475
Polythiophene, 3943
Polythiophenes, 265, 881, 2023, 2721
Polyurethane, 1629
Poly (vinyl alcohol), 1699
Poly(vinyl chloride), 1453
Poly(vinylidene fluoride), 1635
Porosity, 3359
Porous electrode, 2757
Porous electrodes, 4185
Porous media, 1267
Porous membrane, 2825
Porous silicon, 1013, 2805
Porphyrin, 1899
Porphyrinogen, 1899
Positive electrode, 1063
Potassium ion flux, 4133
Potassium permanganate, 31
Potential control, 3493
Potential distribution, 4075
Potential of zero charge, 3063
Potential step chronocoulometry, 4075
Potentiometry, 25, 4113
Potentiostatic control, 349
Power spectrum density, 3699
p-Porous silicon, 2991
PR electrolysis, 401
Presence of intermediates, 2699
Primary alcohols, 3259
Product isolation, 3207
Propylene carbonate, 1447
Proton conducting membranes, 1623
Proton conduction, 1427
Proton conductive electrolytes, 1673
Proton conductivity, 1703
Protonic devices, 2097
Prussian blue, 2151, 2195, 4133
Prussian blue type systems, 4057
Pseudocapacitance, 3431
Pseudo-reference electrode, 643
Pt(111), 1773, 3137
Pt(332), 701
Pt(111), 701
Pt-Mo, 701
$Pt(NH_3)_4Cl_2$, 1657
Pt-Ru, 701
PtRu electrodes, 4331
Pt-Ru-Sn, 701
Pt single crystal electrodes, 4339
Pt-Sn, 701
Pt–Ti electrode, 373
Pulsed dc, 1931
Pulsed-field gradient NMR, 1747
Pulsed field-gradient NMR, 1651
Pulsed laser deposition, 1945, 2097
Pulse-field gradient NMR, 1609
Pulse laser technique, 2929
Pulse voltammetry, 2415
PVAc blends, 1581
Pyridine, 1333
Pyrite, 2613
Pyronarine, 2923
Pyrrolidinium, 1753

# Q

QCMB, 463, 475
Quantum chemical, 2749
Quartz crystal immittance technique, 3801
Quartz crystal microbalance, 2487
Quasi-lattice, 1783
Quinone/hydroquinone, 2795
Quinones, 4083

# R

Radical $NO_3^{\bullet}$, 3265
Radioactive tracer, 3777
Radiometry, 3111
Raman, 1995, 2871, 3415
Raman microscopy, 193
Raman scattering, 1207
Raman spectra, 671, 1937
Raman spectroscopy, 1553, 2229, 2233
Raman spectrum, 1963
Rate capability, 2693
Rayleigh number, 433
RDE studies, 2499
Reaction mechanism, 3163, 3611
Reaction microscopy/spectroscopy, 247
Reactive sputtering, 1931, 3827
Reactivity, 807
Rechargeability, 2659
Rechargeable, 1063
Rechargeable Li batteries, 91
Rechargeable lithium batteries, 83, 2939
Rechargeable lithium battery, 1161
Redox, 2015
Redox active film, 4017
Redox-active ionophore, 2733
Redox and conducting arylamine-derived polymers, 4075
Redox behavior, 3269, 4105
Redox behaviour, 99
Redox catalysis, 1899
Redox hydrogel, 255
Redox interferences, 4113
Redox reaction, 1605
Redox series, 3199
Redox switching, 4133
Red precipitate, 4281
Reduction, 453, 1113, 2749
Reduction mechanism, 1847
Reductive coupling, 3265
Reductive dissolution, 3841

Reference hypernetted-chain theory, 165
Refractive index, 3993
Relaxation voltammetry, 3619, 3817
Repassivation, 3913
Resistance, 2395
Resonance stabilized structures, 15
Rest potential, 2805
Reticulated structures, 3279
Rh catalyst-electrode NO reduction by CO, 331
Rh catalyzed Promotion, 331
Rhenium, 4309
$RM_5$, 2385
Roll-off slope, 3665
Rotating disc electrode (RDE), 1377
Rotating electrode, 3481
Rotating hemispherical electrode (RHSE), 1377
Rough electrodes, 207
Roughness, 4159
Rouse model, 1539
RRDE, 3373
$RuO_2$, 357
$RuO_2$ Sol, 415
Ru oxide, 915
$RuO_y \cdot nH_2O$ deposition, 3431
Ruthenium oxide, 1369

# S

Saccharin, 1025
Sacrificial Mg anode, 1879
Salt bridge, 1251
SAXS, 1559
Sb adatoms, 4339
Sb-BLM, 2923
Scale deposit, 3851
Scale deposits, 973
Scale inhibitor, 973
Scanning electron microscopy (SEM), 3503
Scanning tunneling microscopy and spectroscopy, 4043
Scanning tunnelling microscopy, 2343
Schiff base, 2733
Screen-printed carbon electrodes, 829
Secondary battery, 59, 1201
Secondary Li-ion battery, 1151
Segregation and enrichment processes, 1767
Selective recovery, 349
Self-assembled monolayer (SAM), 3057
Self-assembled thiol monolayer, 2527
Self-assembled thiol monolayers, 3963
Self-diffusion coefficient, 1651, 3563
Self-diffusion NMR study, 1499
Self-doped polyanilines, 1071
Self-exchange velocity, 3563
Self-organization, 4001
SEM, 837
SEM–EDS, 3743
SEM-EDX, 3783
Semiconducting oxides, 3755
Semiconductor, 271
Semiconductor oxidation, 2835
Semi-integrals, 953
Sensor, 1179, 2855, 3421
Separator, 2825
SERS, 2671
SER spectroscopy, 651
Shape-dependency, 213
Shot noise, 3665
Siderite, 111
Silicon–carbon alloys, 2125
Silicotungstic acid hydrate, 1673
Silver alloys, 1043
Silver cathode, 3245
Silver electrodeposition, 607
Simonkolleite, 407
Simplex, 305
Simulation, 239, 3665
Single crystal, 3083, 3147
Single crystal electrode, 731, 769
Single crystal electrodes, 3157
Single-ion conductor, 1461
Skew, 3665
Skewness, 3665, 3705
Smart window, 2131, 2243
Smart windows, 2125
Sm–Ni alloy, 2537
Sn–Zn deposit, 3835
Sodium, 39, 3359, 4301
Sodium and lithium in aluminium, 2379
Sodium chloride, 305
Sodium electrolytes, 1615
Sodium salt, 1695
SOFC, 1019, 1837
Soft actuator, 737, 1233
Sol–gel, 637, 2059, 2105, 2113, 2251, 2263
Sol–gel electrolyte, 4235
Sol–gel method, 541, 1215
Sol–gel pretreatments, 3715
Sol-Gel procedure, 415
Sol–gel synthesis, 2275
Sol-gel transition, 1587
Solid electrolyte, 1313, 2879
Solid electrolyte interface, 1793
Solid electrolyte interphase, 2415
Solid–liquid interface, 3057
Solid oxide fuel cells, 867
Solid polyether electrolyte, 1641
Solid polymer electrolyte, 3535
Solid-state electrochromic cell, 2035
Solid wastes, 279
Solubility of lanthanum chloride, 1891
Solubility product, 25
Solution phase, 2015
Solvation complexes, 2749
Solvent oxidation, 2835
Solvent retention ability, 1323
SOMC, 1033
Sorption isotherms, 4141
Sour environments, 487
Space-charge, 563
Spatio-temporal behavior, 745
Speciation diagrams, 279
Spectroelectrochemical studies, 2463
Spectroelectrochemical study, 3525

Spectroelectrochemistry, 671, 3301, 3955, 4007, 4051, 4371
Spectroscopic ellipsometry, 2215
Spectroscopic techniques, 4281
Spectroscopy, 1113, 2091
Spinel-framework structure, 2327
Spinel sulfides, 127
Spontaneous deposition, 4331
Sputtered films, 2001
Sputtering, 1937
Sputtering deposition, 2085
Square scheme, 1847
SS anode, 381
Staebler–Wronski effect of a-$WO_3$, 1963
Stainless steel, 851, 2899, 3651, 3699, 3735, 3767, 3783, 3859
Stainless steels, 3867
Statistical field theory, 3051
Steel, 1, 3685, 3895
Steel in concrete, 3905
Step decoration, 701
Stern layer, 221
Stiffness, 3735
STM, 3743, 3755
Stochastical analysis, 3699
Stochastic transport, 2415
Stress corrosion cracking, 3867
Stripping techniques, 2811
Strontium-doped lanthanum manganites, 867
Structural properties, 2221
Structural relaxation, 1419, 1539, 1717
Structure, 1515
Structure and optical properties, 2215
Styrene triblock polymer, 1623
Sub-monolayer oxidation, 175
Sugar, 1179
Sulfate, 3343
Sulfate-reducing bacteria, 3841
Sulfide, 2613
Sulfonated polyaniline, 3555
Sulfonated styrene, 1623
Sulfuric acid, 3503
Sulphur dioxide, 651
Sum frequency, 4319
Sum frequency generation (SFG), 3057
Supercapacitor, 2777
Supported BLM, 1251
Surface chirality, 3157
Surface composition, 3157
Surface concentration, 3397
Surface energy of solids, 157
Surface enhanced infrared spectroscopy, 3525
Surface enhanced Raman spectroscopy (SERS), 175
Surface heat effects, 1141
Surface-initiated polymerisation, 3963
Surface layer composition, 691
Surface oxidation, 2863, 3381
Surface potential, 519
Surface properties, 3735
Surface reactions, 1847
Surface roughness, 185, 2975
Surface stress, 157
Surface structure, 1823
Surface treatment, 185
Surfactant, 297, 1013
Switchable, 2167
Switchable mirror, 2179
Switchable mirrors, 2173
Switching rate, 1223
Synchrotron source, 9
Synthesis, 1899

# T

Tafel extrapolation, 1131, 2593
Tantalum oxide, 2041
Teflon, 1703
TEM, 1815
Temperature dependence, 1957
Temperature dependency, 3445
Template synthesis, 2711
Tensile stress, 851
Ternary catalyst, 701
Terpyridine, 2855
Test, 2243
Tethering, 1407
Tetraalkylammonium electrolytes, 3073
Tetracyanoethylene, 3287
Tetrafluoroborate, 1753
Tetraglyme, 691
Textured $WO_3$ films, 2145
Theory, 3001
Thermal stability, 1729
Thermodynamics, 137
Thin film, 2477
Thin film electrodes, 2119
Thin films, 1921, 1945, 2059, 2097, 2215, 2281
Thin layer, 99
Thiol oxidation, 3397
Thiourea, 3111
Thiram, 289
Three-dimensional electrodes, 389
Three-phase boundary (TPB) sites, 867
Threshold energy, 3675
Ti(II) stability, 2407
Time dependence, 1313, 3387
Time-dependent diffusion coefficient, 1475
Tin, 571, 2507, 3103
Tin corrosion, 671
Tin oxide, 83, 1161
$TiO_2$, 2819
$TiO_2$ doping, 1951
$TiO_2$ Sol, 415
Ti/Pt anode, 381
Titanium, 563, 629, 2407, 3351
Titanium dioxide, 2187
Titanium oxide, 2363
Ti–V substitution, 2781
Tobacco and sweet potato peroxidases, 255
Topography, 3735
Tracer technique, 681
Transfer coefficients, 3001
Transference number, 2879, 3351
Transient detection, 2353

Transition metal complexes, 3199
Transmission electron microscopy, 475
Transparent conducting oxides, 2007
Transpassive region, 3343
Transport properties, 2457
Treatments, 2553, 2631
Triblock polyether, 1679
Tribocorrosion, 3913
Tribology, 3913
Tricyanovinylation, 3287
Triphenylamine, 3421
Triphylite, 3517
Tripodal phosphine complexes, 3207
TTF derivatives, 589
Tungsten oxide, 1931, 1967, 1977, 1983, 1995, 2049, 2195, 2221, 2251, 3415
Tungsten trioxide, 2151, 2159, 2229
Tungsten trioxide electrode, 2913
Two-dimensional condensed layer, 3091
Two-electrode voltammetry, 2159
'Two-step' continuous time random walk, 3619

# U

Ultramicroelectrode, 4235
ultraviolet photoelectron spectroscopy (UPS), 175
Under-layer, 3827
Underpotential deposition, 2507, 4359
Underpotential deposition mechanism, 1773
Underpotential grafting on metal substrate, 1773
UPS, 3755
UV–Vis spectroelectrochemistry, 1071
UV–vis spectroscopy, 3219, 4289

# V

Valency, 3119
Valve metals, 3777
Vanadium oxide, 2623, 3555
Vanadium pentoxide xerogels, 547
Vanadium redox cell electrolyte, 4281
Vapor–liquid equilibria, 3535
Velocity profile, 681
Vertical plane anode, 681
Vibrational density, 1989
Vibrational spectroscopy, 1533
Vinylogous TTF, 3269
Viologen, 2187
Viologen-modified electrode, 2527
Viologens, 2195
Viscosity, 1783
$V_2O_5$, 897
$V_2O_5$ films, 2145
Voltabsorptometry, 4371
Voltage loss, 315
Voltage simulation, 1957
Voltammetric modeling, 953
Voltammetry, 119, 1179, 2699, 2855, 2961, 3189, 3783, 4065, 4075

# W

Warburg coefficient, 3023
Wastewater, 297, 315
Water activity, 137
Water flux, 4133
Water structure, 3057
Wavelet analysis, 2353
Wear, 3913
$WO_3$, 1921, 1973, 2023, 2131
$WO_3$ films, 1937, 1951, 2001
Work function, 519

# X

XANES, 3119
XPS, 1595, 3791
X-ray, 1493, 2179
X-Ray absorption spectroscopy, 1973, 2055, 2233
X-ray diffraction, 2233, 2373, 2613
X-ray photoelectron spectroscopy, 2337
X-ray photoelectron spectroscopy (XPS), 175
XRD, 1815, 2327, 2871

# Y

Young–Goehr impedance, 3619

# Z

Zincate ion, 1773
Zinc–cobalt alloy, 1169
Zinc corrosion, 3743
Zinc exchange reaction, 3743
Zinc–nickel alloys, 2811
Zinc–nickel deposition, 279
Zinc underpotential deposition, 1773
Zi–Ni alloy, 407
Zircaloy-4, 2605
Zirconia films, 3715
Zirconium, 3343
Zn anode, 407
ZnS/Ag/ZnS transparent conductors, 2145
$Zn_4Sb_3$, 891